

# dapro

*Safety inspires confidence.  
Confidence inspires achievements.*



[www.dapro-safety.com](http://www.dapro-safety.com)



[/Dapro-Safety](https://www.linkedin.com/company/dapro-safety)



[@Dapro\\_Safety](https://www.instagram.com/dapro_safety)



[/DaproSafety](https://www.facebook.com/DaproSafety)



[@Dapro\\_Safety](https://twitter.com/Dapro_Safety)



[@DaproSafety](https://www.youtube.com/channel/UCDaprosafety)



[/Dapro\\_Safety](https://www.pinterest.com/Dapro_Safety)



[@DaproSafety](https://www.tiktok.com/@DaproSafety)





# TABLE OF CONTENTS

## WORKWEAR

Dapro Worker 1 Coverall Kneepads	7
Dapro Worker 2 Coverall	9
Dapro Toughwear 2 Coverall Kneepads	10
Dapro Roughneck Coverall	11
Dapro Roughneck Jacket	13
Dapro Roughneck Pant	15
Dapro Aero Coverall	16
Dapro Aero Shirt	17
Dapro Rope Access Coverall	18
Dapro Globe-Tech Polo	19
Dapro Volt Hi-Vis Class 2 Coverall	24
Dapro Kneepads	25

## WORKWEAR FEMALE

Dapro Female TriLite Set	27
Dapro Female Vapor Coverall	28
Dapro Female Breeze Coverall	29
Dapro Female Hijab	30

## WORKWEAR WINTER

Dapro Diamond Coverall	31
Dapro Diamond Jacket	32
Dapro Diamond Pant	33
Dapro Industry Coverall	34
Dapro Spark Coverall	35
Dapro Spark Jacket	36
Dapro Spark Pant	37

## OUTERWEAR

Dapro Phase 1 Jacket	42
Dapro Access Jacket	44
Dapro Infinity Jacket	46
Dapro Globe-Tech Jacket	48
Dapro Spectre Softshell Jacket	50
Dapro PU Hydrolite Rainsuit	51

Dapro Protector Coverall Reflect	52
Dapro Basic Fleece	53
Dapro Defender Fleece	54
Dapro Offshore Bag	55
<b>BASELAYER</b>	56
Dapro Balaclava	59
Dapro Frost Multi-Use Neck Protector	61
Dapro Frost Shirt	62
Dapro Frost Pant	63
Dapro Phoenix Socks	64

## EYEWEAR

Dapro Offshore Glasses	65
------------------------	----

## FOOTWEAR

Dapro Offshore C S7 C	67
Dapro Flame Knit C S1P C	68
Dapro Black Phoenix C S3 C	70
Dapro Elements 2 S3 C	72
Dapro Elements 2 Pro C S3 C	73
Dapro Elements 3 C S3 C	74
Dapro Driller C S3 C	75
Dapro Rigger C S3 C	76
Dapro Noble S3 C	77
Dapro Noble Welding S3 C	78
Dapro Canyon C S3 C	80
Dapro Dauntless S3 C	81
Dapro Intrepid S3 C	83

<b>FOOTWEAR MADE-TO-ORDER</b>	87
Dapro Petromaster C S7 C	88
Dapro Rigmaster C S7 C	90
Dapro Offshore C S7 C	92
Dapro Canyon Laceless C S3 C	93
Dapro Elements 1 C S3 C	95
Dapro Chelsea Boot C S3	97
Dapro Commissioner Slip On C S3	99
Dapro Commissioner C S3	101

We are always working to improve our products and achieve the perfect design to ensure the safety and comfort of our clients. Follow us on our social media channels to stay up-to-date with our latest models!







## Company profile

Dapro specializes in the development and manufacturing of Personal Protection Equipment for the petrochemical industry. Dapro is the premier flame retardant garment producer of the world. The product scope of Dapro consists of 5 product groups: Workwear, Outerwear, Base Layer, Footwear & Eyewear

"Tailormade products are a specialty for which Dapro is well-known. With 'Dapro Tailor-Made Projects,' Dapro carefully listens to its users and creates products that cater to the needs and corporate identity of its clients."


Dapro's goal is to provide people working in hazardous environments with products that make their jobs safer. Innovation is central to Dapro, as is the continuous strive for highly durable, comfortable and protective products that exceed the standards of the industry.

The success of Dapro lies in combining these traits without compromise by using high tech materials and innovative design. The result is the use of Dapro products in 63 countries divided over 6 continents.

One example of the innovative features of Dapro is 'Dapro Action Armpits'. This innovative design gives the user the freedom to work comfortably above reach in a coverall (one-piece garment).

At Dapro your safety is the number one priority. Your life depends on it. For more information, please visit [www.dapro-safety.com](http://www.dapro-safety.com).

### Some of our customers



Dapro around the world





## Eco friendly manufacturing

Dapro has been a frontrunner in using eco-friendly materials and technology in its production processes. In our facilities, we take sustainability to the next level. Our facilities have rooftop energy sources. Solar power is a clean and efficient way of powering our production processes and lighting the facilities. In addition, Dapro uses low chromium content leather in its safety shoe production. Waste is reduced to a minimum in all our factories by means of stringent recycling policies. At Dapro we take sustainability as serious as we do safety.

### OEKO-TEX Standard 100

The OEKO-TEX® Standard 100 is an independent test and certification system for textile raw, intermediate and end products at all stages of processing. The test for harmful substances covers: Legally banned and controlled substances; Chemicals known to be harmful (but not yet legally controlled); Parameters for health protection. The more closely the product is in contact with the skin, the stricter the human ecology requirements are that it must meet.

With our exceeding parameters on breathability for higher comfort and durability Dapro is leading with returning happy customers all over the world.


## Flame-retardant Nano-Technology

A special Guardian® flame-retardant, breathable and waterproof membrane is attached to a Guardian® Polyester Outer Shell. A separate flame-retardant lining ensures a comfortable soft touch and warmth. It is possible to combine this construction with SubZero® insulation, which keeps the body dry and warm in even the most extreme conditions.

### Anti-static fabric technology

Guardian® anti-static fiber is a multi-filament bi-component yarn. Each filament has a unique conduction core surrounded by a sheath of fibers. It has been designed to provide optimal anti-static protection in grounded and ungrounded environments according to end-use specifications.

Most of our competitors supply anti-static garments which only comply to EN 1149-5. Dapro garments are certified and compliant to EN 1149-5 and to the most stringent anti-static standard called 'The Gasprobe Test'. This standard tests the garment in both ungrounded situations and real-world scenarios, such as standing in oil or being suspended by a fall arrest system.





## Quality testing and traceability

Each Dapro product must pass stringent quality and safety tests. Unlike most competitors who only test their products with a Notified Body for international certification, all Dapro products are officially certified by Notified Bodies and often exceed these standards. Our factories utilize, in addition to international certification testing, in-house laboratories where all materials and final products are continuously tested, to guarantee that every product meets both international and Dapro standards. See a list of some of our standard in-house tests below:

- > Water resistance and breathability of fabrics, leather, seams and garments
- > Fabric/leather elongation, tear and tensile strength
- > Leather chromium VI content and pH levels
- > Impact compression & perforation resistance on shoe hardware
- > Colour fastness
- > Shade variations
- > Shrinkage
- > Flame-retardant properties
- > Button pull testing
- > Pilling

### Every Dapro product has a unique tracking code.


With this code we can see exactly which batch of materials was used and which employees were involved in the production of the product. This ensures accountability in our whole production process.



## Manikin Test

EN ISO 11612 is the international standard for industrial flame-retardant garments. EN ISO 11612 offers an optional test known as the 'Manikin Test'. This test involves exposing a manikin wearing our garment to a minimum 3-second flash fire. The test results predict the extent of skin burns for our product.

Dapro supplies the best flame-retardant garments in the world. That is why we do the 'Manikin Test' at 4 seconds and still achieve industry leading results. Please see the results in our burn injury prediction diagram.





# Certification information

Shop per standard at [www.dapro-safety.com](http://www.dapro-safety.com)



EN ISO 13688

Specifies various general performance requirements including ergonomics, size and marking of protective clothing and accompanying user info.



EN ISO 11612  
\*Classification\*

Specifies performance requirements for safety garments to protect from heat and flame, where there is a need for clothing with limited flame spread properties and where the user can be exposed to radiant, convective, contact heat or to molten metal splashes. Classifications:

- A = Flame distribution (A1 = Superficial flame, A2 = Peripheral flame)
- B = Convective heat (Class 1 - 3)
- C = Radiating heat (Class 1 - 4)
- D = Molten aluminium (Class 1 - 3)
- E = Molten Iron (Class 1 - 3)
- F = Contact heat (Class 1 - 3)



EN ISO 14116  
Index X

Specifies the performance requirements for the limited flame spread properties of materials, material assemblies and protective clothing in order to reduce the possibility of the clothing burning and thereby itself constituting a hazard. Protective clothing complying with this International Standard is intended to protect workers against occasional and brief contact with small igniting flames, in circumstances where there is no significant heat hazard and without the presence of another type of heat. Icon only shown when certified in combination with EN ISO 11612:2015. Index:

- 1: hole may be formed, no flame spread, no flaming debris
- 2: no hole formation, no flame spread, no flaming debris, after flame / glow time > 2s
- 3: no hole formation, no flame spread, no flaming debris, after flame / glow time < 2s



EN 1149-5

Specifies material and design requirements for electrostatic dissipative protective clothing, used as part of a total earthed system, to avoid incendiary discharges. The requirements may not be sufficient in oxygen enriched flammable atmospheres. This European Standard is not applicable for protection against mains voltages.



EN ISO 11611  
A1 Class X

Specifies safety requirements for protective clothing to be worn during welding and similar processes with comparable risks, to protect against spatter (small splashes of molten metal), short contact time with flame, radiant heat from the arc and minimizes the possibility of electrical shock by short-term, accidental contact with live electrical conductors in normal conditions of welding. (Class 1 - 2)



EN 13034  
Type X

Specifies the requirements for chemical protective clothing partial (Type PB [6]) or full body (Type 6), intended for use in cases of a potential exposure to a light spray, liquid aerosols or low pressure, low volume splashes and partial body protection.



EN 13758-2

This European Standard specifies the requirements for marking of clothing which are designed to offer the wearer protection against solar ultraviolet radiation exposure.



EN 343

Requirements and test methods for fabrics and seams of protective clothing against the influence of rain, snow, fog and ground humidity. Resistance to water penetration (A) and water vapour resistance (B) is measured.

- A: Resistance to water penetration: 1-4, where class 4 provides the best waterproofness
- B: Breathability – water vapour resistance: 1-4, where class 4 provides the best breathability
- C: Impact from above with high energy droplets (optional)



EN 14058

This standard specifies the requirements and test methods for the features of garments for protection of the body against cold environments with temperatures above -5 °C.

- A: Thermal resistance  $r_{ct}$  (class 1 - 3)
- B: Air permeability (class 1 - 3) (optional)
- C: Water vapour permeability (optional)
- D: Resistance water penetration (class 1 - 2) (optional)



IEC 61482-2  
Class X

Specifies the necessities and test methods applicable to materials and garments for protective clothing for electrical workers against the thermal hazards of an electric arc based on properties of the textiles tested with selected test methods.

The arc rating of materials (ATPV or EBT50) when tested with an open electric arc under defined laboratory conditions according to IEC 61482-1-1.

The arc protection class of materials and garments ( Class 1 or Class 2 ), when tested with a directed and constrained electric arc under defined laboratory conditions according to IEC 61482-1-2 requirements of this standard do not address electric shock hazards. The present standard is applicable in combination with standard covering such hazards.



IEC 61482-2  
Class X



EN ISO 20471

This standard specifies the international standard for the safety requirements and test methods of hi-vis workwear, and is applicable to high-risk situations. It specifies requirements for “high visibility clothing which is capable of visually signalling the user’s presence” and assesses the suitability and durability of retro-reflective materials. (Class 1 - 3)



EN 17353  
Type X

This European standard specifies the requirements for enhanced visibility equipment in the form of garments, or devices, which are capable of visually signalling the user’s presence. The enhanced visibility equipment is intended to provide conspicuity of the wearer in medium risk situations under any daylight conditions and/or under illumination by vehicles headlights or searchlights in the dark.



ISO 20345

Specifies basic and additional (optional) requirements for safety footwear used for general purpose. It includes, for example, mechanical risks, slip resistance, thermal risks, ergonomic behaviour.



EN 166

Specifies the core technical industrial safety norm in Europe for eye protection applying to all types of individual protection of the eye which protects from hazards likely to damage the eye, except for nuclear radiation, x-rays, laser emissions and infrared emitted by low temperature sources.





# WORKWEAR

[SHOP ALL WORKWEAR](#)




## Size guide Coverall/Jacket

SIZE			LENGHT (A)	CHEST (B)	WAIST (C)
42	32	3XS	158-167	76-96	70-90
44	34	2XS	158-170	78-98	71-91
46	36	XS	158-172	80-100	73-93
48	38	S	161-175	82-102	74-94
50	40	M	164-178	84-104	76-96
52	42		168-182	86-106	77-97
54	44	L	172-186	87-107	79-99
56	46		174-188	89-109	80-100
58	48	XL	177-191	91-111	82-102
60	50		179-193	93-113	83-103
62	52	2XL	182-196	94-114	85-105
64	54		183-202	96-116	88-108
66	56	3XL	184-202	97-117	91-111
68	58		185-202	99-119	94-114
70	60	4XL	187-202	100-120	96-116

## Size guide Pants

SIZE			WAIST (C)	HIP (D)	INSEAM (E)
42	32	3XS	74-85	87-98	70-76
44	34	2XS	77-88	89-100	71-77
46	36	XS	80-91	91-102	72-78
48	38	S	83-94	93-104	74-80
50	40	M	86-97	95-106	75-81
52	42		88-100	97-109	76-82
54	44	L	91-103	100-112	79-85
56	46		94-106	103-115	80-86
58	48	XL	96-109	105-118	81-87
60	50		99-112	108-121	82-88
62	52	2XL	102-115	111-124	83-89
64	54		105-118	114-127	84-90
66	56	3XL	111-124	117-130	84-90
68	58		117-130	120-133	84-90
70	60	4XL	123-136	123-136	84-90

Measurements shown in centimeters



## Iconography



Extensive  
Bartacks



5 Thread  
Safety Stitch



Breathable  
Fabric



Waterproof



YKK® One-Way  
Zipper



YKK® Two-  
Way Zipper



Single  
Gas Loop



Double  
Gas Loop



Lower Arm  
Striping



Adjustable  
Hems/Cuffs




Action  
Armpit



Shaped Knee

## Wearers side



# Dapro Worker 1 Coverall Kneepads

PRODUCT CODE: WWOR1CKULW-OR\*

## Fabric information



- 100% Cotton
- 200 GSM

## Features

- > Suitable for Tropical climate
- > Center front with concealed metal snap button closure
- > **Gas detector loop** on chest at right hand side
- > Chest pockets with safety flap and concealed metal snap button closure
- > Elastic waistband for improved fit
- > Side pockets
- > **Side vents** with safety flap and concealed metal snap button closure behind side pockets
- > Back pocket with safety flap and concealed metal snap button closure at right hand side
- > Slanted tool pocket at right hand side leg
- > **Kneepad pockets**



Available in colors:  
Sizes in stock

Navy Blue *NB EU 50-62	Royal Blue *RB EU 48-62	Vibrant Orange *OR EU 48-62
Flaming Red *RE EU 50-62	Wolf Grey *WG EU 48-64	White *WH EU 50-62

Available on request: EU 42-72

Available on request:

Yellow *YE
Sky Blue *SB
Oil Black *BL
Dark Green *BKG
Platinum Khaki *PK



Extensive  
Bartacks



5 Thread  
Safety Stitch



Single  
Gas Loop



# Dapro Worker 2 Coverall

PRODUCT CODE: WWOR2C-NB\*

## Fabric information



- 100% Cotton
- 200 GSM

## Features

- > Suitable for Tropical climate
- > Standing collar for extra protection
- > Center front with concealed YKK® two-way metal zipper and metal snap button closure
- > Chest pockets with safety flap and concealed zipper closure
- > **Pen pocket** at left hand side sleeve
- > Elastic waistband for improved fit
- > Side pockets
- > **Side vents** with safety flap and concealed metal snap button closure behind side pockets
- > Back pocket at right hand side
- > Slanted tool pocket at right hand side leg
- > **Adjustable cuffs and hems** with metal snap buttons
- > Prolux® 50mm reflective striping



Available in colors:  
Sizes in stock

Navy Blue \*NB Vibrant Orange \*OR

EU 48-64

EU 48-62

Available on request: EU 42-72

Available on request:

Dark Green *BKG	Royal Blue *RB
Sky Blue *SB	Yellow *YE
Flaming Red *RE	Oil Black *BL
Platinum Khaki *PK	



Extensive  
Bartacks



5 Thread  
Safety Stitch



YKK® Two-  
Way Zipper



Lower Arm  
Striping



Adjustable  
Hems/Cuffs

# Dapro Toughwear 2 Coverall Kneepads

PRODUCT CODE: WTOU2CK-OR\*

## C11-A Certification and fabric information



EN ISO 13688:2013  
(EN 340:2003)



EN ISO  
11612:2015  
A1 B1 C1



EN ISO  
14116:2015  
Index 3



EN  
1149-5:2008



IEC  
61482-2:2009  
ATPV=5.1 cal/cm2



Guardian  
Lifetime  
Flame  
Retardant

- 98% Cotton / 2% Anti-static
- Flame-retardant and Anti-static
- 200 GSM



## Features

- > Suitable for Tropical climate
- > Standing collar for extra protection
- > Center front with concealed YKK® two-way metal zipper and metal snap button closure
- > **Gas detector loop** on chest at right hand side
- > Chest pockets with safety flap and concealed metal zipper closure
- > **Pen pocket** at left hand side sleeve
- > Elastic waistband for improved fit
- > Side pockets
- > **Side vents** with safety flap and concealed metal snap button closure behind side pockets
- > Back pocket at right hand side
- > Slanted tool pocket at right hand side leg
- > **Kneepad pockets**
- > **Adjustable cuffs and hems** with plastic flame-retardant snap button closure
- > Prolux® 50mm flame-retardant reflective striping



Available in colors:  
Sizes in stock

Navy Blue *NB EU 46-66	Arabian Blue *AB EU 46-66
Vibrant Orange *OR EU 46-66	Arabian Red *AR EU 46-66

Available on request: EU 42-72

Available on request:

Dark Green *BKG	Sky Blue *SB
Yellow *YE	Oil Black *BL
Platinum Khaki *PK	



Extensive  
Bartacks



5 Thread  
Safety Stitch



YKK® Two-  
Way Zipper



Single  
Gas Loop



Lower Arm  
Striping



Adjustable  
Hems/Cuffs



# Dapro Roughneck Coverall

PRODUCT CODE: WROUCHW-IFR-NB\*

## C4-A Certification and fabric information



EN ISO  
13688:2013  
(EN 340:2003)



EN ISO  
11612:2015  
A1B1C1F1



EN ISO  
14116:2015  
Index 3



EN ISO 11611:  
2015  
A1 Class 1



EN 1149-5:  
2008



EN 13034:2005  
+A1:2009  
Type 6



IEC 61482-  
2:2009  
Class 1





Guardian  
Inherent  
Flame  
Retardant

- 99% Guardian / 1% Anti-static
- Flame retardant and Anti-static
- Chemical proof
- 240-260 GSM



## Features

- > Suitable for Summer climate
- > Standing collar for extra protection
- > Center front with concealed YKK® two-way zipper and metal snap button closure
- > **Pen pocket** at left hand side sleeve with safety flap and concealed metal snap button closure
- > Ergonomically shaped arms
- > **Gas detector loops** on chest at both sides
- > Chest pockets with safety flap and concealed zipper closure
- > **Back pleats** for improved ergonomics and ultimate comfort with 45" tack
- > **Action armpits** for comfortable work above reach
- > **Adjustable elastic waistband** for improved ergonomics and ultimate comfort
- > Slanted side pockets with hook-and-loop closure
- > **Side vents** behind side pockets with plastic flame-retardant snap button closure
- > Back pockets with safety flap and concealed metal snap button closure
- > **Cargo pocket** with safety flap and concealed metal snap button closure at left hand side leg
- > **Diamond tool pocket** at right hand side leg with safety flap and metal snap button closure
- > **Shaped kneepad pockets**
- > Reflective piping detail on lower sleeves, cargo pocket and back pocket
- > **Adjustable cuffs and hems** with plastic flame-retardant snap button closure
- > Reflective piping details on lower sleeves, back pockets and cargo pocket
- > Prolux® 50mm flame-retardant reflective striping



Available in colors:

Navy Blue NB

Sizing: EU 42-70



Extensive  
Bartacks



5 Thread  
Safety Stitch



YKK® Two-  
Way Zipper



Double  
Gas Loop



Lower Arm  
Striping



Adjustable  
Hems/Cuffs



Action  
Armpit



Shaped Knee

# Dapro Roughneck Coverall

PRODUCT CODE: WROUCLW-RE\*

## C4 Certification and fabric information



## Features

- > Suitable for Summer climate
- > Standing collar for extra protection
- > Center front with concealed YKK® two-way metal zipper and metal snap button closure
- > **Gas detector loops** at chest
- > Chest pockets with safety flap and concealed nylon zipper closure
- > Ergonomically shaped arms
- > **Action armpits** for comfortable work above reach
- > **Back pleats** for improved ergonomics and ultimate comfort with 45° degrees tack
- > **Pen pocket** with safety flap and concealed metal snap button closure at left hand side sleeve
- > **Adjustable elastic waistband** for perfect fit
- > Slanted side pockets with concealed hook-and-loop closure
- > **Side vents** with plastic flame-retardant snap button closure behind side pockets
- > Back pockets with safety flap and concealed metal snap button closure
- > **Cargo pocket** with safety flap and double concealed metal snap button closure at left hand side leg
- > **Diamond tool pocket** with safety flap at right hand side leg
- > **Shaped kneepad pockets**
- > **Adjustable cuffs and hems** with plastic flame-retardant snap button closure
- > Reflective piping details on lower sleeves, back pockets and cargo pocket
- > Prolux® 50mm flame-retardant reflective striping



Available in colors:  
Sizes in stock

Navy Blue *NB	Royal Blue *RB	Vibrant Orange *OR	Flaming Red *RE
EU 46-68	EU 46-68	EU 46-68	EU 48-68

Available on request: EU 42-72



Extensive  
Bartacks



5 Thread  
Safety Stitch



YKK® Two-  
Way Zipper



Double  
Gas Loop



Lower Arm  
Striping



Adjustable  
Hems/Cuffs



Action  
Armpit



Shaped Knee



# Dapro Roughneck Coverall

PRODUCT CODE: WROUCLW-BKG\*

## C4-2 Certification and fabric information



EN ISO  
13688:2013  
+A1:2021



EN ISO  
11612:2015  
A1 B1 C1 E0 F1



EN ISO  
14116:2015  
Index 3



EN  
1149-5:2018



EN ISO  
11611:2015  
A1 Class 1



EN 13034:2005  
+A1:2009  
Type 6



EN  
61482-2:2020  
Class 1



EN  
17353:2020  
Type B3



Guardian  
Lifetime  
Flame  
Retardant

- 98% Guardian / 2% Anti-static
- Flame-retardant and Anti-static
- Chemical proof
- 240 GSM



## Features

- > Suitable for Summer climate
- > Standing collar for extra protection
- > Center front with concealed YKK® two-way metal zipper and metal snap button closure
- > **Gas detector loops** at chest
- > Chest pockets with safety flap and concealed nylon zipper closure
- > Ergonomically shaped arms
- > **Action armpits** for comfortable work above reach
- > **Back pleats** for improved ergonomics and ultimate comfort with 45° degrees tack
- > **Pen pocket** with safety flap and concealed metal snap button closure at left hand side sleeve
- > **Adjustable elastic waistband** for perfect fit
- > Slanted side pockets with concealed hook-and-loop closure
- > **Side vents** with plastic flame-retardant snap button closure behind side pockets
- > Back pockets with safety flap and concealed metal snap button closure
- > **Cargo pocket** with safety flap and double concealed metal snap button closure at left hand side leg
- > **Diamond tool pocket** with safety flap at right hand side leg
- > **Shaped kneepad pockets**
- > **Adjustable cuffs and hems** with plastic flame-retardant snap button closure
- > Reflective piping details on lower sleeves, back pockets and cargo pocket
- > Prolux® 50mm flame-retardant reflective striping



Available on request:

Dark Green

\*BKG

Sky Blue

SB

Yellow

YE

Oil Black

BL

Platinum Khaki

PK

Available on request: EU 42-72



Extensive  
Bartacks



5 Thread  
Safety Stitch



YKK® Two-  
Way Zipper



Double  
Gas Loop



Lower Arm  
Striping



Adjustable  
Hems/Cuffs



Action  
Armpit



Shaped Knee

# Dapro Roughneck Jacket

PRODUCT CODE: WROUJLW-NB\*

## C4 Certification and fabric information




**GUARDIAN**  
Lifetime  
Flame  
Retardant

- 98% Cotton / 2% Anti-static
- Flame-retardant and Anti-static
- Chemical proof
- 240 GSM



## Features

- > Suitable for Summer climate
- > Standing collar for extra protection
- > Center front with concealed YKK® metal zipper and concealed metal snap button closure
- > **Gas detector loops** at chest
- > Chest pockets with safety flap and concealed metal snap button closure
- > Ergonomically shaped arms
- > **Pen pocket** with safety flap and concealed metal snap button closure at left hand side sleeve
- > Weltd lower pockets with single concealed metal snap button closure
- > **Adjustable cuffs** with plastic flame-retardant snap button closure
- > Reflective piping details on front yoke, back yoke and lower sleeves
- > Prolux® 50mm flame-retardant reflective striping



Available in colors:  
Sizes in stock

Navy Blue \*NB Flaming Red \*RE

EU 46-62

EU 46-68

Available on request: EU 42-72



Extensive  
Bartacks



5 Thread  
Safety Stitch



YKK® One-Way  
Zipper



Double  
Gas Loop



Adjustable  
Hems/Cuffs



# Dapro Roughneck Pant

PRODUCT CODE: WROUPLW-NB\*

## C4 Certification and fabric information



**GUARDIAN**  
Lifeline  
Flame  
Retardant

- 98% Cotton / 2% Anti-static
- Flame-retardant and Anti-static
- Chemical proof
- 240 GSM



## Features

- > Suitable for Summer climate
- > **Zipper fly** with concealed jeans button closure
- > Elastic waistband for improved fit
- > Slanted side pockets with safety flap and plastic flame-retardant snap button closure
- > Back pockets with double fabric reinforcement, safety flap and concealed metal snap button closure
- > **Cargo pocket** with safety flap and double concealed metal snap button closure at left hand side leg
- > **Diamond tool pocket** at right hand side leg
- > **Kneepad pockets** with triple hook-and-loop adjustment
- > Extendable hems (5cm)
- > Reflective piping details on back pockets and cargo pocket
- > Prolux® 50mm flame-retardant reflective striping



Available in colors:  
Sizes in stock

Navy Blue \*NB Flaming Red \*RE

EU 46-64

EU 46-68

Available on request: EU 42-72



Extensive  
Bartacks

5 Thread  
Safety Stitch

YKK® One-Way  
Zipper

# Dapro Aero Coverall

PRODUCT CODE: WAEROC-RB\*

## C18 Certification and fabric information



NFPA  
2112

Inherent • 93% Meta-Aramid / 5% Para-Aramid / 2% Anti-static  
Flame • Flame retardant and Anti-static  
Retardant • 150 GSM




## Features

- > Suitable for Tropical climate
- > Center front with concealed UL® brass zipper and brass snap button closure
- > **Gas detector loop** on chest at right hand side
- > Chest pockets with safety flap, pencil slot and concealed brass snap button closure
- > Ergonomically shaped arms
- > **Back pleats** for improved ergonomics and ultimate comfort with 45° degrees tack
- > **Pen pocket** with double slot at left hand side sleeve
- > Elastic waistband at sides for improved fit
- > Side pockets
- > **Side vents** with concealed UL® brass snap button closure behind side pockets
- > Back pockets with safety flap and concealed UL® brass snap button closure
- > Radio pocket with UL® hook-and-loop closure at right hand side front leg
- > Torch pocket with UL® hook-and-loop closure at left hand side front leg
- > **Adjustable cuffs** with concealed UL® brass snap buttons
- > Loxy® 25mm flame-retardant reflective striping

Available on request:

Dark Green	BKG	Navy Blue	NB	Royal Blue	RB	Sky Blue	SB	Yellow	YE
Vibrant Orange	OR	Flaming Red	RE	Oil Black	BL	Platinum Khaki	PK		

Available on request: EU 42-72



Extensive  
Bartacks



5 Thread  
Safety Stitch



UL® One-  
Way Zipper



Single  
Gas Loop



Lower Arm  
Striping



Adjustable  
Cuffs



# Dapro Aero Shirt

PRODUCT CODE: WAEROS-SB\*

## C18 Certification and fabric information




NFPA  
2112

Inherent	• 93% Meta-Aramid / 5% Para-Aramid / 2% Anti-static
Flame	• Flame retardant and Anti-static
Retardant	• 150 GSM



## Features

- > Suitable for Tropical climate
- > Center front with concealed brass snap button closure
- > Chest pockets with safety flap and brass snap button closure
- > **Pen pocket** with double slot at left hand side sleeve
- > **Back pleats** for improved ergonomics and ultimate comfort
- > **Adjustable cuffs** with concealed brass snap button closure
- > Plackets with concealed brass snap button closure
- > Reflective piping details at shoulders, chest pockets, back yoke and cuffs



Available on request:

Dark Green	BKG	Navy Blue	NB	Royal Blue	RB	Sky Blue	SB	Yellow	YE
Vibrant Orange	OR	Flaming Red	RE	Oil Black	BL	Platinum Khaki	PK		

Available on request: EU 42-72



Extensive  
Bartacks



5 Thread  
Safety Stitch



Adjustable  
Cuffs

# Dapro Rope Access Coverall

PRODUCT CODE: WROACIFR-OR\*

platinum range



## C4-A Certification and fabric information



EN ISO  
13688:2013  
(EN 340:2003)



EN ISO  
11612:2015  
A1B1C1F1



EN ISO  
14116:2015  
Index 3



EN ISO 11611:  
2015  
A1 Class 1



EN 1149-5:  
2008



EN 13034:2005  
+A1:2009  
Type 6



IEC 61482-  
2:2009  
Class 1





Guardian  
Inherent  
Flame  
Retardant

- 53% Modacrylic / 38% Cotton / 5% P-Aramid / 3% Nylon / 1% Anti-static
- Flame-retardant and Anti-static
- Chemical proof
- 260 GSM



## Features

- > Suitable for Temperate climate
- > Metal free
- > Standing collar for extra protection
- > Center front with concealed YKK® two-way **vislon zipper** and hook-and-loop closure
- > **Gas detector loops** at chest
- > **Name patches** with hook-and-loop attachment above chest pockets
- > Chest pockets with safety flap, **vislon zipper** and hook-and-loop closure
- > Key attachment loops inside both chest pockets
- > Ergonomically shaped arms
- > **Action armpits** for comfortable work above reach
- > **Back pleats** for improved ergonomics and ultimate comfort with 45° degrees tack
- > **Adjustable elastic waistband** for perfect fit
- > Slanted side pockets with safety flap and concealed hook-and-loop closure
- > **Side vents** with plastic flame-retardant snap button closure behind side pockets
- > 3D upper leg pockets with double compartment, safety flap, **vislon zipper** and hook-and-loop closure
- > Back pockets with safety flap and hook-and-loop closure
- > **Shaped kneepad pockets** made of abrasion resistant material
- > **Adjustable cuffs** with plastic flame-retardant snap button closure
- > Extendable hems (5cm)
- > Reflective piping details on sleeves
- > Prolux® 50mm flame-retardant reflective striping



Available in colors:  
Sizes in stock

Vibrant Orange \*OR

EU 50-62

Available on request: EU 42-72



Extensive  
Bartacks



5 Thread  
Safety Stitch



YKK® Two-  
Way Zipper



Double  
Gas Loop



Lower Arm  
Striping



Adjustable  
Cuffs



Action  
Armpit



Shaped Knee



# Dapro Rope Access Coverall

PRODUCT CODE: WROACKPUULW-NFR-RE\*

platinum range



## Fabric information



EN ISO  
13688:2013  
(EN 340:2003)





- 100% Cotton
- 180-200 GSM



## Features

- > Suitable for Continental climate
- > Metal free
- > Standing collar for extra protection
- > Center front with concealed YKK® two-way **vislon zipper** and hook-and-loop closure
- > **Gas detector loops** at chest
- > **Name patches** with hook-and-loop attachment above chest pockets
- > Chest pockets with safety flap, **vislon zipper** and hook-and-loop closure
- > Key attachment loops inside both chest pockets
- > Ergonomically shaped arms
- > **Action armpits** for comfortable work above reach
- > **Back pleats** for improved ergonomics and ultimate comfort with 45° degrees tack
- > **Adjustable elastic waistband** for perfect fit
- > Slanted side pockets with safety flap and concealed hook-and-loop closure
- > **Side vents** with plastic flame-retardant snap button closure behind side pockets
- > 3D upper leg pockets with double compartment, safety flap, **vislon zipper** and hook-and-loop closure
- > Back pockets with safety flap and hook-and-loop closure
- > **Shaped kneepad pockets** made of ultra heavy-weight fabric
- > **Adjustable cuffs** with plastic flame-retardant snap button closure
- > Extendable hems (5cm)
- > Reflective piping details on sleeves
- > Prolux® 50mm flame-retardant reflective striping



Available on request:

Dark Green	BKG	Navy Blue	NB	Royal Blue	RB	Sky Blue	SB	Yellow	YE
Vibrant Orange	OR	Flaming Red	RE	Oil Black	BL	Platinum Khaki	PK		

Available on request: EU 42-72



Extensive  
Bartacks



5 Thread  
Safety Stitch



YKK® Two-  
Way Zipper



Double  
Gas Loop



Lower Arm  
Striping



Adjustable  
Cuffs



Action  
Armpit



Shaped Knee

# Dapro Rope Access Coverall

PRODUCT CODE: WROACUULW-NFR-BKG\*

platinum range



## Fabric information



EN ISO  
13688:2013  
(EN 340:2003)





- 100% Cotton
- 180-200 GSM



## Features

- > Suitable for Continental climate
- > Metal free
- > Standing collar for extra protection
- > Center front with concealed YKK® two-way **vislon zipper** and hook-and-loop closure
- > **Gas detector loops** at chest
- > **Name patches** with hook-and-loop attachment above chest pockets
- > Chest pockets with safety flap, **vislon zipper** and hook-and-loop closure
- > Key attachment loops inside both chest pockets
- > Ergonomically shaped arms
- > **Action armpits** for comfortable work above reach
- > **Back pleats** for improved ergonomics and ultimate comfort with 45° degrees tack
- > **Adjustable elastic waistband** for perfect fit
- > Slanted side pockets with safety flap and concealed hook-and-loop closure
- > **Side vents** with plastic flame-retardant snap button closure behind side pockets
- > 3D upper leg pockets with double compartment, safety flap, **vislon zipper** and hook-and-loop closure
- > Back pockets with safety flap and hook-and-loop closure
- > **Shaped kneepad pockets** made of abrasion resistant material
- > **Adjustable cuffs** with plastic flame-retardant snap button closure
- > Extendable hems (5cm)
- > Reflective piping details on sleeves
- > Prolux® 50mm flame-retardant reflective striping



Available on request:

Dark Green	BKG	Navy Blue	NB	Royal Blue	RB	Sky Blue	SB	Yellow	YE
Vibrant Orange	OR	Flaming Red	RE	Oil Black	BL	Platinum Khaki	PK		

Available on request: EU 42-72



Extensive  
Bartacks



5 Thread  
Safety Stitch



YKK® Two-  
Way Zipper



Double  
Gas Loop



Lower Arm  
Striping



Adjustable  
Cuffs



Action  
Armpit



Shaped Knee


# Dapro Rope Access Coverall

PRODUCT CODE: WROACUHW-NB\*

platinum range





## C4 Certification and fabric information



## Features

- > Suitable for Continental climate
- > Metal free
- > Standing collar for extra protection
- > Center front with concealed YKK® two-way **vislon zipper** and hook-and-loop closure
- > **Gas detector loops** at chest
- > **Name patches** with hook-and-loop attachment above chest pockets
- > Chest pockets with safety flap, **vislon zipper** and hook-and-loop closure
- > Key attachment loops inside both chest pockets
- > Ergonomically shaped arms
- > **Action armpits** for comfortable work above reach
- > **Back pleats** for improved ergonomics and ultimate comfort with 45° degrees tack
- > **Adjustable elastic waistband** for perfect fit
- > Slanted side pockets with safety flap and concealed hook-and-loop closure
- > **Side vents** with plastic flame-retardant snap button closure behind side pockets
- > 3D upper leg pockets with double compartment, safety flap, **vislon zipper** and hook-and-loop closure
- > Back pockets with safety flap and hook-and-loop closure
- > **Shaped kneepad pockets** made of abrasion resistant material
- > **Adjustable cuffs** with plastic flame-retardant snap button closure
- > Extendable hems (5cm)
- > Reflective piping details on sleeves
- > Prolux® 50mm flame-retardant reflective striping



Available in colors:  
Sizes in stock

Navy Blue \*NB Vibrant Orange \*OR

EU 48-64

EU 48-64

Available on request: EU 42-72



Extensive  
Bartacks



5 Thread  
Safety Stitch



YKK® Two-  
Way Zipper



Double  
Gas Loop



Lower Arm  
Striping



Adjustable  
Cuffs



Action  
Armpit



Shaped Knee




# Dapro Rope Access Coverall

PRODUCT CODE: WROACUHW-OR\*

platinum range





## C4 Certification and fabric information



## Features

- > Suitable for Continental climate
- > Metal free
- > Standing collar for extra protection
- > Center front with concealed YKK® two-way **vislon zipper** and hook-and-loop closure
- > **Gas detector loops** at chest
- > **Name patches** with hook-and-loop attachment above chest pockets
- > Chest pockets with safety flap, **vislon zipper** and hook-and-loop closure
- > Key attachment loops inside both chest pockets
- > Ergonomically shaped arms
- > **Action armpits** for comfortable work above reach
- > **Back pleats** for improved ergonomics and ultimate comfort with 45° degrees tack
- > **Adjustable elastic waistband** for perfect fit
- > Slanted side pockets with safety flap and concealed hook-and-loop closure
- > **Side vents** with plastic flame-retardant snap button closure behind side pockets
- > 3D upper leg pockets with double compartment, safety flap, **vislon zipper** and hook-and-loop closure
- > Back pockets with safety flap and hook-and-loop closure
- > **Shaped kneepad pockets** made of abrasion resistant material
- > **Adjustable cuffs** with plastic flame-retardant snap button closure
- > Extendable hems (5cm)
- > Reflective piping details on sleeves
- > Prolux® 50mm flame-retardant reflective striping



Available in colors:  
Sizes in stock

Navy Blue \*NB    Vibrant Orange \*OR

EU 48-64

EU 48-64

Available on request: EU 42-72



Extensive  
Bartacks



5 Thread  
Safety Stitch



YKK® Two-  
Way Zipper



Double  
Gas Loop



Lower Arm  
Striping



Adjustable  
Cuffs



Action  
Armpit



Shaped Knee

# Dapro Globe-Tech Polo

PRODUCT CODE: WGTECHLP-BL/HVYE\*

platinum range



## C22 Certification and fabric information



EN ISO 13688:2013  
(EN 340:2003)



EN ISO 11612:2015  
A1B1C1



IEC 61482-2:2018  
APC1  
ATPV=6.3cal/cm²



EN 13758-2:2003+A1:2006




EN 1149-5:2018  
EN1149-3:2004



Inherent • 60% Modacrylic / 38% Cotton / 2% Dissipative Fiber  
Flame • Flame-retardant and Anti-static  
Retardant • 220 GSM

## Features

- > Suitable for Temperate climate
- > Collar closed with plastic flame-retardant sew-on buttons
- > High-visibility Yellow at front and back yoke
- > Chest pocket at left hand side
- > Elastic cuffs



Available in colors:

Sizes in stock

Oil Black Hi-Vis Yellow \*BL/HVYE

US M-2XL

Available on request: US 2XS-6XL



Extensive  
Bartacks

5 Thread  
Safety Stitch

# Dapro Volt Hi-Vis Class 2 Coverall

PRODUCT CODE: WVOL2C-NB/HVYE\*

platinum range



## C4-A-3 Certification and fabric information

--	--	--	--	--	--	--	--





Guardian  
Inherent  
Flame  
Retardant

- 53% Modacrylic / 38% Cotton / 5% P-Aramid / 3% Nylon / 1% Anti-static
- Flame-retardant and Anti-static
- Chemical proof
- 260 GSM



## Features

- > Suitable for Temperate climate
- > Standing collar for extra protection
- > Center front with **welding flap** and concealed plastic flame-retardant snap button closure
- > **Gas detector loops** at chest
- > Ergonomically shaped arms
- > **Action armpits** for comfortable work above reach
- > **Back pleats** for improved ergonomics and ultimate comfort with 45° degrees tack
- > **Pen pocket** with safety flap and plastic flame-retardant snap button closure at left hand side sleeve
- > **Adjustable elastic waistband** for perfect fit
- > Chest pockets with safety flap and concealed plastic flame-retardant snap button closure
- > Side pockets with hook-and-loop closure
- > **Side vents** with concealed plastic flame-retardant snap button closure
- > Back pockets with safety flap and concealed plastic flame-retardant snap button closure
- > **Cargo pocket** with safety flap and double concealed plastic flame-retardant snap button closure at left hand side leg
- > **Diamond tool pocket** with safety flap at right hand side leg
- > **Shaped kneepad pockets** made of abrasion resistant material
- > **Adjustable cuffs and hems** with plastic flame-retardant snap buttons
- > Reflective piping details on back pockets and cargo pocket
- > Prolux® 50mm flame-retardant reflective striping



Available in colors:  
Sizes in stock

Navy Blue Hi-Vis Yellow \*NB/HVYE

EU 48-64

Available on request: EU 42-72



Extensive  
Bartacks



5 Thread  
Safety Stitch



YKK® Two-  
Way Zipper



Double  
Gas Loop



Lower Arm  
Striping



Adjustable  
Hems/Cuffs



Action  
Armpit



Shaped Knee



# Dapro Kneepads

PRODUCT CODE: WSKNE-EB\*

## Features

- > Light weight and comfortable
- > Resilient and flexible
- > Ergonomic design



Available in colors:

Electric Blue \*EB

Sizes in Stock: One Size



# WORKWEAR

FEMALE

---



# Dapro Female TriLite Set

PRODUCT CODE: WFTRILS-RE\*

## C1 Certification and fabric information



EN ISO  
13688:2013  
+A1:2021



EN ISO  
11612:2015  
A1 B1 C1



EN  
1149-5:2018



EN  
17353:2020  
Type B2



Guardian  
Inherent  
Flame  
Retardant

- 98% Guardian / 2% Anti-static
- Flame retardant and Anti-static
- 180 GSM



## Features

### JACKET

- > Hanger loop in neck
- > Center front with concealed metal snap button closure
- > **Gas detector loops** on chest
- > **Name patch** with hook-and-loop attachment above chest pocket at left hand side
- > Chest pocket with safety flap, metal snap button closure and pencil slot at left hand side
- > Chest pocket with flame-retardant plastic snap button closure at right hand side
- > **Pen pockets** with double slot
- > **Side vents** with metal snap button closure for access to inner garment
- > Center back pleat and slit/vent
- > **Adjustable cuffs** with flame-retardant plastic snap button closure
- > Prolux® 25mm flame-retardant reflective striping

### PANT

- > 7 Beltloops
- > Elastic waistband for improved fit
- > YKK® zipper fly closure
- > Slanted side pockets
- > Back pocket with safety flap and metal snap button closure at right hand side
- > Back pocket with flame-retardant plastic snap button closure at left hand side
- > Tool pocket on right hand side leg
- > **Adjustable hems** with flame-retardant plastic snap button closure
- > Prolux® 25mm flame-retardant reflective striping

### SCARF

- > Rolled hem
- > Size:  
Length: 200cm  
Width: 60cm

Available on request:

Dark Green BKG

Navy Blue NB

Royal Blue RB

Sky Blue SB

Yellow YE

Vibrant Orange OR

Flaming Red RE

Oil Black BL

Platinum Khaki PK

Available on request: EU 42-72

Also available separately:

## Dapro Female TriLite Jacket

PRODUCT CODE: WFTRILJ-RE\*

## Dapro Female TriLite Pant

PRODUCT CODE: WFTRILP-RE\*

## Dapro Female TriLite Scarf

PRODUCT CODE: UFTRILS-RE\*





# Dapro Female Vapor Coverall

PRODUCT CODE: WfVAPC-RB\*

## C1 Certification and fabric information



EN ISO  
13688:2013  
+A1:2021



EN ISO  
11612:2015  
A1 B1 C1



EN  
1149-5:2018



EN  
17353:2020  
Type B2




Guardian  
Inherent  
Flame  
Retardant

- 98% Guardian / 2% Anti-static
- Flame retardant and Anti-static
- 180 GSM



## Features

- > Suitable for Desert climate
- > Center front with concealed YKK® nylon zipper and brass snap button closure
- > Chest pocket with safety flap and nylon zipper closure at both sides
- > **Back pleats** for improved ergonomics and ultimate comfort with 45° degrees tack
- > **Pen pocket** with double slot at left hand side sleeve
- > Elastic waistband for improved fit
- > Side pockets
- > **Side vents** with safety flap and concealed brass snap button closure
- > Back pocket with safety flap at right hand side
- > Back pocket at left hand side
- > Reinforced slanted tool pocket at right hand side
- > **Kneepad pockets**
- > **Adjustable cuffs and hems** with flame-retardant plastic snap button closure
- > Prolux® 50mm flame-retardant reflective striping



Available on request:

Dark Green BKG

Navy Blue NB

Royal Blue RB

Sky Blue SB

Yellow YE

Vibrant Orange OR

Flaming Red RE

Oil Black BL

Platinum Khaki PK



Extensive  
Bartacks



5 Thread  
Safety Stitch



YKK® Two-  
Way Zipper



Lower Arm  
Striping



Adjustable  
Hems/Cuffs

Available on request: EU 42-72

# Dapro Female Breeze Coverall

PRODUCT CODE: WFBREC-PK\*

## C1 Certification and fabric information



EN ISO  
13688:2013  
+A1:2021



EN ISO  
11612:2015  
A1 B1 C1



EN  
1149-5:2018



EN  
17353:2020  
Type B2




Guardian  
Inherent  
Flame  
Retardant

- 98% Guardian / 2% Anti-static
- Flame retardant and Anti-static
- 200 GSM



## Features

- > Suitable for Summer climate
- > Center front with concealed YKK® nylon zipper and brass snap button closure
- > Chest pocket with safety flap and nylon zipper closure at both sides
- > **Back pleats** for improved ergonomics and ultimate comfort with 45° degrees tack
- > **Pen pocket** with double slot at left hand side sleeve
- > Elastic waistband for improved fit
- > Detachable waistband with **vislon zipper**, hook-and-loop and brass snap button closure
- > Side pockets
- > **Side vents** with safety flap and concealed brass snap button closure
- > Back pocket with safety flap at right hand side
- > Back pocket at left hand side
- > Reinforced slanted tool pocket at right hand side leg
- > **Kneepad pockets**
- > **Adjustable cuffs and hems** with brass snap button closure
- > Prolux® 50mm flame-retardant reflective striping



Available on request:

Dark Green	BKG	Navy Blue	NB	Royal Blue	RB	Sky Blue	SB	Yellow	YE
Vibrant Orange	OR	Flaming Red	RE	Oil Black	BL	Platinum Khaki	PK		

Available on request: EU 42-72



Extensive  
Bartacks



5 Thread  
Safety Stitch



YKK® Two-  
Way Zipper



Lower Arm  
Striping



Adjustable  
Hems/Cuffs

# Dapro Female Hijab

PRODUCT CODE: UFHJB-BL\*

## Fabric information





- 98% Guardian / 2% Anti-static
- Flame retardant and Anti-static
- 200 GSM



## Features

- > Comfortable fit
- > Breathable and stretchable fabric



Available on request:

Black \*BL

Available on request: One Size





# WORKWEAR<sub>WINTER</sub>


---




# Dapro Diamond Coverall

PRODUCT CODE: WDIACUHW-OR\*


## C4 Certification and fabric information




EN ISO 13688:2013  
(EN 340:2003)




EN ISO 11612:2015  
A1 B1 C1 E1 F1




EN ISO 14116:2015  
Index 3




EN ISO 11611:2015  
A1 Class 1




EN 1149-5:2008



EN 13034:2005  
+A1:2009  
Type 6




IEC 61482-2:2009  
Class 1  
ATPV  
10,4 cal/cm²



Guardian Lifetime Flame Retardant

- 80% Cotton / 19% Polyester / 1% Anti-static
- Flame-retardant and Anti-static
- Chemical proof
- 350 GSM



FR

## Features









- > Suitable for Continental climate
- > Standing collar for extra protection
- > Center front with concealed YKK® two-way zipper and metal snap button closure
- > **Gas detector loops** at chest
- > Chest pockets with safety flap and concealed nylon zipper closure
- > Ergonomically shaped arms
- > **Action armpits** for comfortable work above reach
- > **Back pleats** for improved ergonomics and ultimate comfort with 45° degrees tack
- > **Pen pocket** with safety flap and concealed metal snap button closure at left hand side sleeve
- > **Adjustable elastic waistband** for perfect fit
- > Slanted side pockets with hook-and-loop closure
- > **Side vents** with plastic flame-retardant snap button closure behind side pockets
- > **Back pockets** with safety flap and concealed metal snap button closure
- > **Cargo pocket** with safety flap and concealed metal snap button closure at left hand side leg
- > **Diamond tool pocket** with safety flap at right hand side leg
- > **Shaped kneepad pockets**
- > **Adjustable cuffs and hems** with plastic flame-retardant snap button closure
- > Reflective piping details on lower sleeves, back pockets and cargo pocket
- > Prolux® 50mm flame-retardant reflective striping



Available in colors:  
Sizes in stock

Navy Blue *NB	Royal Blue *RB	Vibrant Orange *OR	Flaming Red *RE
EU 44-68	EU 46-66	EU 44-70	EU 44-72








Available on request: EU 42-72

							
Extensive Bartacks	5 Thread Safety Stitch	YKK® Two-Way Zipper	Double Gas Loop	Lower Arm Striping	Adjustable Hems/Cuffs	Action Armpit	Shaped Knee



# Dapro Diamond Jacket

PRODUCT CODE: WDIAJUH-W-RE\*

## C4 Certification and fabric information


						
EN ISO 13688:2013 (EN 340:2003)	EN ISO 11612:2015 A1 B1 C1 E1 F1	EN ISO 14116:2015 Index 3	EN ISO 11611:2015 A1 Class 1	EN 1149-5:2008	EN 13034:2005 +A1:2009 Type 6	IEC 61482-2:2009 Class 1 ATPV 10,4 cal/cm²

	<ul style="list-style-type: none"> <li>• 80% Cotton / 19% Polyester / 1% Anti-static</li> <li>• Flame-retardant and Anti-static</li> <li>• Chemical proof</li> <li>• 350 GSM</li> </ul>	
---	---	---

## Features

- > Suitable for Continental climate
- > Standing collar for extra protection
- > Center front with concealed YKK® metal zipper and metal snap button closure
- > **Gas detector loops** at chest
- > Chest pockets with safety flap and concealed metal snap button closure
- > Ergonomically shaped arms
- > **Pen pocket** with safety flap and concealed metal snap button closure at left hand side sleeve
- > Welted lower pockets with safety flap and concealed metal snap button closure
- > **Adjustable cuffs** with plastic flame-retardant snap buttons
- > Reflective piping details on front yoke, back yoke and lower sleeves
- > Prolux® 50mm flame-retardant reflective striping



Available in colors:  
Sizes in stock

**Flaming Red** \*RE

EU 46-64

Available on request: EU 42-72



Extensive  
Bartacks



5 Thread  
Safety Stitch



YKK® One-Way  
Zipper



Double  
Gas Loop



Adjustable  
Cuffs




Lower Arm  
Striping




# Dapro Diamond Pant

PRODUCT CODE: WDIAPUHW-RE\*


## C4 Certification and fabric information




EN ISO 13688:2013  
(EN 340:2003)




EN ISO 11612:2015  
A1 B1 C1 E1 F1




EN ISO 14116:2015  
Index 3




EN ISO 11611:2015  
A1 Class 1




EN 1149-5:2008



EN 13034:2005  
+ A1:2009  
Type 6




IEC 61482-2:2009  
Class 1  
ATPV 10,4 cal/cm²



Guardian Lifetime Flame Retardant

- 80% Cotton / 19% Polyester / 1% Anti-static
- Flame-retardant and Anti-static
- Chemical proof
- 350 GSM



## Features

- > Suitable for Continental climate
- > **Zipper fly** with concealed jeans button closure
- > Elastic waistband for improved fit
- > Slanted side pockets with safety flap and plastic flame-retardant snap button closure
- > Back pockets with double fabric reinforcement, safety flap and concealed metal snap button closure
- > **Cargo pocket** with safety flap and double concealed metal snap button closure at left hand side leg
- > **Diamond tool pocket** with safety flap at right hand side leg
- > **Kneepad pockets** with triple hook-and-loop adjustment
- > Extendable hems (5cm)
- > Reflective piping details on back pockets and cargo pocket
- > Prolux® 50mm flame-retardant reflective striping



Available in colors:  
Sizes in stock

**Flaming Red** \*RE

EU 46-64

Available on request: EU 42-72



Extensive  
Bartacks



5 Thread  
Safety Stitch



YKK® One-Way  
Zipper

# Dapro Industry Coverall

PRODUCT CODE: WINDKCUHW-NB\*

## C12 Certification and fabric information



EN ISO 13688:2013  
(EN 340:2003)



EN ISO 11612:2015  
A1 B1 C1 F1



EN ISO 14116:2015  
Index 3



EN ISO 11611:2015  
A1 Class 1



EN 1149-5:2018



IEC 61482-2:2020  
APC1



Guardian  
Lifetime  
Flame  
Retardant

- 60% Cotton / 39% Polyester / 1% Anti-static
- Flame-retardant and Anti-static
- 350 GSM

FR

## Features

- > Suitable for Continental climate
- > Center front with concealed metal snap button closure
- > **Gas detector loop** on chest at right hand side
- > Chest pockets with safety flap and concealed metal snap button closure
- > Elastic waistband for improved fit
- > Side pockets
- > **Side vents** with safety flap and concealed metal snap button closure behind side pockets
- > Back pocket with safety flap and concealed metal snap button closure at right hand side
- > Slanted tool pocket at right hand side leg
- > **Kneepad pockets**



Available in colors:

Sizes in stock

Navy Blue \*NB

EU 42-70

Available on request: EU 72



Extensive  
Bartacks



5 Thread  
Safety Stitch




Single  
Gas Loop


# Dapro Spark Coverall

PRODUCT CODE: WSPACUHW-NB\*


## C4 Certification and fabric information




EN ISO 13688:2013  
(EN 340:2003)




EN ISO 11612:2015  
A1 B1 C1 E1 F1




EN ISO 14116:2015  
Index 3




EN ISO 11611:2015  
A1 Class 1




EN 1149-5:2008



EN 13034:2005  
+A1:2009  
Type 6




IEC 61482-2:2009  
Class 1  
ATPV 10,4 cal/cm²



Guardian Lifetime Flame Retardant

- 80% Cotton / 19% Polyester / 1% Anti-static
- Flame-retardant and Anti-static
- Chemical proof
- 350 GSM



FR

## Features

- > Suitable for Continental climate
- > Standing collar for extra protection
- > Center front with **welding flap** and concealed metal snap button closure
- > **Gas detector loops** at chest
- > Chest pockets with safety flap and concealed metal snap button closure
- > Ergonomically shaped arms
- > **Action armpits** for comfortable work above reach
- > **Back pleats** for improved ergonomics and ultimate comfort with 45° degrees tack
- > **Pen pocket** with safety flap and concealed metal snap button closure at left hand side sleeve
- > **Adjustable elastic waistband** for perfect fit
- > Slanted side pockets with hook-and-loop closure
- > **Side vents** with safety flap and flame-retardant plastic snap button closure behind side pockets
- > Back pockets with safety flap and concealed metal snap button closure
- > **Cargo pocket** with safety flap and double concealed metal snap button closure at left hand side leg
- > **Diamond tool pocket** with safety flap and double fabric reinforcement at right hand side leg
- > **Shaped kneepad pockets**
- > **Adjustable cuffs and hems** with plastic flame-retardant snap button closure
- > Reflective piping details on lower sleeves, back pockets and cargo pocket
- > Prolux® 50mm flame-retardant reflective striping



Available in colors:  
Sizes in stock

Navy Blue *NB	Royal Blue *RB	Oil Black *BL
EU 46-70	EU 48-66	EU 46-70

Available on request: EU 42-72



Extensive  
Bartacks



5 Thread  
Safety Stitch



Double  
Gas Loop



Lower Arm  
Striping



Adjustable  
Hems/Cuffs



Action  
Armpit




Shaped Knee


# Dapro Spark Jacket

PRODUCT CODE: WSPAJUHW-NB\*


## C4 Certification and fabric information




EN ISO 13688:2013  
(EN 340:2003)




EN ISO 11612:2015  
A1 B1 C1 E1 F1




EN ISO 14116:2015  
Index 3




EN ISO 11611:2015  
A1 Class 1




EN 1149-5:2008



EN 13034:2005  
+A1:2009  
Type 6




IEC 61482-2:2009  
Class 1  
ATPV  
10,4 cal/cm²




Guardian Lifetime Flame Retardant

- 80% Cotton / 19% Polyester / 1% Anti-static
- Flame-retardant and Anti-static
- Chemical proof
- 350 GSM



## Features

- > Suitable for Continental climate
- > Standing collar for extra protection
- > Center front with **welding flap** and concealed metal snap button closure
- > **Gas detector loops** at chest
- > Chest pockets with safety flap and concealed metal snap button closure
- > Ergonomically shaped arms
- > **Pen pocket** with safety flap and concealed metal snap button closure at left hand side sleeve
- > Welled lower pockets with safety flap and concealed metal snap button closure
- > **Adjustable cuffs** with plastic flame-retardant snap button closure
- > Reflective piping details on front yoke, back yoke and lower sleeves
- > Prolux® 50mm flame-retardant reflective striping



Available in colors:  
Sizes in stock

Navy Blue \*NB

EU 48-66

Available on request: EU 42-72



Extensive  
Bartacks



5 Thread  
Safety Stitch



Double  
Gas Loop



Adjustable  
Cuffs










Lower Arm  
Striping





# Dapro Spark Pant

PRODUCT CODE: WSPAPUHW-NB\*

## C4 Certification and fabric information

						
EN ISO 13688:2013 (EN 340:2003)	EN ISO 11612:2015 A1 B1 C1 E1 F1	EN ISO 14116:2015 Index 3	EN ISO 11611:2015 A1 Class 1	EN 1149-5:2008	EN 13034:2005 +A1:2009 Type 6	IEC 61482-2:2009 Class 1 ATPV 10,4 cal/cm²

	<ul style="list-style-type: none"> <li>Guardian Lifetime Flame Retardant</li> <li>80% Cotton / 19% Polyester / 1% Anti-static</li> <li>Flame-retardant and Anti-static</li> <li>Chemical proof</li> <li>350 GSM</li> </ul>	
---	--	---

## Features

- > Suitable for Continental climate
- > **Zipper fly** with concealed jeans button closure
- > Elastic waistband for improved fit
- > Slanted side pockets with safety flap and plastic flame-retardant snap button closure
- > Back pockets with double fabric reinforcement, safety flap and concealed metal snap button closure
- > **Cargo pocket** with safety flap and double concealed metal snap button closure
- > **Diamond tool pocket** with safety flap at right hand side leg
- > **Kneepad pockets** with triple hook-and-loop adjustment
- > Extendable hems (5cm)
- > Reflective piping details on back pockets and cargo pocket
- > Prolux® 50mm flame-retardant reflective striping

Available in colors:  
Sizes in stock

Navy Blue \*NB

EU 48-64

Available on request: EU 42-72



Extensive  
Bartacks



5 Thread  
Safety Stitch



YKK® One-  
Way Zipper

# prolux<sup>®</sup>

adapts brilliantly

**Prolux** reflective striping is specifically developed for industrial **workwear** and **outerwear**.

**Visibility** in dark and hazardous environments greatly reduces the risk of accidents. This can be on railways, roads, construction areas or industrial areas.

Aside from its **exceptional** reflective properties, our product offers great **durability** with **industrial** laundering

## Retro-reflective

450 cd/lx m<sup>2</sup> @ Observation Angle 12° / entrance angle 5°

## Composition:

Glass bead 30% / Resin 30% / Highly durable FR backing cloth 30% / Other materials 10%

## NFPA 1971

NFPA 1971 protects fire fighting personnel by establishing minimum levels of protection from thermal, physical, environmental, and bloodborne pathogen hazards encountered during structural and proximity fire fighting operations.

## OEKO-TEX<sup>®</sup> Standard 100

If a textile article carries the STANDARD 100 label, you can be certain that every component of this article, i.e. every thread, button and other accessories, has been tested for harmful substances and that the article therefore is harmless for human health.

[www.prolux-reflective.com](http://www.prolux-reflective.com)

## Certificate Standards

### EN 20471:2013

This standard specifies the international standard for the safety requirements and test methods of hi-vis workwear, and is applicable to high-risk situations. It specifies requirements for "high visibility clothing which is capable of visually signalling the user's presence" and assesses the suitability and durability of retro-reflective materials.

### EN 469:2005

This standard specifies minimum levels of performance requirements for protective clothing to be worn during firefighting operations and associated activities such as e.g. rescue work, assistance during disasters.

### EN ISO 14116:2008

This standard specifies the minimum requirements for protective clothing against heat and flame. The standard outlines the performance requirements for clothing materials and garments that are designed to protect against limited flame spread and radiant heat.

### EN ISO 11612

This standard outlines the performance requirements for clothing materials and garments in terms of their ability to resist heat and flame, and to provide effective protection for the wearer. EN ISO 11612 specifies test methods for determining the clothing's ability to resist heat and flame, as well as requirements for the material's strength and dimensional stability.



# SUBZERO<sup>®</sup>

## INSULATION

**SubZero** insulation is an intermeshed cotton material which forms a mass of fiber to trap air in between the outerlayer of the shoe and your foot.

This **breathable high resilient** and **loft** material provides **durable warmth** retention with **light weight** properties for extra **freedom of movement** and **comfort**.

*The perfect combination to use in protective workwear developed to work in hazardous environments.*

### Properties

SUBZERO<sup>®</sup>  
INSULATION

SUBZERO<sup>®</sup>  
INSULATION

SUBZERO<sup>®</sup>  
INSULATION

SUBZERO<sup>®</sup>  
INSULATION

### Weight

**100 GSM**

**150 GSM**

**250 GSM**

**300 GSM**

### Warmth



## Composition:

**100% intermeshed polyester**

SubZero is clean, odorless and non allergenic, machine washable and dryable.



[www.subzero-insulation.com](http://www.subzero-insulation.com)





# OUTERWEAR

[SHOP ALL OUTERWEAR](#)






## Size guide Coverall/Jacket

SIZE			LENGHT (A)	CHEST (B)	WAIST (C)
42	32	3XS	158-167	76-96	70-90
44	34	2XS	158-170	78-98	71-91
46	36	XS	158-172	80-100	73-93
48	38	S	161-175	82-102	74-94
50	40	M	164-178	84-104	76-96
52	42		168-182	86-106	77-97
54	44	L	172-186	87-107	79-99
56	46		174-188	89-109	80-100
58	48	XL	177-191	91-111	82-102
60	50		179-193	93-113	83-103
62	52	2XL	182-196	94-114	85-105
64	54		183-202	96-116	88-108
66	56	3XL	184-202	97-117	91-111
68	58		185-202	99-119	94-114
70	60	4XL	187-202	100-120	96-116

## Size guide Pants

SIZE			WAIST (C)	HIP (D)	INSEAM (E)
42	32	3XS	74-85	87-98	70-76
44	34	2XS	77-88	89-100	71-77
46	36	XS	80-91	91-102	72-78
48	38	S	83-94	93-104	74-80
50	40	M	86-97	95-106	75-81
52	42		88-100	97-109	76-82
54	44	L	91-103	100-112	79-85
56	46		94-106	103-115	80-86
58	48	XL	96-109	105-118	81-87
60	50		99-112	108-121	82-88
62	52	2XL	102-115	111-124	83-89
64	54		105-118	114-127	84-90
66	56	3XL	111-124	117-130	84-90
68	58		117-130	120-133	84-90
70	60	4XL	123-136	123-136	84-90

Measurements shown in centimeters



## Iconography



Extensive  
Bartacks



5 Thread  
Safety Stitch



Breathable  
Fabric



Waterproof



YKK® One-Way  
Zipper



YKK® Two-  
Way Zipper



Single  
Gas Loop



Double  
Gas Loop



Lower Arm  
Striping



Adjustable  
Hems/Cuffs




Action  
Armpit



Shaped Knee










## Wearers side



# Dapro Phase 1 Jacket

PRODUCT CODE: OPHA1J-NB\*

## C15-1 Certification and fabric information

								
EN ISO 13688:2013 (EN 340:2003)	EN ISO 11612:2015 A1 B1 C1 D3 E3 F1	EN ISO 14116:2015 Index 3	EN ISO 11611:2015 A1 Class 1	EN 1149-5:2018	EN 13034:2005 +A1:2009 Type PB[6]	EN 343:2019	EN 61482-2:2020 APC1	EN 17353:2020 Type B3




Guardian H2O Flame Retardant

- 98% Polyester / 2% Anti-static
- Flame-retardant and Anti-static
- H2O water & windproof
- Water, oil, grease and dirt repellent finish
- 260 GSM

## Features

- > Fully taped seams
- > Extra high collar to protect against heavy wind and rain
- > Center front with concealed YKK® **vislon zipper** and hook-and-loop closure
- > **Gas detector loops** at chest
- > Chest pocket with safety flap and hook-and-loop closure at left hand side
- > **Goggle pocket** behind stormflap with concealed nylon zipper closure
- > **Inside pocket** with nylon zipper closure at left hand side
- > Lower pockets with safety flap and hook-and-loop closure
- > Lower side entry pockets with concealed nylon zipper closure
- > **Adjustable cuffs** with hook-and-loop closure
- > **Adjustable hem** with elastic cord
- > Compatible with hood, fleece jacket & bodywarmer
- > Compartment for storing hood in collar
- > Prolux® 50mm flame-retardant reflective press-on striping



Available in colors:

Navy Blue \*NB

Available on request: US 2XS-5XL



Extensive  
Bartacks



5 Thread  
Safety Stitch



Breathable  
Fabric



Waterproof



YKK® One-  
Way Zipper



Double  
Gas Loop













Lower Arm  
Striping

# Dapro Phase 1 Jacket

PRODUCT CODE: OPHA1J-NB/HVOR\*


## C15-2 Certification and fabric information

								
EN ISO 13688:2013 (EN 340:2003)	EN ISO 11612:2015 A1 B1 C1 D3 E3 F1	EN ISO 14116:2015 Index 3	EN ISO 11611:2015 A1 Class 1	EN 1149-5:2018	EN 13034:2005 +A1:2009 Type PB[6]	EN 343:2019	EN 61482-2:2020 APC1	EN ISO 20471:2013/ A1:2016

	<ul style="list-style-type: none"> <li>Guardian H2O</li> <li>Lifetime Flame Retardant</li> <li>98% Polyester / 2% Anti-static</li> <li>Flame-retardant and Anti-static</li> <li>H2O water &amp; windproof</li> <li>Water, oil, grease and dirt repellent finish</li> <li>260 GSM</li> </ul>
---	---

## Features

- > Fully taped seams
- > Extra high collar to protect against heavy wind and rain
- > Center front with concealed YKK® **vislon zipper** and hook-and-loop closure
- > **Gas detector loops** at chest
- > Chest pocket with safety flap and hook-and-loop closure at left hand side
- > **Goggle pocket** behind stormflap with concealed nylon zipper closure
- > **Inside pocket** with nylon zipper closure at left hand side
- > Lower pockets with safety flap and hook-and-loop closure
- > Lower side entry pockets with concealed nylon zipper closure
- > **Adjustable cuffs** with hook-and-loop closure
- > **Adjustable hem** with elastic cord
- > Compatible with hood, fleece jacket & bodywarmer
- > Compartment for storing hood in collar
- > Prolux® 50mm flame-retardant reflective press-on striping



Available in colors:

Navy Blue Hi-Vis Yellow \*NB/HVYE Navy Blue Hi-Vis Orange \*NB/HVOR

Available on request: US 2XS-5XL



Extensive  
Bartacks



5 Thread  
Safety Stitch



Breathable  
Fabric



Waterproof



YKK® One-  
Way Zipper



Double  
Gas Loop



Lower Arm  
Striping

# Dapro Access Jacket

PRODUCT CODE: OACCJ-BL\*

## C9-1 Jacket Certification and fabric information



EN ISO 13688:2013  
(EN 340:2003)

EN ISO 14116:2015  
Outer: Index 1  
Inner: Index 3



EN 1149-5:2018



EN 13034:2005  
+A1:2009  
type PB[6]



EN 343:2019




Guardian  
H2O  
Lifetime  
Flame  
Retardant

- 98% Polyester / 2% Anti-static
- Flame-retardant and Anti-static
- H2O water & windproof
- Water, oil, grease and dirt repellent finish
- 260 GSM

## Features

- > Fully taped seams
- > Extra high collar to protect against heavy wind and rain
- > Center front with concealed YKK® **vislon zipper** and hook-and-loop closure
- > **Gas detector loop** on chest at right hand side
- > **Goggle pocket** behind storm flap with concealed nylon zipper closure
- > **Inside pocket** with safety flap and concealed nylon zipper closure at left hand side
- > Lower pockets with safety flap and concealed hook-and-loop closure
- > Adjustable bottom hem
- > Compatible with zip-in hood, fleece jacket & bodywarmer
- > Compartment for storing hood in collar
- > Prolux® 50mm flame-retardant reflective striping



Available in colors:  
Sizes in stock

Navy Blue \*NB

US XS-4XL

Oil Black \*BL

US S-3XL

Available on request: US 2XS-5XL



Extensive  
Bartacks



5 Thread  
Safety Stitch



Breathable  
Fabric



Waterproof



YKK® One-  
Way Zipper



Single  
Gas Loop



# Dapro Access Jacket

PRODUCT CODE: OACCJ-NB/HVYE\*

## C9-2 Jacket Certification and fabric information



EN ISO 13688:2013  
(EN 340:2003)

EN ISO 14116:2015  
Outer: Index 1  
Inner: Index 3



EN 1149-5:2018



EN 13034:2005  
+A1:2009  
type PB[6]



EN 343:2019



EN ISO 20471:2013  
+A1:2016




Guardian  
H2O  
Lifetime  
Flame  
Retardant

- 98% Polyester / 2% Anti-static
- Flame-retardant and Anti-static
- H2O water & windproof
- Water, oil, grease and dirt repellent finish
- 260 GSM

## Features

- > Fully taped seams
- > Extra high collar to protect against heavy wind and rain
- > Center front with concealed YKK® **vislon zipper** and hook-and-loop closure
- > **Gas detector loop** on chest at right hand side
- > **Goggle pocket** behind storm flap with concealed nylon zipper closure
- > **Inside pocket** with safety flap and concealed nylon zipper closure at left hand side
- > Lower pockets with safety flap and concealed hook-and-loop closure
- > Adjustable bottom hem
- > Compatible with zip-in hood, fleece jacket & bodywarmer
- > Compartment for storing hood in collar
- > Prolux® 50mm flame-retardant reflective striping



Available in colors:

Sizes in stock

Navy Blue

Hi-Vis Yellow

\*NB/HVYE

Navy Blue

Hi-Vis Orange

\*NB/HVOR

US S-4XL

US S-3XL

Available on request: US 2XS-5XL



Extensive  
Bartacks



5 Thread  
Safety Stitch



Breathable  
Fabric



Waterproof



YKK® One-  
Way Zipper



Single  
Gas Loop



Lower Arm  
Striping

# Dapro Infinity Jacket

PRODUCT CODE: OINFJ-NB\*

## C9-1 Jacket Certification and fabric information



EN ISO 13688:2013  
(EN 340:2003)

EN ISO 14116:2015  
Outer: Index 1  
Inner: Index 3



EN 1149-5:2018



EN 13034:2005  
+A1:2009  
type PB[6]



EN 343:2019




Guardian H2O Flame Retardant

- 98% Polyester / 2% Anti-static
- Flame-retardant and Anti-static
- H2O water & windproof
- Water, oil, grease and dirt repellent finish
- 260 GSM

## Features

- > Fully taped seams
- > Extra high collar to protect against heavy wind and rain
- > Center front with concealed YKK® **vislon zipper** and hook-and-loop closure
- > **Gas detector loops** at chest
- > Chest pockets with safety flap and hook-and-loop closure
- > **ID-flap** behind left hand side chest pocket flap
- > **Goggle pocket** behind storm flap with nylon zipper closure
- > **Inside pocket** with nylon zipper closure at left hand side
- > Lower pockets with safety flap and hook-and-loop closure
- > Lower side entry pockets with concealed nylon zipper closure
- > **Adjustable cuffs** with hook-and-loop closure
- > **Adjustable hem** with elastic cord
- > Compatible with hood, fleece jacket & bodywarmer
- > Compartment for storing hood in collar
- > Prolux® 50mm flame-retardant reflective striping



Available in colors:  
Sizes in stock

Navy Blue \*NB

US S-3XL

Available on request: US 2XS-5XL



Extensive  
Bartacks



5 Thread  
Safety Stitch



Breathable  
Fabric



Waterproof



YKK® One-  
Way Zipper



Double  
Gas Loop



Adjustable  
Cuffs

# Dapro Infinity Jacket

PRODUCT CODE: OINFJ-NB/HVYE\*

## C9-2 Jacket Certification and fabric information



EN ISO 13688:2013  
(EN 340:2003)

EN ISO 14116:2015  
Outer: Index 1  
Inner: Index 3



EN 1149-5:2018



EN 13034:2005  
+A1:2009  
type PB[6]



EN 343:2019



EN ISO 20471:2013  
+A1:2016




Guardian H2O Flame Retardant

- 98% Polyester / 2% Anti-static
- Flame-retardant and Anti-static
- H2O water & windproof
- Water, oil, grease and dirt repellent finish
- 260 GSM

## Features

- > Fully taped seams
- > Extra high collar to protect against heavy wind and rain
- > Center front with concealed YKK® **vislon zipper** and hook-and-loop closure
- > **Gas detector loops** at chest
- > Chest pockets with safety flap and hook-and-loop closure
- > **ID-flap** behind left hand side chest pocket flap
- > **Goggle pocket** behind storm flap with nylon zipper closure
- > **Inside pocket** with nylon zipper closure at left hand side
- > Lower pockets with safety flap and hook-and-loop closure
- > Lower side entry pockets with concealed nylon zipper closure
- > **Adjustable cuffs** with hook-and-loop closure
- > **Adjustable hem** with elastic cord
- > Compatible with hood, fleece jacket & bodywarmer
- > Compartment for storing hood in collar
- > Prolux® 50mm flame-retardant reflective striping



Available in colors:

Sizes in stock

Navy Blue

Hi-Vis Yellow

\*NB/HVYE

Navy Blue

Hi-Vis Orange

\*NB/HVOR

US XS-4XL

US XS-4XL

Available on request: US 2XS-5XL



Extensive  
Bartacks



5 Thread  
Safety Stitch



Breathable  
Fabric



Waterproof



YKK® One-  
Way Zipper



Double  
Gas Loop



Adjustable  
Cuffs




# Dapro Globe-Tech Jacket

PRODUCT CODE: OGTECHJ-BL/HVYE\*

platinum range



## C15-1 Certification and fabric information



## Features

- > Fully taped seams
- > High-visibility Yellow at front and back yoke
- > Center front with concealed YKK® **vislon zipper** with rubber puller and hook-and-loop closure
- > **Gas detector loops** at chest
- > Spacious chest pocket with safety flap and hook-and-loop closure at right hand side
- > **Goggle pocket** behind storm flap with nylon zipper
- > Ergonomically shaped arms
- > Weltd lower pockets with safety flap and hook-and-loop closure
- > **Adjustable cuffs** with hook-and-loop closure
- > Compatible with hood, fleece jacket & bodywarmer
- > Compartment for storing hood in collar
- > High-visibility piping details on center front and lower pockets
- > Prolux® 50mm flame-retardant reflective press-on striping


Available in colors:

Sizes in stock

Oil Black Hi-Vis Yellow \*BL/HVYE

US S-3XL

Available on request: US XS-5XL



Extensive  
Bartacks



5 Thread  
Safety Stitch



Breathable  
Fabric



Waterproof



YKK® One-  
Way Zipper



Double  
Gas Loop



Adjustable  
Cuffs

# Dapro Spectre Softshell Jacket

PRODUCT CODE: OSPEJ-NB/HVYE\*

platinum range



## C19-2 Certification and fabric information



EN ISO 13688:2013  
(EN 340:2003)



EN ISO 11612:2015  
A1 A2 B1 C2 F1



EN ISO 11611:2015  
A1 A2 Class 2



EN 1149-5:2018



IEC 61482-2:2018



EN 13034:2005  
+ A1:2009  
Type PB[6]



EN ISO 20471:2013/  
A1:2016




Guardian  
H2O Softshell  
Lifetime  
Flame  
Retardant

- 48% Modacrylic / 33% Cotton / 18% Polyester / 2% Anti-static
- Flame-retardant and Anti-static
- H2O water repellent & windproof
- Chemical proof
- 400 GSM

## Features

- > Center front with **vislon zipper** and hook-and-loop closure
- > **Gas detector loops** at chest
- > Welled vertical chest pockets with concealed nylon zipper closure
- > **Inside pocket** with snap button closure at both sides
- > Welled lower pockets with concealed zipper closure
- > **Adjustable cuffs** with hook-and-loop closure
- > **Adjustable hem** with elastic cord
- > Compatible with Dapro outerwear jackets
- > Prolux® 50mm flame-retardant reflective striping



Available in colors:  
Sizes in stock

Navy Blue Hi-Vis Yellow \*NB/HVYE

US S-3XL

Available on request: US 2XS-5XL



Extensive  
Bartacks



5 Thread  
Safety Stitch



Breathable  
Fabric



Water  
repellent



YKK® One-Way  
Zipper



Double  
Gas Loop



Lower Arm  
Striping



Adjustable  
Cuffs

# Dapro PU Hydrolite Rainsuit

PRODUCT CODE: OPUHR-NB\*

## C20 Certification and fabric information



EN ISO 13688:2013

EN ISO  
14116:2015  
Index 1



EN  
1149-5:2008



EN 343:2003  
+A1:2007  
Restricted  
Wearing

- 50% Polyester / 50% PU
- Flame-retardant and Anti-static
- 190 GSM

## Features

### JACKET

- > Fully taped seams
- > Adjustable hood with drawcord concealed in the collar
- > Extra high collar to protect against heavy wind and rain
- > Center front with plastic snap button closure
- > Lower pockets with safety flap
- > Ventilation in back
- > Windcatcher in sleeves
- > Reflective striping on sleeves

Also available separately:

### Dapro PU Hydrolite Jacket

PRODUCT CODE: OPUHJ-NB\*

### Dapro PU Hydrolite Pant

PRODUCT CODE: OPUHP-NB\*

### PANTS

- > Fully taped seams
- > Elastic waist for improved ergonomics
- > **Adjustable hems** with plastic snap button closure
- > Reflective striping on legs



Available in colors:  
Sizes in stock

Navy Blue \*NB

US S-3XL

Available on request: US 2XS-5XL



Breathable  
Fabric



Waterproof



# Dapro Protector 2 Coverall Reflect

PRODUCT CODE: OPRO2CR-HVOR\*

platinum range



## C9-3 Certification and fabric information



EN ISO 13688:2013  
(EN 340:2003)

EN ISO  
14116:2015  
Outer: index 1  
Inner: index 3



EN  
1149-5:2018



EN 13034:2005  
+A1:2009  
Type 6



EN  
343:2019



EN ISO  
20471:2013  
+A1:2016



Guardian  
H2O  
Lifetime  
Flame  
Retardant

- 98% Polyester / 2% Anti-static
- Flame-retardant and Anti-static
- H2O water & windproof
- Water, oil, grease and dirt repellent finish
- 260 GSM

## Features

- > Fully taped seams
- > Including zip-in hood with elastic cord, nylon zipper and hook-and-loop attachment
- > Center front with storm flap, YKK® two-way **vislon zipper** and hook-and-loop closure
- > **Gas detector loops** at chest
- > 3D chest and upper leg pockets with safety flap and hook-and-loop closure
- > **Goggle pocket** behind storm flap with nylon zipper closure
- > Elastic waistband for improved fit
- > Side pockets
- > **Side vents** with safety flap and hook-and-loop closure behind side pockets
- > **Shaped kneepad pockets** made of abrasion resistant material
- > **Adjustable cuffs** with strap and plastic flame-retardant snap buttons
- > Concealed **vislon zipper** with hook-and-loop closure at ankle to pull coverall over boots
- > Prolux® 50mm & 25mm flame-retardant reflective striping



Available in colors:

Sizes in stock

Hi-Vis Orange \*HVOR

US S-3XL

Available on request: US 2XS-5XL



Extensive  
Bartacks



5 Thread  
Safety Stitch



Waterproof



YKK® Two-  
Way Zipper



Single  
Gas Loop



Lower Arm  
Striping



Adjustable  
Cuffs

# Dapro Basic Fleece

PRODUCT CODE: OBASF-BL\*

## Certification and fabric information




EN ISO 13688:2013  
(EN 340:2003)



Guardian Fleece • 100% Polyester  
• 260 GSM

## Features

- > Center front with **vislon zipper** closure
- > **Inside pocket** with concealed nylon zipper closure at left hand side
- > Welled slanted lower pockets with concealed nylon zipper closure
- > System loops at sleeves and neck for compatibility with outerwear jackets
- > Elastic cuffs for improved ergonomics and ultimate comfort



Available in colors:  
Sizes in stock

Oil Black \*BL

US S-4XL

Available on request: US 2XS-5XL



Extensive  
Bartacks



5 Thread  
Safety Stitch



Breathable  
Fabric








YKK® One-  
Way Zipper

# Dapro Defender Fleece

PRODUCT CODE: ODEFF-RB\*


## C11-A Certification and fabric information

				
EN ISO 13688:2013 (EN 340:2003)	EN ISO 11612:2015 A1 B1 C1	EN ISO 14116:2015 Index 3	EN 1149-5:2008	IEC 61482-2:2009 ATPV:5.1cal/cm2

	<p>Guardian Fleece</p> <ul style="list-style-type: none"> <li>• 60% Modacrylic / 38% Cotton / 2% Anti-static</li> <li>• Flame-retardant and Anti-static</li> <li>• 320 GSM</li> </ul> <p>Flame Retardant</p>
---	--

## Features

- > Center front with concealed YKK® **vislon zipper** and hook-and-loop closure
- > **Inside pocket** with concealed nylon zipper closure at left hand side
- > Weltd slanted lower pockets with safety flap and concealed nylon zipper closure
- > Elastic cuffs for improved ergonomics and ultimate comfort
- > System loops at sleeves and neck for compatibility with outerwear jackets



Available in colors:  
Sizes in stock

Navy Blue *NB	Royal Blue *RB
US XS-4XL	US XS-4XL

Available on request: US 2XS-5XL



Extensive  
Bartacks



5 Thread  
Safety Stitch



YKK® One-  
Way Zipper



# Dapro Offshore Bag

PRODUCT CODE: SOFFT BAG-BL\*

## Features

- > Robust and water-resistant offshore bag
- > Backpack function
- > Ergonomic adjustable shoulder straps
- > Hard flexible corner protection
- > Enforced water resistant zippers
- > A large protected namecard holder
- > Extra zipper pocket for covering shoulder straps
- > Handles on both ends
- > Padded shoulder strap for ultimate comfort
- > Size:
  - Length: 60cm
  - Width: 30cm
  - Height: 30cm



Available in colors:

Black \*BL

# prolux<sup>®</sup>

adapts brilliantly

**Prolux** reflective striping is specifically developed for industrial **workwear** and **outerwear**.

**Visibility** in dark and hazardous environments greatly reduces the risk of accidents. This can be on railways, roads, construction areas or industrial areas.

Aside from its **exceptional** reflective properties, our product offers great **durability** with **industrial** laundering

## Retro-reflective

450 cd/lx m<sup>2</sup> @ Observation Angle 12° / entrance angle 5°

## Composition:

Glass bead 30% / Resin 30% / Highly durable FR backing cloth 30% / Other materials 10%

## NFPA 1971

NFPA 1971 protects fire fighting personnel by establishing minimum levels of protection from thermal, physical, environmental, and bloodborne pathogen hazards encountered during structural and proximity fire fighting operations.

## OEKO-TEX<sup>®</sup> Standard 100

If a textile article carries the STANDARD 100 label, you can be certain that every component of this article, i.e. every thread, button and other accessories, has been tested for harmful substances and that the article therefore is harmless for human health.

[www.prolux-reflective.com](http://www.prolux-reflective.com)

## Certificate Standards

### EN 20471:2013

This standard specifies the international standard for the safety requirements and test methods of hi-vis workwear, and is applicable to high-risk situations. It specifies requirements for "high visibility clothing which is capable of visually signalling the user's presence" and assesses the suitability and durability of retro-reflective materials.

### EN 469:2005

This standard specifies minimum levels of performance requirements for protective clothing to be worn during firefighting operations and associated activities such as e.g. rescue work, assistance during disasters.

### EN ISO 14116:2008

This standard specifies the minimum requirements for protective clothing against heat and flame. The standard outlines the performance requirements for clothing materials and garments that are designed to protect against limited flame spread and radiant heat.

### EN ISO 11612

This standard outlines the performance requirements for clothing materials and garments in terms of their ability to resist heat and flame, and to provide effective protection for the wearer. EN ISO 11612 specifies test methods for determining the clothing's ability to resist heat and flame, as well as requirements for the material's strength and dimensional stability.



# SUBZERO<sup>®</sup>

## INSULATION

**SubZero** insulation is an intermeshed cotton material which forms a mass of fiber to trap air in between the outerlayer of the shoe and your foot.

This **breathable high resilient** and **loft** material provides **durable warmth** retention with **light weight** properties for extra **freedom of movement** and **comfort**.

*The perfect combination to use in protective workwear developed to work in hazardous environments.*

### Properties

SUBZERO<sup>®</sup>  
INSULATION

SUBZERO<sup>®</sup>  
INSULATION

SUBZERO<sup>®</sup>  
INSULATION

SUBZERO<sup>®</sup>  
INSULATION

### Weight

**100 GSM**

**150 GSM**

**250 GSM**

**300 GSM**

### Warmth



## Composition:

**100% intermeshed polyester**

SubZero is clean, odorless and non allergenic, machine washable and dryable.



[www.subzero-insulation.com](http://www.subzero-insulation.com)





# BASE LAYER

[SHOP ALL BASE LAYERS](#)




## Size guide Coverall/Jacket

SIZE			LENGHT (A)	CHEST (B)	WAIST (C)
42	32	3XS	158-167	76-96	70-90
44	34	2XS	158-170	78-98	71-91
46	36	XS	158-172	80-100	73-93
48	38	S	161-175	82-102	74-94
50	40	M	164-178	84-104	76-96
52	42		168-182	86-106	77-97
54	44	L	172-186	87-107	79-99
56	46		174-188	89-109	80-100
58	48	XL	177-191	91-111	82-102
60	50		179-193	93-113	83-103
62	52	2XL	182-196	94-114	85-105
64	54		183-202	96-116	88-108
66	56	3XL	184-202	97-117	91-111
68	58		185-202	99-119	94-114
70	60	4XL	187-202	100-120	96-116

## Size guide Pants

SIZE			WAIST (C)	HIP (D)	INSEAM (E)
42	32	3XS	74-85	87-98	70-76
44	34	2XS	77-88	89-100	71-77
46	36	XS	80-91	91-102	72-78
48	38	S	83-94	93-104	74-80
50	40	M	86-97	95-106	75-81
52	42		88-100	97-109	76-82
54	44	L	91-103	100-112	79-85
56	46		94-106	103-115	80-86
58	48	XL	96-109	105-118	81-87
60	50		99-112	108-121	82-88
62	52	2XL	102-115	111-124	83-89
64	54		105-118	114-127	84-90
66	56	3XL	111-124	117-130	84-90
68	58		117-130	120-133	84-90
70	60	4XL	123-136	123-136	84-90

Measurements shown in centimeters



## Iconography



Extensive  
Bartacks



5 Thread  
Safety Stitch



Breathable  
Fabric



Waterproof



YKK® One-Way  
Zipper



YKK® Two-  
Way Zipper



Single  
Gas Loop



Double  
Gas Loop



Lower Arm  
Striping



Adjustable  
Hems/Cuffs




Action  
Armpit



Shaped Knee

## Wearers side



# Dapro Balaclava

PRODUCT CODE: UBAL-BL\*

## C1 Certification and fabric information



EN ISO 13688:2013  
(EN 340:2003)



EN ISO  
11612:2015  
A1 B1 C1



EN ISO  
14116:2015  
Index 3



EN  
1149-5:2008



Guardian  
Knit  
Inherent  
Flame  
Retardant

- 48% Modacrylic / 42% Cotton / 5% Kevlar / 3% Nylon / 2 % Anti-static
- Flame-retardant and Anti-static
- 250 GSM



## Features

- > Unisex, one size fits all
- > Comfortable fit
- > Breathable and stretchable fabric



Available in colors:  
Sizes in stock

Black \*BL

One Size



# Dapro Frost Multi-Use Neck Protector

PRODUCT CODE: UFRONP-BL\*

## C1 Certification and fabric information



EN ISO 13688:2013  
(EN 340:2003)



EN ISO  
11612:2015  
A1 B1 C1



EN ISO  
14116:2015  
Index 3



EN  
1149-5:2008



Guardian  
Knit  
Inherent  
Flame  
Retardant

- 48% Modacrylic / 42% Cotton / 5% Kevlar / 3% Nylon / 2 % Anti-static
- Flame-retardant and Anti-static
- 250 GSM



## Features

- > Unisex, one size fits all



Available on request:

Oil Black \*BL

One Size

# Dapro Frost Underwear Shirt

PRODUCT CODE: UFROS-BL\*

## C1 Certification and fabric information



EN ISO 13688:2013  
(EN 340:2003)



EN ISO  
11612:2015  
A1 B1 C1



EN ISO  
14116:2015  
Index 3



EN  
1149-5:2008



Guardian  
Knit  
Inherent  
Flame  
Retardant

- 48% Modacrylic / 42% Cotton / 5% Kevlar / 3% Nylon / 2 % Anti-static
- Flame-retardant and Anti-static
- 250 GSM



## Features

- > Comfortable fit
- > Breathable and stretchable fabric



Available in colors:  
Sizes in stock

Oil Black \*BL

US S-3XL

Available on request: US 2XS-5XL



Breathable  
Fabric

# Dapro Frost Underwear Pant

PRODUCT CODE: UFROP-BL\*

## C1 Certification and fabric information



EN ISO 13688:2013  
(EN 340:2003)



EN ISO  
11612:2015  
A1 B1 C1



EN ISO  
14116:2015  
Index 3



EN  
1149-5:2008



Guardian  
Knit  
Inherent  
Flame  
Retardant

- 48% Modacrylic / 42% Cotton / 5% Kevlar / 3% Nylon / 2 % Anti-static
- Flame-retardant and Anti-static
- 250 GSM



## Features

- > Comfortable fit
- > Breathable and stretchable fabric



Available in colors:  
Sizes in stock

Oil Black \*BL

US S-3XL

Available on request: US 2XS-5XL



Breathable  
Fabric



# Dapro Phoenix Socks

PRODUCT CODE: UPHOSO-NB\*

## Fabric information



- 75% Cotton / 17% Polyester / 8% Spandex

## Features

- > Comfortable fit
- > Breathable sweat-absorbent and stretchable fabric
- > Fully fashioned knit
- > Anti-bacterial



Available in colors:  
Sizes in stock

Navy Blue \*NB

Black \*BL

EU 36-40/M (women)  
EU 41-46/L (men)



Breathable  
Fabric

# Dapro Phoenix Socks

PRODUCT CODE: UPHOSO-BL\*

## Fabric information



- 75% Cotton / 17% Polyester / 8% Spandex

## Features

- > Comfortable fit
- > Breathable sweat-absorbent and stretchable fabric
- > Fully fashioned knit
- > Anti-bacterial

Available in colors:  
Sizes in stock

Navy Blue \*NB

Black \*BL

EU 36-40/M (women)  
EU 41-46/L (men)



Breathable  
Fabric



**SHOP ALL EYEWEAR**



# Dapro Offshore Glasses

PRODUCT CODE: EOFF-NB/CL\*

## Certification

Frame Marking Lens Marking



## Features

- > Curved based polycarbonate lens for perfect 180 degrees vision
- > 4A coated lens, anti-scratch, anti UV, antistatic and anti-fog
- > Adjustable side arm lengths for maximum adaptability
- > Extremely tough rubber hinges
- > Impact resistance 6mm steel ball at 45 m/s
- > UV absorption 100% up to 390nm
- > Heat resistant up to 80 degrees Celsius
- > Abrasion resistant as per EN 166 standard
- > Also suitable for protection against fireworks and as sports glasses/ cycling glasses



Available in colors:  
Sizes in stock

Navy blue Dark Lens \*NB/DA Navy blue Clear Lens \*NB/CL  
One Size

# Dapro Offshore Glasses

PRODUCT CODE: EOFF-NB/DA\*

## Certification



CE DAP EN 166 F CE 5-3,1 DAP 1F

## Features

- > Curved based polycarbonate lens for perfect 180 degrees vision
- > 4A coated lens, anti-scratch, anti UV, antistatic and anti-fog
- > Adjustable side arm lengths for maximum adaptability
- > Extremely tough rubber hinges
- > Impact resistance 6mm steel ball at 45 m/s
- > UV absorption 100% up to 390nm
- > Heat resistant up to 80 degrees Celsius
- > Abrasion resistant as per EN 166 standard
- > Also suitable for protection against fireworks and as sports glasses/ cycling glasses



Available in colors:  
Sizes in stock

Navy blue Dark Lens \*NB/DA Navy blue Clear Lens \*NB/CL

One Size





# FOOTWEAR

[SHOP ALL FOOTWEAR](#)




## Size guide Footwear

### SHOE LENGTH (A)

EU	35	36	37	38	39	40	41	42	43	44	45	46	47	48
UK	2	3	4	4½	5½	6	6½	7½	8½	9	10	11	12	13
USA	3½	4	5	5½	6½	7	7½	8½	9½	10	11	12	13	14
IN	1	2	3	4	5	6	7	8	9	10	11	12	13	14
Mondopoint	217	225	232	240	247	255	262	270	277	285	292	300	307	315

### SHOE WIDTH (B)

EU	35	36	37	38	39	40	41	42	43	44	45	46	47	48
D	83	85	87	89	91	93	95	97	99	101	104	106	108	110
E	86	88	90	92	94	96	98	100	102	104	106	109	111	113
EE	88	90	92	95	97	99	101	103	105	107	109	112	114	116
EEE	91	93	95	97	99	102	104	106	108	110	112	114	117	119
EEEE	93	95	97	99	102	105	107	109	111	113	115	117	120	122



### Length (A)

Foot width (B) is measured with the subject standing barefoot and the weight of the body equally distributed on both feet. The size of the left and right foot is often slightly different - in this case measure both feet and the shoe size is based on the larger foot.

Mondopoint is based on the mean foot length (A) for which the shoe is suitable, measured in millimeters. The width of a foot (B) is also measured in millimeters.

When establishing your size, base it on your largest measurement.

## Iconography



Anti-Slip



Anti-Shock  
Heel



Breathable  
Leather



Protective  
Toe Cap



Water  
Resistant  
Leather



Water  
Proof



Hydrocarbon  
Resistant  
Sole



Anti  
Perforation  
Midsole



Anti-Static  
Sole

# Dapro Offshore C S7 C

PRODUCT CODE: FOFFCS7C-BL/BL\*

platinum range



## Certification and Information

HR3CS7C					
		Oil	★★★★★	Traction	★★★★★
		Heat	★★★★★	Comfort	★★★★★
		Chemical	★★★★★	Non-marking	★★★★★
		Abrasion	★★★★★		✓
EN ISO 20345:2022	F2413-18				
575 FO SR HRO SC	M/I/C				
EN 61340-5-1:2016	SD10/PR				
ESD	F3445-21				
	SR				

**H<sub>2</sub>O Barrier**

## Features

- > Metal free
- > Full grain leather upper
- > Reflective piping for extra visibility in dark environments
- > Lace-up system for secure fit
- > Waterproof nylon zipper for easy step in/out with hook-and-loop closure on the inner side
- > TPU Abrasion resistant cuff nose / scuff cap
- > Waterproof membrane with mesh lining
- > Anti-perforation textile mid plate (APT)
- > Composite toe cap
- > Anti-bacterial polyester mesh lining and 3D EVA insole
- > Reinforced ankle and heel support structure for extra support and durability
- > Slip resistant sole
- > Oil resistant sole
- > Heat resistant sole up to 300 degrees Celsius
- > Anti-static ESD PU/Nitrile Rubber sole for comfort, durability and light weight
- > Energy absorption in the heel



Available colors and sizes:

**Black** \*BL/BL  
EU 37-47

Available on request:

**Brown** \*BR/BR  
EU 36-47



Anti-Perforation  
Midsole



Anti-Static  
Sole



Anti-Slip  
Sole



Anti-Shock  
Heel



Water  
Proof



Hydrocarbon  
Resistant  
Sole



Breathable  
Leather



Protective  
Toe Cap  
**72**

# Dapro Flame Knit C S1P C

PRODUCT CODE: FFLACS1PC-BL/OR\*

## Certification and Information

SRICS1PC	Oil	★★★★★	Traction	★★★★★	
 <small>EN 20345:2022 S1P5 FO SR SC EN 61340-5-1:2016 ESD</small>	Heat	★★★★★	Comfort	★★★★★	
	Chemical	★★★★★	Non-marking	★★★★★	
	Abrasion	★★★★★			








## Features

- > Non-magnetic
- > Knitted polyester upper
- > Lace-up system for secure fit
- > TPU Abrasion resistant cuff nose / scuff cap
- > Anti-perforation textile mid plate (APT)
- > Composite toe cap
- > Anti-bacterial polyester mesh lining and 3D EVA insole
- > Slip resistant sole
- > Oil resistant sole
- > Heat resistant sole up to 160 degrees Celsius
- > Anti-static ESD PU/Rubber sole with Carbon plate for comfort, durability and light weight
- > Energy absorption in the heel



Available colors and sizes:

Black Orange \*BL/OR  
EU 37-47

						
Anti-Perforation Midsole	Anti-Static Sole	Anti-Slip Sole	Anti-Shock Heel	Hydrocarbon Resistant Sole	Breathable Leather	Protective Toe Cap





# Dapro Black Phoenix C S3 C

PRODUCT CODE: FBLACS3C-BL/WH\*

## Certification and Information

SRICS3C

**CE**

EN ISO 20345:2022  
S35 FO SR SC  
EN 61340-5-1:2016  
ESD

Oil  
Heat  
Chemical  
Abrasion

★★★★★  
★★★★★  
★★★★★  
★★★★★

Traction  
Comfort  
Non-marking

★★★★★  
★★★★★  
★★★★★

## Features

- > Non-magnetic
- > Nubuck finish microfiber upper
- > Lace-up system for secure fit
- > TPU Abrasion resistant cuff nose / scuff cap
- > Anti-perforation textile mid plate (APT)
- > Composite toe cap
- > Anti-bacterial polyester mesh lining and 3D EVA insole
- > Slip resistant sole
- > Oil resistant sole
- > Heat resistant sole up to 160 degrees Celsius
- > Anti-static ESD PU/Rubber sole with Carbon plate for comfort, durability and light weight
- > Energy absorption in the heel



Available colors and sizes:

**Black** White \*BL/WH  
EU 37-47



Anti-Perforation  
Midsole



Anti-Static  
Sole



Anti-Slip  
Sole



Anti-Shock  
Heel



Water  
Resistant  
Upper



Hydrocarbon  
Resistant  
Sole



Breathable  
Leather



Protective  
Toe Cap  
**74**



# Dapro Elements 2 S3 C

PRODUCT CODE: FELE2S3C-BL/BL\*

## Certification and Information

MR2S3C					
CE	Oil	★★★★★	Traction	★★★★★	
	Heat	★★★★★	Comfort	★★★★★	
	Chemical	★★★★★	Non-marking	★★★★★	✓
EN ISO 20345: 2011	Abrasion	★★★★★			
53 SRC					

## Features

- > Water resistant full grain leather upper
- > Abrasion resistant material used in the collar
- > Lace-up system for secure fit
- > PU bump cap / scuff cap
- > Anti-perforation steel mid plate
- > Steel toe cap
- > Anti-bacterial polyester mesh lining and 3D EVA insole
- > PU/PU light weight sole for comfort
- > Slip resistant sole
- > Oil resistant sole
- > Heat resistant sole up to 160 degrees Celsius
- > Anti-static sole
- > Energy absorption in the heel



Available colors and sizes:

Black \*BL/BL

EU 35-48

Available on request: EU 49-50



Anti-Perforation  
Midsole



Anti-Static  
Sole



Anti-Slip  
Sole



Anti-Shock  
Heel



Water  
Resistant  
Leather



Hydrocarbon  
Resistant  
Sole



Breathable  
Leather



Protective  
Toe Cap  
**75**



# Dapro Elements 2 Pro C S3 C

PRODUCT CODE: FELE2CS3C-BL/BL\*

## Certification and Information

HR2CS3C						
CE	ASPM Approved manufacturer	Oil	★★★★★	Traction	★★★★★	
		Heat	★★★★★	Comfort	★★★★★	
		Chemical	★★★★★	Non-marking	★★★★★	
		Abrasion	★★★★★		✓	
EN ISO 20345:2022	F2413-18					
S35 FO SR HRO SC	M/I/C					
EN 61340-5-1:2016	SD10/PR					
ESD	F3445-21					
	SR					

## Features

- > Metal free
- > Full grain leather upper
- > Abrasion resistant material used in the collar
- > Lace-up system for secure fit
- > TPU Abrasion resistant cuff nose / scuff cap
- > Anti-perforation textile mid plate (APT)
- > Composite toe cap
- > Anti-bacterial polyester mesh lining and 3D EVA insole
- > Reinforced heel support structure for extra support and durability
- > Slip resistant sole
- > Oil resistant sole
- > Heat resistant sole up to 300 degrees Celsius
- > Anti-static ESD PU/Nitrile Rubber sole for comfort, durability and light weight



Available colors and sizes:

Black \*BL/BL  
EU 37-48

Available on request:

Brown \*BR/BR  
EU 35-48



Anti-Perforation  
Midsole



Anti-Static  
Sole



Anti-Slip  
Sole



Anti-Shock  
Heel



Water  
Resistant  
Leather



Hydrocarbon  
Resistant  
Sole



Breathable  
Leather



Protective  
Toe Cap  
**76**





# Dapro Elements 3 C S3 C

PRODUCT CODE: FELE3CS3C-BL/BL\*

## Certification and Information

HR3CS3C					
CE	ASPM Approved Manufacturer	Oil	★★★★★	Traction	★★★★★
		Heat	★★★★★	Comfort	★★★★★
		Chemical	★★★★★	Non-marking	✓
		Abrasion	★★★★★		
EN ISO 20345:2022	F2413-18				
S35 FO SR HRO SC	M/I/C				
EN 61340-5-1:2016	SD35/PR				
ESD	F3445-21				
	SR				



## Features

- > Metal free
- > Full grain leather upper
- > Lace-up system for secure fit
- > Waterproof nylon zipper for easy step in/out with hook-and-loop closure on the inner side
- > TPU Abrasion resistant cuff nose / scuff cap
- > Anti-perforation textile mid plate (APT)
- > Composite toe cap
- > Anti-bacterial polyester mesh lining and 3D EVA insole
- > Reinforced ankle and heel support structure for extra support and durability
- > Slip resistant sole
- > Oil resistant sole
- > Heat resistant sole up to 300 degrees Celsius
- > Anti-static ESD PU/Nitrile Rubber sole for comfort, durability and light weight
- > Energy absorption in the heel



Available colors and sizes:

**Black** \*BL/BL  
EU 37-47

Available on request:

**Brown** \*BR/BR  
EU 37-48



Anti-Perforation  
Midsole



Anti-Static  
Sole



Anti-Slip  
Sole



Anti-Shock  
Heel



Water  
Resistant  
Leather



Hydrocarbon  
Resistant  
Sole



Breathable  
Leather



Protective  
Toe Cap



# Dapro Driller C S3 C

PRODUCT CODE: FDRICS3C-BL/BL\*

## Certification and Information

HR4CS3C			Oil	★★★★★	Traction	★★★★★	
			Heat	★★★★★	Comfort	★★★★★	
			Chemical	★★★★★	Non-marking	✓	
			Abrasion	★★★★★			

## Features

- > Metal free
- > Full grain leather upper
- > Reinforced leather pull up loops for easier instep
- > TPU Abrasion resistant cuff nose / scuff cap
- > Anti-perforation textile mid plate (APT)
- > Composite toe cap
- > Anti-bacterial 3D EVA insole
- > Reinforced heel support structure for extra support and durability
- > Slip resistant sole
- > Oil resistant sole
- > Heat resistant sole up to 300 degrees Celsius
- > Anti-static ESD PU/Nitrile Rubber sole for comfort, durability and light weight
- > Energy absorption in the heel



Available colors and sizes:

**Black** \*BL/BL  
EU 39-47

**Brown** \*BR/BR  
EU 39-47








# Dapro Driller C S3 C

PRODUCT CODE: FDRICS3C-BR/BR\*

## Certification and Information

HR4CS3C			Oil	★★★★★	Traction	★★★★★	
EN ISO 20345:2022			Heat	★★★★★	Comfort	★★★★★	
S35 FO SR HRO SC			Chemical	★★★★★	Non-marking	✓	
EN 61340-5-1:2016			Abrasion	★★★★★			
ESD							
F2413-18							
M/I/C							
SD10/PR							
F3445-21							
SR							

## Features

- > Metal free
- > Full grain leather upper
- > Reinforced leather pull up loops for easier instep
- > TPU Abrasion resistant cuff nose / scuff cap
- > Anti-perforation textile mid plate (APT)
- > Composite toe cap
- > Anti-bacterial 3D EVA insole
- > Reinforced heel support structure for extra support and durability
- > Slip resistant sole
- > Oil resistant sole
- > Heat resistant sole up to 300 degrees Celsius
- > Anti-static ESD PU/Nitrile Rubber sole for comfort, durability and light weight
- > Energy absorption in the heel



Available colors and sizes:

Black	*BL/BL	Brown	*BR/BR
EU 39-47		EU 39-47	







# Dapro Rigger C S3 C

PRODUCT CODE: FRIGCS3C-BL/BL\*

## Certification and Information

HR4CS3C			Oil	★★★★★	Traction	★★★★★	
EN ISO 20345:2022		Heat	★★★★★	Comfort	★★★★★		
S35 FO SR HRO SC	M/I/C	Chemical	★★★★★	Non-marking	★★★★★		
EN 61340-5-1:2016	SD10/PR	Abrasion	★★★★★				
ESD	F3445-21						
	SR						

## Features

- > Metal free
- > Full grain leather upper
- > Reinforced leather pull up loops for easier instep
- > TPU Abrasion resistant cuff nose / scuff cap
- > Anti-perforation textile mid plate (APT)
- > Composite toe cap
- > Anti-bacterial polyester mesh lining and 3D EVA insole
- > Reinforced ankle and heel support structure for extra support and durability
- > Slip resistant sole
- > Oil resistant sole
- > Heat resistant sole up to 300 degrees Celsius
- > Anti-static ESD PU/Nitrile Rubber sole for comfort, durability and light weight
- > Energy absorption in the heel

Available colors and sizes:

Black \*BL/BL  
EU 37-47

Available on request:

Brown \*BR/BR  
EU 36-47



Anti-Perforation Midsole



Anti-Static Sole



Anti-Slip Sole



Anti-Shock Heel



Water Resistant Leather



Hydrocarbon Resistant Sole



Breathable Leather



Protective Toe Cap  
**80**



# Dapro Noble S3 C

PRODUCT CODE: FNOBS3C-BL/BL\*

## Certification and Information

VR2S3C					
CE	Oil	★★★★★	Traction	★★★★★	
	Heat	★★★★★	Comfort	★★★★★	
	Chemical	★★★★★	Non-marking		✓
EN ISO 20345: 2011	Abrasion	★★★★★			
S3 SRC					

## Features

- > Water resistant leather upper
- > Abrasion resistant material used in the collar
- > Lace-up system for secure fit
- > PU bump cap / scuff cap
- > Anti-perforation steel mid plate
- > Steel toe cap
- > EVA insole
- > PU/PU light weight sole for comfort
- > Slip resistant sole
- > Oil resistant sole
- > Heat resistant sole up to 160 degrees Celsius
- > Anti-static sole
- > Energy absorption in the heel



Available colors and sizes:

Black \*BL/BL EU 35-48

Brown \*BR/BR<sup>2</sup>  
<sup>2</sup>In stock while supplies last



Anti-Perforation  
Midsole



Anti-Static  
Sole



Anti-Slip  
Sole



Anti-Shock  
Heel



Water  
Resistant  
Leather



Hydrocarbon  
Resistant  
Sole



Breathable  
Leather



Protective  
Toe Cap  
**81**



# Dapro Noble S3 C

PRODUCT CODE: FNOBS3C-BR/BR\*

## Certification and Information

VR2S3C					
CE	Oil	★★★★★	Traction	★★★★★	
EN ISO 20345: 2011	Heat	★★★★★	Comfort	★★★★★	
53 SRC	Chemical	★★★★★	Non-marking	★★★★★	✓
	Abrasion	★★★★★			

## Features

- > Water resistant leather upper
- > Abrasion resistant material used in the collar
- > Lace-up system for secure fit
- > PU bump cap / scuff cap
- > Anti-perforation steel mid plate
- > Steel toe cap
- > EVA insole
- > PU/PU light weight sole for comfort
- > Slip resistant sole
- > Oil resistant sole
- > Heat resistant sole up to 160 degrees Celsius
- > Anti-static sole
- > Energy absorption in the heel



Available colors and sizes:

Black \*BL/BL EU 35-48

Brown \*BR/BR<sup>2</sup> <sup>2</sup>In stock while supplies last



Anti-Perforation  
Midsole



Anti-Static  
Sole



Anti-Slip  
Sole



Anti-Shock  
Heel



Water  
Resistant  
Leather



Hydrocarbon  
Resistant  
Sole



Breathable  
Leather



Protective  
Toe Cap  
**82**



# Dapro Noble Welding S3 C

PRODUCT CODE: FNOBWS3C-BL/BL\*

## Certification and Information

VR2WS3C	Oil	★★★★★	Traction	★★★★★
CE	Heat	★★★★★	Comfort	★★★★★
EN ISO 20345: 2011	Chemical	★★★★★	Non-marking	✓
53 SRC	Abrasion	★★★★★		

## Features

- > Water resistant leather upper
- > Abrasion resistant material used in the collar
- > Protective leather flap against welding sparks with hook-and-loop closure
- > Lace-up system for secure fit
- > PU bump cap / scuff cap
- > Anti-perforation steel mid plate
- > Steel toe cap
- > EVA insole
- > PU/PU light weight sole for comfort
- > Slip resistant sole
- > Oil resistant sole
- > Heat resistant sole up to 160 degrees Celsius
- > Anti-static sole
- > Energy absorption in the heel



Available colors and sizes:

Black \*BL/BL  
EU 37-47

Available on request:

Brown \*BR/BR  
EU 37-47



Anti-Perforation  
Midsole



Anti-Static  
Sole



Anti-Slip  
Sole



Anti-Shock  
Heel



Water  
Resistant  
Leather



Hydrocarbon  
Resistant  
Sole



Breathable  
Leather



Protective  
Toe Cap  
**83**





# Dapro Canyon C S3 C

PRODUCT CODE: FCANCS3C-BR/BR\*

## Certification and Information

HR2CS3C	Oil	★★★★★	Traction	★★★★★
	Heat	★★★★★	Comfort	★★★★★
	Chemical	★★★★★	Non-marking	✓
	Abrasion	★★★★★		
	EN ISO 20345: 2011			
S3 SRC HRO				

## Features

- > Water resistant full grain leather upper
- > Abrasion resistant material used in the collar
- > Lace-up system for secure fit
- > Abrasion resistant cuff nose / scuff cap
- > Anti-perforation textile mid plate (APT)
- > Composite toe cap
- > 3D Premium comfort insole
- > PU/Nitrile Rubber sole for comfort, durability and light weight
- > Slip resistant sole
- > Oil resistant sole
- > Heat resistant sole up to 300 degrees Celsius
- > Anti-static sole
- > Energy absorption in the heel



Available colors and sizes:

Black \*BL/BL    Brown \*BR/BR

EU 37-48



Anti-Perforation  
Midsole



Anti-Static  
Sole



Anti-Slip  
Sole



Anti-Shock  
Heel



Water  
Resistant  
Leather



Hydrocarbon  
Resistant  
Sole



Breathable  
Leather



Protective  
Toe Cap  
**84**



# Dapro Dauntless S3 C

PRODUCT CODE: FDAUS3C-BL/BL\*

## Certification and Information

VR3S3C	Oil	★★★★★	Traction	★★★★★
CE	Heat	★★★★★	Comfort	★★★★★
	Chemical	★★★★★	Non-marking	✓
	Abrasion	★★★★★		
EN ISO 20345: 2011 S3 SRC				

## Features

- > Water resistant leather upper
- > Abrasion resistant material used in the collar
- > Lace-up system for secure fit
- > PU bump cap / scuff cap
- > Anti-perforation steel mid plate
- > Steel toe cap
- > EVA insole
- > PU/PU light weight sole for comfort
- > Slip resistant sole
- > Oil resistant sole
- > Heat resistant sole up to 160 degrees Celsius
- > Anti-static sole
- > Energy absorption in the heel



Available colors and sizes:

**Black** \*BL/BL  
EU 37-46

Available on request:

**Brown** \*BR/BR  
EU 37-46

Available on request: EU 35-36, 47-50



Anti-Perforation  
Midsole



Anti-Static  
Sole



Anti-Slip  
Sole



Anti-Shock  
Heel



Water  
Resistant  
Leather



Hydrocarbon  
Resistant  
Sole



Breathable  
Leather



Protective  
Toe Cap  
**85**



# Dapro Intrepid S3 C

PRODUCT CODE: FINTS3C-BL/BL\*

## Certification and Information

VR4S3C					
CE	Oil	★★★★★	Traction	★★★★★	
EN ISO 20345: 2011	Heat	★★★★★	Comfort	★★★★★	
53 SRC	Chemical	★★★★★	Non-marking	★★★★★	✓
	Abrasion	★★★★★			

## Features

- > Water resistant leather upper
- > Reinforced leather pull up loops for easier instep
- > PU bump cap / scuff cap
- > Anti-perforation steel mid plate
- > Steel toe cap
- > EVA insole
- > PU/PU light weight sole for comfort
- > Slip resistant sole
- > Oil resistant sole
- > Heat resistant sole up to 160 degrees Celsius
- > Anti-static sole
- > Energy absorption in the heel



Available colors and sizes:

**Black** \*BL/BL  
EU 38-47

Available on request:

**Brown** \*BR/BR  
EU 38-47

Available on request: EU 35-37, 48-50



Anti-Perforation  
Midsole



Anti-Static  
Sole



Anti-Slip  
Sole



Anti-Shock  
Heel



Water  
Resistant  
Leather



Hydrocarbon  
Resistant  
Sole



Breathable  
Leather



Protective  
Toe Cap  
**86**



# FOOTWEAR

## MADE-TO-ORDER

[VIEW ONLINE](#)



# Dapro Petromaster C S7 C

PRODUCT CODE: FPMACS7C-BL/BL\*

platinum range



## Certification and Information

HR2C57C			Oil	★★★★★	Traction	★★★★★	
EN ISO 20345:2022		F2413-18	Heat	★★★★★	Comfort	★★★★★	
575 FO SR HRO SC		M/I/C	Chemical	★★★★★	Non-marking	✓	
EN 61340-5-1:2016		S010/PR	Abrasion	★★★★★			
ESD		F3445-21					
		SR					

**H<sub>2</sub>O Barrier**

## Features

- > Metal free
- > Full grain leather upper
- > Reflective piping for extra visibility in dark environments
- > Fitgo lacing system for comfort and quick release
- > TPU Abrasion resistant cuff nose / scuff cap
- > Waterproof membrane with mesh lining
- > Anti-perforation textile mid plate (APT)
- > Composite toe cap
- > Anti-bacterial polyester mesh lining and 3D EVA insole
- > Reinforced ankle and heel support structure for extra support and durability
- > Slip resistant sole
- > Oil resistant sole
- > Heat resistant sole up to 300 degrees Celsius
- > Anti-static ESD PU/Nitrile Rubber sole for comfort, durability and light weight
- > Energy absorption in the heel
- > Minimum order quantity of 400 pieces

Available on request:

**Black** \*BL/BL **Brown** \*BR/BR  
EU 37-48 EU 37-48



Anti-Perforation Midsole	Anti-Static Sole	Anti-Slip Sole	Anti-Shock Heel	Water Proof	Hydrocarbon Resistant Sole	Breathable Leather	Protective Toe Cap




# Dapro Petromaster C S7 C

PRODUCT CODE: FPMACS7C-BR/BR\*

platinum range



## Certification and Information

HR2C57C			Oil	★★★★★	Traction	★★★★★	
			Heat	★★★★★	Comfort	★★★★★	
			Chemical	★★★★★	Non-marking	✓	
			Abrasion	★★★★★			

EN ISO 20345:2022  
S75 FO SR HRO SC  
EN 61340-5-1:2016  
ESD

F2413-18  
M/I/C  
SD10/PR  
F3445-21  
SR

**H<sub>2</sub>O Barrier** 

## Features

- > Metal free
- > Full grain leather upper
- > Reflective piping for extra visibility in dark environments
- > Fitgo lacing system for comfort and quick release
- > TPU Abrasion resistant cuff nose / scuff cap
- > Waterproof membrane with mesh lining
- > Anti-perforation textile mid plate (APT)
- > Composite toe cap
- > Anti-bacterial polyester mesh lining and 3D EVA insole
- > Reinforced ankle and heel support structure for extra support and durability
- > Slip resistant sole
- > Oil resistant sole
- > Heat resistant sole up to 300 degrees Celsius
- > Anti-static ESD PU/Nitrile Rubber sole for comfort, durability and light weight
- > Energy absorption in the heel
- > Minimum order quantity of 400 pieces

Available on request:

**Black** \*BL/BL **Brown** \*BR/BR  
EU 37-48 EU 37-48



							
Anti-Perforation Midsole	Anti-Static Sole	Anti-Slip Sole	Anti-Shock Heel	Water Proof	Hydrocarbon Resistant Sole	Breathable Leather	Protective Toe Cap




# Dapro Rigmaster C S7 C

PRODUCT CODE: FRMACS7C-BL/BL\*

platinum range



## Certification and Information

HR4CS7C			Oil	★★★★★	Traction	★★★★★		
EN ISO 20345:2022			Heat	★★★★★	Comfort	★★★★★		
575 FO SR HR0 SC			Chemical	★★★★★	Non-marking	✓		
EN 61340-5-1:2016			Abrasion	★★★★★				
ESD								

F2413-18  
M/I/C  
SD10/PR  
F3445-21  
SR

**H<sub>2</sub>O Barrier** 

## Features

- > Metal free
- > Full grain leather upper
- > Reinforced leather pull up loops for easier instep
- > TPU Abrasion resistant cuff nose / scuff cap
- > Waterproof membrane with mesh lining
- > Anti-perforation textile mid plate (APT)
- > Composite toe cap
- > Anti-bacterial polyester mesh lining and 3D EVA insole
- > Reinforced ankle and heel support structure for extra support and durability
- > Slip resistant sole
- > Oil resistant sole
- > Heat resistant sole up to 300 degrees Celsius
- > Anti-static ESD PU/Nitrile Rubber sole for comfort, durability and light weight
- > Energy absorption in the heel
- > Minimum order quantity of 400 pieces



Available on request:

Black \*BL/BL  
EU 37-48

Brown \*BR/BR  
EU 37-48



Anti-Perforation  
Midsole



Anti-Static  
Sole



Anti-Slip  
Sole



Anti-Shock  
Heel



Water  
Proof



Hydrocarbon  
Resistant  
Sole



Breathable  
Leather



Protective  
Toe Cap  
**90**

# Dapro Rigmaster C S7 C

PRODUCT CODE: FRMACS7C-BR/BR\*

platinum range



## Certification and Information

HR4CS7C			Oil	★★★★★	Traction	★★★★★	
EN ISO 20345:2022			Heat	★★★★★	Comfort	★★★★★	
575 FO SR HRO SC			Chemical	★★★★★	Non-marking	✓	
EN 61340-5-1:2016			Abrasion	★★★★★			
ESD							
F2413-18							
M/I/C							
SD10/PR							
F3445-21							
SR							

**H<sub>2</sub>O Barrier**

## Features

- > Metal free
- > Full grain leather upper
- > Reinforced leather pull up loops for easier instep
- > TPU Abrasion resistant cuff nose / scuff cap
- > Waterproof membrane with mesh lining
- > Anti-perforation textile mid plate (APT)
- > Composite toe cap
- > Anti-bacterial polyester mesh lining and 3D EVA insole
- > Reinforced ankle and heel support structure for extra support and durability
- > Slip resistant sole
- > Oil resistant sole
- > Heat resistant sole up to 300 degrees Celsius
- > Anti-static ESD PU/Nitrile Rubber sole for comfort, durability and light weight
- > Energy absorption in the heel
- > Minimum order quantity of 400 pieces



Available on request:

**Black** \*BL/BL  
EU 37-48

**Brown** \*BR/BR  
EU 37-48



Anti-Perforation  
Midsole



Anti-Static  
Sole



Anti-Slip  
Sole



Anti-Shock  
Heel



Water  
Proof



Hydrocarbon  
Resistant  
Sole



Breathable  
Leather



Protective  
Toe Cap  
**91**



# Dapro Offshore C S7 C

PRODUCT CODE: FOFFCS7C-BE/BE\*

platinum range



## Certification and Information

HR3CS7C

**CE**

EN ISO 20345:2022  
S75 FO SR HRO SC  
EN 61340-5-1:2016  
ESD

Oil  
Heat  
Chemical  
Abrasion

★★★★★  
★★★★★  
★★★★★  
★★★★★

Traction  
Comfort  
Non-marking

★★★★★  
★★★★★  
★★★★★ ✓

**H<sub>2</sub>O Barrier**

## Features

- > Metal free
- > Full grain leather upper
- > Reflective piping for extra visibility in dark environments
- > Lace-up system for secure fit
- > Waterproof nylon zipper for easy step in/out with hook-and-loop closure on the inner side
- > TPU Abrasion resistant cuff nose / scuff cap
- > Waterproof membrane with mesh lining
- > Anti-perforation textile mid plate (APT)
- > Composite toe cap
- > Anti-bacterial polyester mesh lining and 3D EVA insole
- > Reinforced ankle and heel support structure for extra support and durability
- > Slip resistant sole
- > Oil resistant sole
- > Heat resistant sole up to 300 degrees Celsius
- > Anti-static ESD PU/Nitrile Rubber sole for comfort, durability and light weight
- > Energy absorption in the heel
- > Minimum order quantity of 400 pieces

Available on request:

Beige \*BE/BE  
EU 37-48



Anti-Perforation Midsole

Anti-Static Sole

Anti-Slip Sole

Anti-Shock Heel

Water Proof

Hydrocarbon Resistant Sole

Breathable Leather

Protective Toe Cap



# Dapro Canyon C S3 C Laceless

PRODUCT CODE: FCANCS3CL-BL/BL\*

## Certification and Information

HR2C53C			Oil	★★★★★	Traction	★★★★★	
EN ISO 20345:2022			Heat	★★★★★	Comfort	★★★★★	
535 FO SR HRO SC			Chemical	★★★★★	Non-marking	✓	
EN 61340-5-1:2016			Abrasion	★★★★★			
ESD							
F2413-18							
M/I/C							
SD10/PR							
F3445-21							
SR							

## Features

- > Metal free
- > Full grain leather upper
- > Fitgo lacing system for comfort and quick release
- > TPU Abrasion resistant cuff nose / scuff cap
- > Anti-perforation textile mid plate (APT)
- > Composite toe cap
- > Anti-bacterial polyester mesh lining and 3D EVA insole
- > Reinforced heel support structure for extra support and durability
- > Slip resistant sole
- > Oil resistant sole
- > Heat resistant sole up to 300 degrees Celsius
- > Anti-static ESD PU/Nitrile Rubber sole for comfort, durability and light weight
- > Energy absorption in the heel
- > Minimum order quantity of 400 pieces

Available on request:

Black \*BL/BL  
EU 37-48

Brown \*BR/BR  
EU 37-48



Anti-Perforation  
Midsole



Anti-Static  
Sole



Anti-Slip  
Sole



Anti-Shock  
Heel



Water  
Resistant  
Leather



Hydrocarbon  
Resistant  
Sole



Breathable  
Leather



Protective  
Toe Cap  
**93**



# Dapro Canyon C S3 C Laceless

PRODUCT CODE: FCANCS3CL-BR/BR\*

## Certification and Information

HR2C53C			Oil	★★★★★	Traction	★★★★★	
			Heat	★★★★★	Comfort	★★★★★	
			Chemical	★★★★★	Non-marking	✓	
			Abrasion	★★★★★			
EN ISO 20345:2022	F2413-18						
S35 FO SR HRO SC	M/I/C						
EN 61340-5-1:2016	SD10/PR						
ESD	F3445-21						
	SR						

## Features

- > Metal free
- > Full grain leather upper
- > Fitgo lacing system for comfort and quick release
- > TPU Abrasion resistant cuff nose / scuff cap
- > Anti-perforation textile mid plate (APT)
- > Composite toe cap
- > Anti-bacterial polyester mesh lining and 3D EVA insole
- > Reinforced heel support structure for extra support and durability
- > Slip resistant sole
- > Oil resistant sole
- > Heat resistant sole up to 300 degrees Celsius
- > Anti-static ESD PU/Nitrile Rubber sole for comfort, durability and light weight
- > Energy absorption in the heel
- > Minimum order quantity of 400 pieces



Available on request:

Black \*BL/BL  
EU 37-48

Brown \*BR/BR  
EU 37-48



Anti-Perforation  
Midsole



Anti-Static  
Sole



Anti-Slip  
Sole



Anti-Shock  
Heel



Water  
Resistant  
Leather



Hydrocarbon  
Resistant  
Sole



Breathable  
Leather



Protective  
Toe Cap  
**94**



# Dapro Elements 1 C S3 C

PRODUCT CODE: FELE1CS3C-BL/BL\*

## Certification and Information

HR1CS3C					
		Oil	★★★★★	Traction	★★★★★
		Heat	★★★★★	Comfort	★★★★★
		Chemical	★★★★★	Non-marking	✓
		Abrasion	★★★★★		
EN ISO 20345:2022	F2413-18				
S35 FO SR HRO SC	M/I/C				
EN 61340-5-1:2016	SD10/PR				
ESD	F3445-21				
	SR				

## Features

- > Metal free
- > Full grain leather upper
- > Abrasion resistant material used in the collar
- > Lace-up system for secure fit
- > TPU Abrasion resistant cuff nose / scuff cap
- > Anti-perforation textile mid plate (APT)
- > Composite toe cap
- > Anti-bacterial polyester mesh lining and 3D EVA insole
- > Reinforced heel support structure for extra support and durability
- > Slip resistant sole
- > Oil resistant sole
- > Heat resistant sole up to 300 degrees Celsius
- > Anti-static ESD PU/Nitrile Rubber sole for comfort, durability and light weight
- > Minimum order quantity of 400 pieces

Available on request:

Black \*BL/BL  
EU 37-48

Brown \*BR/BR  
EU 37-48



Anti-Perforation  
Midsole

Anti-Static  
Sole

Anti-Slip  
Sole

Anti-Shock  
Heel

Water  
Resistant  
Leather

Hydrocarbon  
Resistant  
Sole

Breathable  
Leather



Protective  
Toe Cap  
**95**




# Dapro Elements 1 C S3 C

PRODUCT CODE: FELE1CS3C-BR/BR\*

## Certification and Information

HR1CS3C					
		Oil	★★★★★	Traction	★★★★★
		Heat	★★★★★	Comfort	★★★★★
		Chemical	★★★★★	Non-marking	★★★★★ ✓
		Abrasion	★★★★★		
EN ISO 20345:2022	F2413-18				
S35 FO SR HRO SC	M/I/C				
EN 61340-5-1:2016	SD10/PR				
ESD	F3445-21				
	SR				



## Features

- > Metal free
- > Full grain leather upper
- > Abrasion resistant material used in the collar
- > Lace-up system for secure fit
- > TPU Abrasion resistant cuff nose / scuff cap
- > Anti-perforation textile mid plate (APT)
- > Composite toe cap
- > Anti-bacterial polyester mesh lining and 3D EVA insole
- > Reinforced heel support structure for extra support and durability
- > Slip resistant sole
- > Oil resistant sole
- > Heat resistant sole up to 300 degrees Celsius
- > Anti-static ESD PU/Nitrile Rubber sole for comfort, durability and light weight
- > Minimum order quantity of 400 pieces

Available on request:

Black \*BL/BL EU 37-48

Brown \*BR/BR EU 37-48






							
Anti-Perforation Midsole	Anti-Static Sole	Anti-Slip Sole	Anti-Shock Heel	Water Resistant Leather	Hydrocarbon Resistant Sole	Breathable Leather	Protective Toe Cap

# Dapro Chelsea Boot C S3

PRODUCT CODE: FCHECS3-BL/BL\*

## Certification and Information

HR2CS3			Oil	★★★★★	Traction	★★★★★	
EN ISO 20345:2022			Heat	★★★★★	Comfort	★★★★★	
S3S FO SR HRO			Chemical	★★★★★	Non-marking	✓	
EN 61340-5-1:2016			Abrasion	★★★★★			
ESD							

## Features

- > Metal free
- > Full grain leather upper
- > Reinforced pull up loop for easier instep
- > Anti-perforation textile mid plate (APT)
- > Composite toe cap
- > Anti-bacterial polyester mesh lining and 3D EVA insole
- > Slip resistant sole
- > Oil resistant sole
- > Heat resistant sole up to 300 degrees Celsius
- > Anti-static ESD PU/Nitrile Rubber sole for comfort, durability and light weight
- > Energy absorption in the heel
- > Minimum order quantity of 400 pieces



Available on request:

Black	*BL/BL	Brown	*BR/BR
EU 37-48		EU 37-48	



Anti-Perforation  
Midsole



Anti-Static  
Sole



Anti-Slip  
Sole



Anti-Shock  
Heel



Water  
Resistant  
Leather



Hydrocarbon  
Resistant  
Sole



Breathable  
Leather



Protective  
Toe Cap  
**97**



# Dapro Chelsea Boot C S3

PRODUCT CODE: FCHECS3-BR/BR\*

## Certification and Information

HR2CS3 <b>CE</b> EN ISO 20345:2022 S35 FO SR HRO EN 61340-5-1:2016 ESD	<b>ASPM</b> F2413-18 M/I/C SD10/PR F3445-21 SR	Oil Heat Chemical Abrasion	★★★★★ ★★★★★ ★★★★★ ★★★★★	Traction Comfort Non-marking	★★★★★ ★★★★★ ✓	
---	---	-------------------------------------	----------------------------------	------------------------------------	---------------------	--

## Features

- > Metal free
- > Full grain leather upper
- > Reinforced pull up loop for easier instep
- > Anti-perforation textile mid plate (APT)
- > Composite toe cap
- > Anti-bacterial polyester mesh lining and 3D EVA insole
- > Slip resistant sole
- > Oil resistant sole
- > Heat resistant sole up to 300 degrees Celsius
- > Anti-static ESD PU/Nitrile Rubber sole for comfort, durability and light weight
- > Energy absorption in the heel
- > Minimum order quantity of 400 pieces



Available on request:

**Black** \*BL/BL  
EU 37-48

**Brown** \*BR/BR  
EU 37-48

Anti-Perforation  
Midsole

Anti-Static  
Sole

Anti-Slip  
Sole

Anti-Shock  
Heel

Water  
Resistant  
Leather

Hydrocarbon  
Resistant  
Sole

Breathable  
Leather

Protective  
Toe Cap  
**98**



# Dapro Commissioner Slip On C S3

PRODUCT CODE: FCOSCS3-BL/BL\*

## Certification and Information

HR1CS3  
**CE**  
EN ISO 20345:2022  
S35 FO SR  
EN 61340-5-1:2016  
ESD

Oil  
Heat  
Chemical  
Abrasion

★★★★★  
★★★★★  
★★★★★  
★★★★★

Traction  
Comfort  
Non-marking

★★★★★  
★★★★★  
★★★★★  
✓

## Features

- > Metal free
- > Full grain leather upper
- > Reinforced pull up loop for easier instep
- > TPU Abrasion resistant cuff nose / scuff cap
- > Anti-perforation textile mid plate (APT)
- > Composite toe cap
- > Anti-bacterial polyester mesh lining and 3D EVA insole
- > Slip resistant sole
- > Oil resistant sole
- > Heat resistant sole up to 160 degrees Celsius
- > Anti-static ESD PU/Rubber sole with Carbon plate for comfort, durability and light weight
- > Energy absorption in the heel
- > Minimum order quantity of 400 pieces



Available on request:

**Black** \*BL/BL  
EU 37-47

**Brown** \*BR/BR  
EU 37-47



Anti-Perforation  
Midsole



Anti-Static  
Sole



Anti-Slip  
Sole



Anti-Shock  
Heel



Water  
Resistant  
Leather



Hydrocarbon  
Resistant  
Sole



Breathable  
Leather



Protective  
Toe Cap  
**99**





# Dapro Commissioner Slip On C S3

PRODUCT CODE: FCOSCS3-BR/BR\*

## Certification and Information

HR1CS3  
**CE**  
EN ISO 20345:2022  
S35 FO SR  
EN 61340-5-1:2016  
ESD

Oil  
Heat  
Chemical  
Abrasion

★★★★★  
★★★★★  
★★★★★  
★★★★★

Traction  
Comfort  
Non-marking

★★★★★  
★★★★★  
★★★★★

ESD

## Features

- > Metal free
- > Full grain leather upper
- > Reinforced pull up loop for easier instep
- > TPU Abrasion resistant cuff nose / scuff cap
- > Anti-perforation textile mid plate (APT)
- > Composite toe cap
- > Anti-bacterial polyester mesh lining and 3D EVA insole
- > Slip resistant sole
- > Oil resistant sole
- > Heat resistant sole up to 160 degrees Celsius
- > Anti-static ESD PU/Rubber sole with Carbon plate for comfort, durability and light weight
- > Energy absorption in the heel
- > Minimum order quantity of 400 pieces



Available on request:

**Black** \*BL/BL  
EU 37-47

**Brown** \*BR/BR  
EU 37-47



Anti-Perforation  
Midsole



Anti-Static  
Sole



Anti-Slip  
Sole



Anti-Shock  
Heel



Water  
Resistant  
Leather



Hydrocarbon  
Resistant  
Sole



Breathable  
Leather



Protective  
Toe Cap  
**100**



# Dapro Commissioner C S3

PRODUCT CODE: FCOMCS3-BL/BL\*

## Certification and Information

HR1CS3

**CE**

EN ISO 20345:2022  
S35 FO SR SC  
EN 61340-5-1:2016  
ESD

Oil  
Heat  
Chemical  
Abrasion

★★★★★  
★★★★★  
★★★★★  
★★★★★

Traction  
Comfort  
Non-marking

★★★★★  
★★★★★  
★★★★★ ✓

## Features

- > Non-magnetic
- > Full grain leather upper
- > Lace-up system for secure fit
- > TPU Abrasion resistant cuff nose / scuff cap
- > Anti-perforation textile mid plate (APT)
- > Composite toe cap
- > Anti-bacterial polyester mesh lining and 3D EVA insole
- > Slip resistant sole
- > Oil resistant sole
- > Heat resistant sole up to 160 degrees Celsius
- > Anti-static ESD PU/Rubber sole with Carbon plate for comfort, durability and light weight
- > Energy absorption in the heel
- > Minimum order quantity of 400 pieces



Available on request:

**Black** \*BL/BL  
EU 37-47

**Brown** \*BR/BR  
EU 37-47



Anti-Perforation  
Midsole



Anti-Static  
Sole



Anti-Slip  
Sole



Anti-Shock  
Heel



Water  
Resistant  
Leather



Hydrocarbon  
Resistant  
Sole



Breathable  
Leather



Protective  
Toe Cap  
**101**



# Dapro Commissioner C S3

PRODUCT CODE: FCOMCS3-BR/BR\*

## Certification and Information

HR1CS3

**CE**

EN ISO 20345:2022  
S35 FO SR SC  
EN 61340-5-1:2016  
ESD

Oil  
Heat  
Chemical  
Abrasion

★★★★★  
★★★★★  
★★★★★  
★★★★★

Traction  
Comfort  
Non-marking

★★★★★  
★★★★★  
★★★★★ ✓

## Features

- > Non-magnetic
- > Full grain leather upper
- > Lace-up system for secure fit
- > TPU Abrasion resistant cuff nose / scuff cap
- > Anti-perforation textile mid plate (APT)
- > Composite toe cap
- > Anti-bacterial polyester mesh lining and 3D EVA insole
- > Slip resistant sole
- > Oil resistant sole
- > Heat resistant sole up to 160 degrees Celsius
- > Anti-static ESD PU/Rubber sole with Carbon plate for comfort, durability and light weight
- > Energy absorption in the heel
- > Minimum order quantity of 400 pieces



Available on request:

**Black** \*BL/BL  
EU 37-47

**Brown** \*BR/BR  
EU 37-47



Anti-Perforation  
Midsole



Anti-Static  
Sole



Anti-Slip  
Sole



Anti-Shock  
Heel



Water  
Resistant  
Leather



Hydrocarbon  
Resistant  
Sole



Breathable  
Leather



Protective  
Toe Cap  
**102**



# SUBZERO INSULATION

**SubZero** insulation is an intermeshed cotton material which forms a mass of fiber to trap air in between the outerlayer of the shoe and your foot.

This **breathable high resilient** and **loft** material provides **durable warmth** retention with **light weight** properties for extra **freedom of movement** and **comfort**.

*The perfect combination to use in protective workwear developed to work in hazardous environments.*

Properties	Weight	Warmth
	<b>100 GSM</b>	
	<b>150 GSM</b>	
	<b>250 GSM</b>	
	<b>300 GSM</b>	

## Composition: 100% intermeshed polyester

SubZero is clean, odorless and non allergenic, machine washable and dryable.



[www.subzero-insulation.com](http://www.subzero-insulation.com)





*Your safety is  
our number one priority,  
Your life depends on it.*



[www.dapro-safety.com](http://www.dapro-safety.com)



[/Dapro-Safety](#)



[@Dapro\\_Safety](#)



[/DaproSafety](#)



[@Dapro\\_Safety](#)

