



TABLE OF CONTENTS

WORKWEAR	11	Dapro Spectre Softshell Jacket	82
Dapro Kids Coverall	13	Dapro PU Hydrolite Rainsuit	83
Dapro Worker 1 Coverall Kneepads	19	Dapro Protector Coverall Reflect	84
Dapro Worker 2 Coverall	25	Dapro Protector Bib	85
Dapro Toughwear 2 Coverall Kneepads	27	Dapro Protector Pant	87
Dapro Industry Coverall	31	Dapro Protector Bodywarmer	90
Dapro Roughneck Coverall	32	Dapro Basic Fleece	93
Dapro Roughneck Bib	36	Dapro Defender Fleece	94
Dapro Roughneck Jacket	37	Dapro Offshore Bag	96
Dapro Roughneck Pant	39	Dapro C9 Hood	97
Dapro Diamond Coverall	41	BASELAYER	100
Dapro Diamond Bib	45	Dapro Balaclava	102
Dapro Diamond Jacket	46	Dapro Polar Balaclava	103
Dapro Diamond Pant	47	Dapro Frost Multi-Use Neck Warmer	104
Dapro Spark Coverall	48	Dapro Frost Shirt	105
Dapro Spark Bib	51	Dapro Frost Pant	106
Dapro Spark Jacket	52	Dapro Phoenix Socks	107
Dapro Spark Pant	53	·	
Dapro Rope Access Coverall	54	EYEWEAR	109
Dapro Globe-Tech Coverall	57	Dapro Offshore Glasses	110
Dapro Globe-Tech Bib	58	FOOTWEAR	112
Dapro Globe-Tech Jacket	59	Dapro Offshore C S7 C	114
Dapro Globe-Tech Pant	60	Dapro Offshore C S7 C Subzero® T400 Fur	115
Dapro Globe-Tech Polo	61	Dapro Flame Knit C S1P C	116
Dapro Globe-Tech Shirt	62	Dapro Black Phoenix C S3 C	117
Dapro Globe-Tech Sweater	63	Dapro Court High S3 C	118
Dapro Volt Hi-Vis Class 2 Coverall	64	Dapro Elements 2 S3 C	119
Dapro Kneepads	65	Dapro Elements 2 Pro C S3 C	120
OUTERWEAR	68	Dapro Elements 3 C S3 C	121
Dapro Phase 1 Jacket	70	Dapro Driller C S3 C	122
Dapro Access Jacket	73	Dapro Rigger C S3 C	124
Dapro Access Bomber Jacket	77	Dapro Baron S3 C	125
Dapro Infinity Jacket	78	Dapro Noble S3 C	126
Dapro Globe-Tech Jacket	81	Dapro Noble Welding S3 C	128
1		₹	

We are always working to improve our products and achieve the perfect design to ensure the safety and comfort of our clients. Follow us on our social media channels to stay up-to-date with our latest models!

129

130

131

132

133

134

135

136

140

144

145

147

149

151

153



Dapro Dauntless S3 C

Dapro Intrepid S3 C

FOOTWEAR MADE-TO-ORDER

Dapro Petromaster C S7 C

Dapro Rigmaster C S7 C

Dapro Elements 1 C S3 C

Dapro Chelsea Boot C S3

Dapro Commissioner C S3

Dapro Female Offshore C S7 C

Dapro Canyon Laceless C S3 C

Dapro Commissioner Slip On C S3

Dapro Laces

Dapro Dauntless S3 C SubZero® Fur

Dapro Intrepid S3 C SubZero® Fur

Dapro 3D Premium Comfort Insole

Dapro Petromaster C S7 C Subzero® T400 Fur 138


Dapro Rigmaster C S7 C Subzero® T400 Fur 142













Company profile

Dapro specializes in the development and manufacturing of Personal Protection Equipment for the petrochemical industry. Dapro is the premier flame retardant garment producer of the world. The product scope of Dapro consists of 5 product groups: Workwear, Outerwear, Base Layer, Footwear & Eyewear


"Tailormade products are a specialty for which Dapro is well-known. With 'Dapro Tailor-Made Projects,' Dapro carefully listens to its users and creates products that cater to the needs and corporate identity of its clients."

Dapro's goal is to provide people working in hazardous environments with products that make their jobs safer. Innovation is central to Dapro, as is the continuous strive for highly durable, comfortable and protective products that exceed the standards of the industry.

The success of Dapro lies in combining these traits without compromise by using high tech materials and innovative design. The result is the use of Dapro products in 63 countries divided over 6 continents.

One example of the innovative features of Dapro is 'Dapro Action Armpits'. This innovative design gives the user the freedom to work comfortably above reach in a coverall (one-piece garment).

At Dapro your safety is the number one priority. Your life depends on it. For more information, please visit www.dapro-safety.com.



Some of our customers



Schlumberger



HALLIBURTON



Baker Hughes \geqslant













3



Dapro around the world





Eco friendly manufacturing

Dapro has been a frontrunner in using eco-friendly materials and technology in its production processes. In our facilities, we take sustainability to the next level. Our facilities have rooftop energy sources. Solar power is a clean and efficient way of powering our production processes and lighting the facilities. In addition, Dapro uses low chromium content leather in its safety shoe production. Waste is reduced to a minimum in all our factories by means of stringent recycling policies. At Dapro we take sustainability as serious as we do safety.

OEKO-TEX Standard 100

The OEKO-TEX® Standard 100 is an independent test and certification system for textile raw, intermediate and end products at all stages of processing. The test for harmful substances covers: Legally banned and controlled substances; Chemicals known to be harmful (but not yet legally controlled); Parameters for health protection. The more closely the product is in contact with the skin, the stricter the human ecology requirements are that it must meet.

With our exceeding parameters on breathability for higher comfort and durability Dapro is leading with returning happy customers all over the world.


Flame-retardant Nano-Technology

A special Guardian® flame-retardant, breathable and waterproof membrane is attached to a Guardian® Polyester Outer Shell. A seperate flame-retardant lining ensures a comfortable soft touch and warmth. It is possible to combine this construction with SubZero® insulation, which keeps the body dry and warm in even the most extreme conditions.

Anti-static fabric technology

Guardian® anti-static fiber is a multi-filament bi-component yarn. Each filament has a unique conductioning core surrounded by a sheat of fibers. It has been designed to provide optimal anti-static protection in grounded and ungrouded environments according to end-use specifications.

Most of our competitors supply anti-static garments which only comply to EN 1149-5. Dapro garments are certified and compliant to EN 1149-5 and to the most stringent anti-static standard called 'The Gasprobe Test'. This standard tests the garment in both ungrounded situations and real-world scenarios, such as standing in oil or being suspended by a fall arrest system.







Quality testing and traceability

Each Dapro product must pass stringent quality and safety tests. Unlike most competitors who only test their products with a Notified Body for international certification, all Dapro products are officially certified by Notified Bodies and often exceed these standards. Our factories utilize, in addition to international certification testing, in-house laboratories where all materials and final products are continuously tested, to guarantee that every product meets both international and Dapro standards. See a list of some of our standard in-house tests below:

- > Water resistance and breathability of fabrics, leather, seams and garments
- > Fabric/leather elongation, tear and tensile strength
- > Leather chromium VI content and pH levels
- > Impact compression & perforation resistance on shoe hardware
- > Colour fastness
- > Shade variations
- > Shrinkage
- > Flame-retardant properties
- > Button pull testing
- > Pilling

Every Dapro product has a unique tracking code.


With this code we can see exactly which batch of materials was used and which employees were involved in the production of the product. This ensures accountability in our whole production process.

Manikin Test

EN ISO 11612 is the international standard for industrial flame-retardant garments. EN ISO 11612 offers an optional test known as the 'Manikin Test'. This test involves exposing a manikin wearing our garment to a minimum 3-second flash fire. The test results predict the extent of skin burns for our product.

Dapro supplies the best flame-retardant garments in the world. That is why we do the 'Manikin Test' at 4 seconds and still achieve industry leading results. Please see the results in our burn injury prediction diagram.







Certification information



Specifies various general performance requirements including ergonomics, size and marking of protective clothing and accompanying user info.

EN ISO 13688



EN ISO

Specifies performance requirements for safety garments to protect from heat and flame, where there is a need for clothing with limited flame spread properties and where the user can be exposed to radiant, convective, contact heat or to molten metal splashes. Classifications:

A = Flame distribution (A1 = Superficial flame, A2 = Peripheral flame)

B = Convective heat (Class 1 - 3)

C = Radiating heat (Class 1 - 4)

D = Molten aluminium (Class 1 - 3)

E = Molten Iron (Class 1 - 3)

F = Contact heat (Class 1 - 3)



EN ISO

Specifies the performance requirements for the limited flame spread properties of materials, material assemblies and protective clothing in order to reduce the possibility of the clothing burning and thereby itself constituting a hazard. Protective clothing complying with this International Standard is intended to protect workers against occasional and brief contact with small igniting flames, in circumstances where there is no significant heat hazard and without the presence of another type of heat. Icon only shown when certified in combination with EN ISO 11612:2015. Index:


1: hole may be formed, no flame spread, no flaming debris

2: no hole formation, no flame spread, no flaming debris, after flame / glow time > 2s

3: no hole formation, no flame spread, no flaming debris, after flame / glow time < 2s



FN 1149-5





EN ISO 11611

Specifies safety requirements for protective clothing to be worn during welding and similar processes with comparable risks, to protect against spatter (small splashes of molten metal), short contact time with flame, radiant heat from the arc and minimizes the possibility of electrical shock by short-term, accidental contact with live electrical conductors in normal conditions of welding. (Class 1 - 2)







EN 13758-2

Specifies the requirements for chemical protective clothing partial (Type PB [6]) or full body (Type 6), intended for use in cases of a potential exposure to a light spray, liquid aerosols or low pressure, low volume splashes and partial body protection.

This European Standard specifies the requirements for marking of clothing which are designed to offer the wearer protection against solar ultraviolet radiation exposure.

Shop per standard at www.dapro-safety.com



Requirements and test methods for fabrics and seams of protective clothing against the influence of rain, snow, fog and ground humidity. Resistance to water penetration (A) and water vapour resistance (B) is measured.

A: Resistance to water penetration: 1-4, where class 4 provides the best waterproofness

B: Breathability – water vapour resistance: 1-4, where class 4 provides the best breathability

C: Impact from above with high energy droplets (optional)



This standard specifies the requirements and test methods for the features of garments for protection of the body against cold environments with temperatures above -5 °C.

A: Thermal resistance rct (class 1 - 3) B: Air permeability (class 1 - 3) (optional)

C: Water vapour permeability (optional)

D: Resistance water penetration (class 1 - 2) (optional)





Specifies the necessities and test methods applicable to materials and garments for protective clothing for electrical workers against the thermal hazards of an electric arc based on properties of the textiles tested with selected test methods.

The arc rating of materials (ATPV or EBT50) when tested with an open electric arc under defined laboratory conditions according to IEC 61482-1-1.



IEC 61482-2

The arc protection class of materials and garments (Class 1 or Class 2), when tested with a directed and constrained electric arc under defined laboratory conditions according to IEC 61482-1-2 requirements of this standard do not address electric shock hazards. The present standard is applicable in combination with standard covering such hazards.



EN ISO 20471

This standard specifies the international standard for the safety requirements and test methods of hi-vis workwear, and is applicable to high-risk situations. It specifies requirements for "high visibility clothing which is capable of visually signalling the user's presence" and assesses the suitability and durability of retro-reflective materials. (Class 1 - 3)



EN 17353 Type X

This European standard specifies the requirements for enhanced visibility equipment in the form of garments, or devices, which are capable of visually signalling the user's presence. The enhanced visibility equipment is intended to provide conspicuity of the wearer in medium risk situations under any daylight conditions and/or under illumination by vehicles headlights or searchlights in the dark.



Specifies basic and additional (optional) requirements for safety footwear used for general purpose. It includes, for example, mechanical risks, slip resistance, thermal risks, ergonomic behaviour.



EN 166

Specifies the core technical industrial safety norm in Europe for eye protection applying to all types of individual protection of the eye which protects from hazards likely to damage the eye, except for nuclear radiation, x-rays, laser emissions and infrared emitted by low temperature sources.

Dapro Stock

Kneepads

ЕВ



















Product Name	Color	GSM	(EN 340)	A1B1C1E1F1	Index 3		A1 Class 1	Туре о	Class I	20471
Workwear										
Kids Coverall	NB RB OR RE PI SB	200	N/A							
Worker 1 Coverall	NB RB OR RE WG WH	200	~							
Worker 2 Coverall	NB OR	200	~							
Toughwear 2 Coverall	NB AB OR AR	200	~	A1 B1 C1	~	~			ATPV=5,1cal/cm2	
Industry Coverall	NB	350	~	A1 B1 C1 F1	~	~	~			APC1
Roughneck Coverall	NB RB OR RE	240	~	~	~	~	~	~	~	
Roughneck Bib	RE	240	~	~	~	~	~	~	~	
Roughneck Jacket / Pant	NB RE	240	~	~	~	~	~	~	~	
Diamond Coverall	NB RB OR RE	350	~	~	~	~	~	~	ATPV=10,4cal/cm2	
Spark Coverall	NB RB BL	350	~	~	~	~	~	~	ATPV=10,4cal/cm2	
Spark Bib / Jacket / Pant	NB	350	~	~	~	~	~	~	ATPV=10,4cal/cm2	
Diamond Bib / Jacket / Pant	RE	350	~	~	~	~	~	~	ATPV=10,4cal/cm2	
Rope Access Coverall	NB OR	350	~	~	~	~	~	~	ATPV=10,4cal/cm2	
Rope Access Coverall IFR	OR	260	~	~	~	~	~	~	ATPV=10,4cal/cm2	
Globe-Tech Coverall IFR	BL HVYE	260	~	~	~	~	~	~	~	
Globe-Tech Bib IFR	BL HVYE	260	~	~	~	~	~	~	~	
Globe-Tech Jacket IFR	BL HVYE	260	~	~	~	~	~	~	~	
Globe-Tech Pant IFR	BL HVYE	260	~	~	~	~	~	~	~	
Globe-Tech Polo IFR	BL HVYE	220	~	A1 B1 C1		~				
Globe-Tech Shirt IFR	BL HVYE	260	~	~	~	~	~	~	~	
Globe-Tech Sweater IFR	BL HVYE	340	~	A1 B1 C1 F1		~				
Volt Hi-Vis Class 2 Coverall IFR	NB HVYE	260	~	A1 A2 B1 C1 E1 F1	~	~	A1+A2 Class	~	APC 1	~

N/A

N/A

Dapro Stock















EN ISO





IEC 61482-2 IEC 61482-2

Access Jacket NB BL NB HVVE NB HVOR 260 V V V V Only with C9-2 Jackets Access Bomber Jacket NB HVOR 260 V V V V V V Infinity Jacket NB NB HVVE NB HVOR 260 AT B1C1 D3 E3 F1 Index 3 V V V V V V V V V V V V V V V V V V	Product Name	Color	GSM	13688 (EN 340)	11612	Outer: Index 1 Inner: Index 3		A1 Class 1	Type PB [6]		20471	17353	Class 1	
Access Jacket NB B NS HVC NB HVC 260	Outerwear													
Access Bomber Jacket NB NB HVVE NB HVOR 260	Phase 1 Jacket	NB NB HVYE NB HVOR	260	~	A1 B1 C1 D3 E3 F	1 Index 3	V	A1 Class 1	Type 6	V	Only with C15-2 Jackets		A)	PC 1
Infinity Jacket	Access Jacket	NB BL NB HVYE NB HVOR	260	~		~	V		~	V	Only with C9-2 Jackets			
Clobe-Tech Jacket BL HVVE 300	Access Bomber Jacket	NB HVOR	260	~		~	V		~	V	~			
Spectre Softshell Jacket	Infinity Jacket	NB NB HVYE NB HVOR	260	~		~	V		~	V	V			
PU Hydrolite Rainsuit	Globe-Tech Jacket	BL HVYE	300	~	A1 B1 C1 D3 E3 F	1 Index 3	✓	~	~	~		~	A/	PC 1
Protector Coverall Reflect	Spectre Softshell Jacket	NB HVYE	350	~	A1 A2 B1 C2 F1		V	A1 + A2 Class 2	~		~		•	/
Protector Bib NB HUYE NB HUYE	PU Hydrolite Rainsuit	NB	190	~		Index 1	V			V				
Protector Pant NB NB HVVE NB HVOR 260 ✓ </td <td>Protector Coverall Reflect</td> <td>HVOR</td> <td>260</td> <td>~</td> <td></td> <td>~</td> <td>~</td> <td></td> <td>Type 6</td> <td>V</td> <td>~</td> <td></td> <td></td> <td></td>	Protector Coverall Reflect	HVOR	260	~		~	~		Type 6	V	~			
Protector Bodywarmer NB NB HVVE NB HVOR 260 ✓ ✓ ✓ ✓ ✓ Only with C9-2 Biodywarmers Basic Fleece BL 260 ✓ A180 Timelek 3 ✓ A190 Timelek 3 ✓ ATPV=5,161 Vcm2 C9 Hood NB 260 ✓ ✓ ✓ ✓ ✓ Base Layer BL 250 ✓ A180 Timelek 3 ✓ ✓ Polar Balaclava IFR BL 250 ✓ A180 Timelek 3 ✓ Frost Neck Warmer IFR BL 250 ✓ A180 Timelek 3 ✓ Frost Underwear Shirt IFR BL 250 ✓ A180 Timelek 3 ✓ Frost Underwear Pant IFR BL 250 ✓ A180 Timelek 3 ✓	Protector Bib	NB HVYE NB HVOR	260	~		~	✓		~	V	~			
Basic Fleece BL 260 ✓ ATPV-5,1¢3/cm2 Defender Fleece NB RB 320 ✓ ATBV - 5,1¢3/cm2 C9 Hood NB 260 ✓ ✓ ✓ ✓ Base Layer BL 250 ✓ ATBVC1 Index3 ✓ Polar Balaclava IFR BL 250 ✓ ATBVC1 Index3 ✓ Frost Neck Warmer IFR BL 250 ✓ ATBVC1 Index3 ✓ Frost Underwear Shirt IFR BL 250 ✓ ATBVC1 Index3 ✓ Frost Underwear Pant IFR BL 250 ✓ ATBVC1 Index3 ✓	Protector Pant	NB NB HVYE NB HVOR	260	~		~	~		~	~	Only with C9-2 Pants			
Defender Fleece NB RB 320 ✓ A189É1 Index3 ✓ △ ✓ <	Protector Bodywarmer	NB NB HVYE NB HVOR	260	~		~	✓		~	V	Only with C9-2 Bodywarm	ers		
Base Layer Balaclava IFR BL 250	Basic Fleece	BL	260	~										
Base Layer Balaclava IFR BL 250	Defender Fleece	NB RB	320	~	A1 B1 C1	Index 3	~						ATPV=5,1cal/cm2	
Balaclava IFR BL 250 A1B1C1 Index 3 Polar Balaclava IFR BL 250 A1B1C1 Index 3 Frost Neck Warmer IFR BL 250 A1B1C1 Index 3 Frost Underwear Shirt IFR BL 250 A1B1C1 Index 3	C9 Hood	NB	260	~		~	~		~	~				_
Polar Balaclava IFR BL 250 A1B1C1 Index 3 Frost Neck Warmer IFR BL 250 A1B1C1 Index 3 Frost Underwear Shirt IFR BL 250 A1B1C1 Index 3	Base Layer													
Frost Neck Warmer IFR BL 250	Balaclava IFR	BL	250	~	A1 B1 C1	Index 3	V							
Frost Underwear Shirt IFR BL 250	Polar Balaclava IFR	BL	250	~	A1 B1 C1	Index 3	~							
Frost Underwear Pant IFR BL 250 A1B1C1 Index 3	Frost Neck Warmer IFR	BL	250	~	A1 B1 C1	Index 3	✓							
<u>=</u> _	Frost Underwear Shirt IFR	BL	250	~	A1 B1 C1	Index 3	V							
Dapro Phoenix Socks NB BL N/A N/A	Frost Underwear Pant IFR	BL	250	~	A1 B1 C1	Index 3	V							
	Dapro Phoenix Socks	NB BL	N/A	N/A										

Dapro Footwear Stock

Product Name	Color
Platinum Range	
Offshore C S7 C*	BL/BL **
Female Offshore C S7 C1	BE/BE
Petromaster C S7 C1*	BL/BL BR/BR
Rigmaster C S7 C1*	BL/BL BR/BR
Sports Range	
Flame Knit C S1P C	BL OR
Flame Knit C S1P C Black Phoenix C S3 C	BL OR
Black Phoenix C S3 C	BL WH

Features	Platinum Range	Sports Range
EN ISO 20345	2022 SR	2022 SR
Metal free / Non-magnetic	Metal free	Flame Knit C S1P C, Black Phoenix C S3 C, Court High C S3, Commissioner C S3: Non-magnetic Commissioner Slip On C S3: Metal free
Water resistant	✓ (Waterproof Membrane)	✓
Upper	Full grain leather	Flame Knit C S1P C: Knitted polyester Black Phoenix C S3 C: Nubuck finish microfiber Court High C S3: Grain/microfiber Commissioner (Slip On) C S3, Full grain leather
Sole	ESD PU/Nitrile	PU/Nitrile
Anti-slip and Anti-shock	~	✓
Abrasion resistance	****	****
Traction	****	****
Oil and Chemical resistance	****	****
Heat resistance up to	300° Celsius	160° Celsius
Anti-static	✓ ESD	✓ ESD
TPU Abrasion resistant cuff nose / scuff cap	✓	Flame Knit C S1P C: Black Phoenix C S3 C: Court High C S3: Commissioner (Slip On) C S3:
Anti-perforation mid plate	Textile	Textile
Protective toe	~	✓
Lining and/or insole	Anti-bacterial polyester mesh lining and 3D EVA insole	Anti-bacterial polyester mesh lining and 3D EVA insole

^{*} Additional winter variant with 400 GSM 3Mtm Thinsulate available

^{**} Additional brown variant available on request

¹ Available on request

Dapro Footwear Stock

Product Name	Color
High Range	
Driller C S3 C	BL/BL BR/BR
Rigger C S3 C	BL/BL **
Canyon Laceless C S3 C1	BL/BL BR/BR
Chelsea Boot C S31	BL/BL BR/BR
Elements 1 C S3 C ¹	BL/BL BR/BR
Elements 2 Pro C S3 C	BL/BL **
Elements 3 C S3 C	BL/BL **
Mid Range	
Elements 2 S3 C	BL/BL
Value Range	
Baron S3 C	BL/BL **
Noble S3 C	BL/BL BR/BR ²
Noble Welding S3 C	BL/BL
Intrepid S3 C*	BL/BL **
Dauntless S3 C*	BL/BL **

Features	High Range	Mid Range	Value Range
EN ISO 20345	2022 SR	2011 SRC	2011 SRC
Metal free / Non-magnetic	Metal free	-	-
Water resistant	✓	✓	~
Upper	Full grain leather	Grain leather	Buffalo split leather
Sole	PU/Nitrile	PU/PU	PU/PU
Anti-slip and Anti-shock	✓	~	~
Abrasion resistance	****	***	***
Traction	****	***	***
Oil and Chemical resistance	****	****	***
Heat resistance up to	300° Celsius	160° Celsius	160° Celsius
Anti-static	✓ ESD	✓	✓
PU bump cap / scuff cap	-	~	✓
TPU Abrasion resistant cuff nose / scuff cap	Driller C S3 C: Rigger C S3 C: Canyon Laceless C S3 C: Chelsea C S3: Elements 1/2/3 C S3 C:	-	-
Anti-perforation mid plate	Textile	Steel	Steel
Protective toe	✓	✓	~
Lining and/or insole	Driller C S3 C: Anti-bacterial 3D EVA insole Rigger, Canyon Laceless, Elements 1/2/3 C S3 C, Chelsea C S3: Anti-bacterial polyester mesh	Anti-bacterial polyester mesh lining and 3D EVA insole	EVA Insole

lining and 3D EVA insole

^{*} Additional winter variant with 400 GSM 3Mtm Thinsulate available

^{**} Additional brown variant available on request

¹ Available on request

² In stock while supplies last





Size guide Coverall/Jacket

Size guide Pants

	SIZE		LENGHT (A)	CHEST (B)	WAIST (C)
42	32	3XS	158-167	76-96	70-90
44	34	2XS	158-170	78-98	71-91
46	36	XS	158-172	80-100	73-93
48	38	S	161-175	82-102	74-94
50	40	М	164-178	84-104	76-96
52	42		168-182	86-106	77-97
54	44	L	172-186	87-107	79-99
56	46		174-188	89-109	80-100
58	48	XL	177-191	91-111	82-102
60	50		179-193	93-113	83-103
62	52	2XL	182-196	94-114	85-105
64	54		183-202	96-116	88-108
66	56	3XL	184-202	97-117	91-111
68	58		185-202	99-119	94-114
70	60	4XL	187-202	100-120	96-116

	SIZE		WAIST (C)	HIP (D)	INSEAM (E)
42	32	3XS	74-85	87-98	70-76
44	34	2XS	77-88	89-100	71-77
46	36	XS	80-91	91-102	72-78
48	38	S	83-94	93-104	74-80
50	40	М	86-97	95-106	75-81
52	42		88-100	97-109	76-82
54	44	L	91-103	100-112	79-85
56	46		94-106	103-115	80-86
58	48	XL	96-109	105-118	81-87
60	50		99-112	108-121	82-88
62	52	2XL	102-115	111-124	83-89
64	54		105-118	114-127	84-90
66	56	3XL	111-124	117-130	84-90
68	58		117-130	120-133	84-90
70	60	4XL	123-136	123-136	84-90
				Measurements sh	own in centimeter

Total Lenght (A)
No shoes- top of head to sole of foot

Chest (B)
Horizontally, under shoulder blades

Waist (C)
Horizontally, fullest part of waist


Hip (D)
Horizontally, fullest part of hip

Measurements shown in centimeters

Iconography

WWW <u></u> YKK® Two-Extensive 5 Thread Breathable Waterproof YKK® One-Way Bartacks Safety Stitch Fabric Zipper Way Zipper 2x 1x 9:0 Single Double Lower Arm Adjustable Action Shaped Knee Hems/Cuffs Gas Loop Gas Loop Striping Armpit

Wearers side





PRODUCT CODE: WKIDSC-NB*

Fabric information



Features

- > Center front with YKK® two-way vislon zipper closure
- > Chest pockets with safety flap and metal snap button closure


Vibrant Orange *OR

EU 92-164

- > Adjustable elastic waistband for perfect fit
- > Slanted side pockets
- > Back pocket at right hand side
- > Adjustable cuffs with plastic snap buttons



Available in colors: Sizes in stock





Flaming Red

EU 92-164







Extensive 5 Thread YKK® Two Way Adjustable Bartacks Safety Stitch Zipper Cuffs



PRODUCT CODE: WKIDSC-RB*

Fabric information



Features


- > Center front with YKK® two-way vislon zipper closure
- > Chest pockets with safety flap and metal snap button closure

EU 92-164

- > Adjustable elastic waistband for perfect fit
- > Slanted side pockets
- > Back pocket at right hand side
- > Adjustable cuffs with plastic snap buttons



Available in colors: Sizes in stock















PRODUCT CODE: WKIDSC-OR*

Fabric information




Features

- > Center front with YKK® two-way vislon zipper closure
- > Chest pockets with safety flap and metal snap button closure
- > Adjustable elastic waistband for perfect fit
- > Slanted side pockets
- > Back pocket at right hand side
- > Adjustable cuffs with plastic snap buttons



Available in colors: Sizes in stock





EU 92-164

Vibrant Orange *OR

EU 92-164









PRODUCT CODE: WKIDSC-RE*

Fabric information



Features


- > Center front with YKK® two-way vislon zipper closure
- > Chest pockets with safety flap and metal snap button closure

EU 92-164

- > Adjustable elastic waistband for perfect fit
- > Slanted side pockets
- > Back pocket at right hand side
- > Adjustable cuffs with plastic snap buttons



Available in colors: Sizes in stock















PRODUCT CODE: WKIDSC-SB*

Fabric information



Features

- > Center front with YKK® two-way vislon zipper closure
- > Chest pockets with safety flap and metal snap button closure

EU 92-164

- > Adjustable elastic waistband for perfect fit
- > Slanted side pockets
- > Back pocket at right hand side
- > Adjustable cuffs with plastic snap buttons



Available in colors: Sizes in stock















PRODUCT CODE: WKIDSC-PI*

Fabric information




Features

- > Center front with YKK® two-way vislon zipper closure
- > Chest pockets with safety flap and metal snap button closure
- > Adjustable elastic waistband for perfect fit
- > Slanted side pockets
- > Back pocket at right hand side
- > Adjustable cuffs with plastic snap buttons



Available in colors: Sizes in stock





Vibrant Orange *OR

EU 92-164









Extensive 5 Thread YKK® Two Way Adjustable Bartacks Safety Stitch Zipper Cuffs



Dapro Worker 1 Coverall Kneepads

PRODUCT CODE: WWOR1CKULW-NB*

Fabric information




100% Cotton200 GSM

Features

- > Suitable for Tropical climate
- > Center front with concealed metal snap button closure
- > Gas detector loop on chest at right hand side
- > Chest pockets with safety flap and concealed metal snap button closure
- > Elastic waistband for improved fit
- > Side pockets
- > **Side vents** with safety flap and concealed metal snap button closure behind side pockets
- > Back pocket with safety flap and concealed metal snap button closure at right hand side
- $\,>\,$ Slanted tool pocket at right hand side leg
- > Kneepad pockets



Available in colors: Sizes in stock



Extensive 5 Thread Single Bartacks Safety Stitch Gas Loop



Dapro Worker 1 Coverall Kneepads

PRODUCT CODE: WWOR1CKULW-RB*

Fabric information




100% Cotton200 GSM

Features

- > Suitable for Tropical climate
- > Center front with concealed metal snap button closure
- > Gas detector loop on chest at right hand side
- > Chest pockets with safety flap and concealed metal snap button closure
- > Elastic waistband for improved fit
- > Side pockets
- > **Side vents** with safety flap and concealed metal snap button closure behind side pockets
- > Back pocket with safety flap and concealed metal snap button closure at right hand side
- > Slanted tool pocket at right hand side leg
- > Kneepad pockets



Available in colors: Sizes in stock



ww <u></u>

Extensive 5 Thread Single Bartacks Safety Stitch Gas Loop



21

Dapro Worker 1 Coverall Kneepads

PRODUCT CODE: WWOR1CKULW-OR*

Fabric information




100% Cotton200 GSM

Features

- > Suitable for Tropical climate
- > Center front with concealed metal snap button closure
- > Gas detector loop on chest at right hand side
- > Chest pockets with safety flap and concealed metal snap button closure
- > Elastic waistband for improved fit
- > Side pockets
- > **Side vents** with safety flap and concealed metal snap button closure behind side pockets
- > Back pocket with safety flap and concealed metal snap button closure at right hand side
- > Slanted tool pocket at right hand side leg
- > Kneepad pockets



Available in colors: Sizes in stock



Extensive 5 Thread Single
Bartacks Safety Stitch Gas Loop



22

Dapro Worker 1 Coverall Kneepads

PRODUCT CODE: WWOR1CKULW-RE*

Fabric information




100% Cotton200 GSM

Features

- > Suitable for Tropical climate
- > Center front with concealed metal snap button closure
- > Gas detector loop on chest at right hand side
- > Chest pockets with safety flap and concealed metal snap button closure
- > Elastic waistband for improved fit
- > Side pockets
- > **Side vents** with safety flap and concealed metal snap button closure behind side pockets
- > Back pocket with safety flap and concealed metal snap button closure at right hand side
- > Slanted tool pocket at right hand side leg
- > Kneepad pockets



Available in colors: Sizes in stock



ww





Extensive 5 Thread Single Bartacks Safety Stitch Gas Loop



Dapro Worker 1 Coverall Kneepads

PRODUCT CODE: WWOR1CKULW-WG*

Fabric information




100% Cotton200 GSM

Features

- > Suitable for Tropical climate
- > Center front with concealed metal snap button closure
- > Gas detector loop on chest at right hand side
- > Chest pockets with safety flap and concealed metal snap button closure
- > Elastic waistband for improved fit
- > Side pockets
- > **Side vents** with safety flap and concealed metal snap button closure behind side pockets
- > Back pocket with safety flap and concealed metal snap button closure at right hand side
- > Slanted tool pocket at right hand side leg
- > Kneepad pockets



Available in colors: Sizes in stock



₩W <u>₩</u>



Extensive 5 Thread Single Bartacks Safety Stitch Gas Loop



Dapro Worker 1 Coverall Kneepads

PRODUCT CODE: WWOR1CKULW-WH*

Fabric information




100% Cotton200 GSM

Features

- > Suitable for Tropical climate
- > Center front with concealed metal snap button closure
- > Gas detector loop on chest at right hand side
- > Chest pockets with safety flap and concealed metal snap button closure
- > Elastic waistband for improved fit
- > Side pockets
- > **Side vents** with safety flap and concealed metal snap button closure behind side pockets
- > Back pocket with safety flap and concealed metal snap button closure at right hand side
- > Slanted tool pocket at right hand side leg
- > Kneepad pockets



Available in colors: Sizes in stock



WWW





Extensive 5 Thread Single Bartacks Safety Stitch Gas Loop



Dapro Worker 2 Coverall

PRODUCT CODE: WWOR2C-NB*

Fabric information



100% Cotton 200 GSM

Features

- > Suitable for Tropical climate
- > Standing collar for extra protection
- > Center front with concealed YKK® two-way metal zipper and metal snap button closure
- > Chest pockets with safety flap and concealed zipper closure
- > Pen pocket at left hand side sleeve
- > Elastic waistband for improved fit
- > Side pockets
- > **Side vents** with safety flap and concealed metal snap button closure behind side pockets
- > Back pocket at right hand side
- > Slanted tool pocket at right hand side leg
- > Adjustable cuffs and hems with metal snap buttons
- > Prolux® 50mm reflective striping



Available in colors: Sizes in stock









YKK® Two-





Dapro Worker 2 Coverall

PRODUCT CODE: WWOR2C-OR*

Fabric information



100% Cotton 200 GSM

Features

- > Suitable for Tropical climate
- > Standing collar for extra protection
- > Center front with concealed YKK® two-way metal zipper and metal snap button closure
- > Chest pockets with safety flap and concealed zipper closure
- > Pen pocket at left hand side sleeve
- > Elastic waistband for improved fit
- > Side pockets
- > **Side vents** with safety flap and concealed metal snap button closure behind side pockets
- > Back pocket at right hand side
- > Slanted tool pocket at right hand side leg
- > Adjustable cuffs and hems with metal snap buttons
- > Prolux® 50mm reflective striping



Available in colors: Sizes in stock























PRODUCT CODE: WTOU2CK-NB*

C11-A Certification and fabric information













EN ISO 13688:2013

11612:2015

14116:2015 Index 3

1149-5:2008









Features

- > Suitable for Tropical climate
- > Standing collar for extra protection
- > Center front with concealed YKK® two-way metal zipper and metal snap button closure
- > Gas detector loop on chest at right hand side
- > Chest pockets with safety flap and concealed metal zipper closure
- > **Pen pocket** at left hand side sleeve
- > Elastic waistband for improved fit
- > Side pockets
- > **Side vents** with safety flap and concealed metal snap button closure behind side pockets
- > Back pocket at right hand side
- > Slanted tool pocket at right hand side leg
- > Kneepad pockets
- > Adjustable cuffs and hems with plastic flame-retardant snap button closure
- > Prolux® 50mm flame-retardant reflective striping

Available in colors:

Sizes in stock




































Bartacks Safety Stitch Way Zipper

Single Gas Loop Lower Arm Hems/Cuffs Striping



PRODUCT CODE: WTOU2CK-AB*

C11-A Certification and fabric information













EN ISO 13688:2013

11612:2015

14116:2015 Index 3

1149-5:2008







Features

- > Suitable for Tropical climate
- > Standing collar for extra protection
- > Center front with concealed YKK® two-way metal zipper and metal snap button closure
- > Gas detector loop on chest at right hand side
- > Chest pockets with safety flap and concealed metal zipper closure
- > **Pen pocket** at left hand side sleeve
- > Elastic waistband for improved fit
- > Side pockets
- > **Side vents** with safety flap and concealed metal snap button closure behind side pockets
- > Back pocket at right hand side
- > Slanted tool pocket at right hand side leg
- > Kneepad pockets
- > Adjustable cuffs and hems with plastic flame-retardant snap button closure
- > Prolux® 50mm flame-retardant reflective striping

Available in colors:

Sizes in stock



































Bartacks Safety Stitch Way Zipper

Single Gas Loop Lower Arm Hems/Cuffs Striping



PRODUCT CODE: WTOU2CK-OR*

C11-A Certification and fabric information















EN ISO 13688:2013 (EN 340:2003)

11612:2015

14116:2015 Index 3

1149-5:2008

61482-2:2009







Features

- > Suitable for Tropical climate
- > Standing collar for extra protection
- > Center front with concealed YKK® two-way metal zipper and metal snap button closure
- > Gas detector loop on chest at right hand side
- > Chest pockets with safety flap and concealed metal zipper closure
- > **Pen pocket** at left hand side sleeve
- > Elastic waistband for improved fit
- > Side pockets
- > **Side vents** with safety flap and concealed metal snap button closure behind side pockets
- > Back pocket at right hand side
- > Slanted tool pocket at right hand side leg
- > Kneepad pockets
- > Adjustable cuffs and hems with plastic flame-retardant snap button closure
- > Prolux® 50mm flame-retardant reflective striping

Available in colors:

Sizes in stock


































Bartacks Safety Stitch Way Zipper

Single Gas Loop Lower Arm Hems/Cuffs Striping



PRODUCT CODE: WTOU2CK-AR*

C11-A Certification and fabric information





11612:2015





14116:2015 Index 3







1149-5:2008

61482-2:2009









Features

- > Suitable for Tropical climate
- > Standing collar for extra protection
- > Center front with concealed YKK® two-way metal zipper and metal snap button closure
- > Gas detector loop on chest at right hand side
- > Chest pockets with safety flap and concealed metal zipper closure
- > **Pen pocket** at left hand side sleeve
- > Elastic waistband for improved fit
- > Side pockets
- > **Side vents** with safety flap and concealed metal snap button closure behind side pockets
- > Back pocket at right hand side
- > Slanted tool pocket at right hand side leg
- > Kneepad pockets
- > Adjustable cuffs and hems with plastic flame-retardant snap button closure
- > Prolux® 50mm flame-retardant reflective striping

Available in colors:

Sizes in stock






























Bartacks Safety Stitch Way Zipper

Single

Lower Arm Striping





31

Dapro Industry Coverall

PRODUCT CODE: WINDKCUHW-NB*

C12 Certification and fabric information















11612:2015 A1 B1 C1 F1

14116:2015 Index 3

11611:2015 A1 Class 1

Flame-retardant and Anti-static





Features

- > Suitable for Continental climate
- > Center front with concealed metal snap button closure
- > Gas detector loop on chest at right hand side
- > Chest pockets with safety flap and concealed metal snap button closure
- > Elastic waistband for improved fit
- > Side pockets
- > **Side vents** with safety flap and concealed metal snap button closure behind side pockets
- > Back pocket with safety flap and concealed metal snap button closure at right hand side
- > Slanted tool pocket at right hand side leg
- > Kneepad pockets



Available in colors: Sizes in stock



Single Bartacks Safety Stitch Gas Loop



PRODUCT CODE: WROUCLW-NB*

C4 Certification and fabric information













1149-5:2008



EN ISO 13688:2013

EN ISO 11612:2015 A1 B1 C1 E1 F1

14116:2015 Index 3

11611:2015 A1 Class 1

EN 13034:2005 +A1:2009

61482-2:2009 Class 1





Chemical proof

Retardant • 240 GSM



Features

- > Suitable for Summer climate
- > Standing collar for extra protection
- > Center front with concealed YKK® twoway metal zipper and metal snap button closure
- > Gas detector loops at chest
- > Chest pockets with safety flap and concealed nylon zipper closure
- > Ergonomically shaped arms
- **Action armpits** for comfortable work above reach
- > Back pleats for improved ergonomics and ultimate comfort with 45° degrees tack
- > Pen pocket with safety flap and concealed metal snap button closure at left hand side sleeve
- > Adjustable elastic waistband for perfect fit
- > Slanted side pockets with concealed hook-and-loop closure

- > **Side vents** with plastic flame-retardant snap button closure behind side pockets
- > Back pockets with safety flap and concealed metal snap button closure
- > Cargo pocket with safety flap and double concealed metal snap button closure at left hand side leg
- > **Diamond tool pocket** with safety flap at right hand side leg
- > Shaped kneepad pockets
- > Adjustable cuffs and hems with plastic flame-retardant snap button closure
- > Reflective piping details on lower sleeves, back pockets and cargo pocket
- > Prolux® 50mm flame-retardant reflective striping



Available in colors: Sizes in stock









































EU 46-68

EU 46-68

EU 48-68

5 Thread Bartacks Safety Stitch Way Zipper

Double Gas Loop Lower Arm Striping

Adjustable Hems/Cuffs

Action Armpit



PRODUCT CODE: WROUCLW-RB*

C4 Certification and fabric information



















EN ISO 13688:2013 EN ISO EN ISO 11612-2015 14116:2015 A1 B1 C1 E1 F1 Index 3

11611:2015 A1 Class 1

EN 13034:2005 1149-5:2008 +A1:2009

61482-2:2009 Class 1

 98% Cotton / 2% Anti-static · Flame-retardant and Anti-static



Features

- > Suitable for Summer climate
- > Standing collar for extra protection
- > Center front with concealed YKK® twoway metal zipper and metal snap button closure
- > Gas detector loops at chest
- > Chest pockets with safety flap and concealed nylon zipper closure
- > Ergonomically shaped arms
- **Action armpits** for comfortable work above reach
- > Back pleats for improved ergonomics and ultimate comfort with 45° degrees tack
- > Pen pocket with safety flap and concealed metal snap button closure at left hand side sleeve
- > Adjustable elastic waistband for perfect fit
- > Slanted side pockets with concealed hook-and-loop closure

- > **Side vents** with plastic flame-retardant snap button closure behind side pockets
- > Back pockets with safety flap and concealed metal snap button closure
- > Cargo pocket with safety flap and double concealed metal snap button closure at left hand side leg
- > **Diamond tool pocket** with safety flap at right hand side leg
- > Shaped kneepad pockets
- > Adjustable cuffs and hems with plastic flame-retardant snap button closure
- > Reflective piping details on lower sleeves, back pockets and cargo pocket
- > Prolux® 50mm flame-retardant reflective striping



Available in colors: Sizes in stock




































EU 46-68

EU 46-68

EU 48-68

5 Thread Bartacks Safety Stitch Way Zipper

Double Gas Loop Lower Arm Striping

Adjustable Hems/Cuffs

Action Armpit



PRODUCT CODE: WROUCLW-OR*

C4 Certification and fabric information

















EN 13034:2005 +A1:2009

EN ISO 13688:2013

11612:2015 A1 B1 C1 E1 F1

14116:2015 Index 3

11611:2015 A1 Class 1

1149-5:2008

61482-2:2009 Class 1







Retardant • 240 GSM



Features

- > Suitable for Summer climate
- > Standing collar for extra protection
- > Center front with concealed YKK® twoway metal zipper and metal snap button closure
- > Gas detector loops at chest
- > Chest pockets with safety flap and concealed nylon zipper closure
- > Ergonomically shaped arms
- **Action armpits** for comfortable work above reach
- > Back pleats for improved ergonomics and ultimate comfort with 45° degrees tack
- > Pen pocket with safety flap and concealed metal snap button closure at left hand side sleeve
- > Adjustable elastic waistband for perfect fit
- > Slanted side pockets with concealed hook-and-loop closure

- > **Side vents** with plastic flame-retardant snap button closure behind side pockets
- > Back pockets with safety flap and concealed metal snap button closure
- > Cargo pocket with safety flap and double concealed metal snap button closure at left hand side leg
- > **Diamond tool pocket** with safety flap at right hand side leg
- > Shaped kneepad pockets
- > Adjustable cuffs and hems with plastic flame-retardant snap button closure
- > Reflective piping details on lower sleeves, back pockets and cargo pocket
- > Prolux® 50mm flame-retardant reflective striping



Available in colors: Sizes in stock

































EU 46-68

EU 46-68

EU 48-68

5 Thread Bartacks Safety Stitch Way Zipper

Double Gas Loop Lower Arm Striping

Adjustable Hems/Cuffs

Action Armpit



PRODUCT CODE: WROUCLW-RE*

C4 Certification and fabric information





11612:2015

A1 B1 C1 E1 F1





14116:2015

Index 3



11611:2015

A1 Class 1







EN 13034:2005 1149-5:2008



Class 1

+A1:2009

 98% Cotton / 2% Anti-static · Flame-retardant and Anti-static

Retardant • 240 GSM

Chemical proof

Features

- > Suitable for Summer climate
- > Standing collar for extra protection
- > Center front with concealed YKK® twoway metal zipper and metal snap button closure
- > Gas detector loops at chest
- > Chest pockets with safety flap and concealed nylon zipper closure
- > Ergonomically shaped arms
- **Action armpits** for comfortable work above reach
- > Back pleats for improved ergonomics and ultimate comfort with 45° degrees tack
- > Pen pocket with safety flap and concealed metal snap button closure at left hand side sleeve
- > Adjustable elastic waistband for perfect fit
- > Slanted side pockets with concealed hook-and-loop closure

- > **Side vents** with plastic flame-retardant snap button closure behind side pockets
- > Back pockets with safety flap and concealed metal snap button closure
- > Cargo pocket with safety flap and double concealed metal snap button closure at left hand side leg
- > **Diamond tool pocket** with safety flap at right hand side leg
- > Shaped kneepad pockets
- > Adjustable cuffs and hems with plastic flame-retardant snap button closure
- > Reflective piping details on lower sleeves, back pockets and cargo pocket
- > Prolux® 50mm flame-retardant reflective striping



Available in colors: Sizes in stock

Navy Blue *NB































EU 46-68

EU 48-68

Double Gas Loop Lower Arm Striping

Adjustable Hems/Cuffs

Action Armpit

Dapro Roughneck Bib

PRODUCT CODE: WROUBLW-RE*

C4 Certification and fabric information















EN ISO 13688:2013

11612:2015 A1 B1 C1 E1 F1

14116:2015 Index 3

11611:2015 1149-5:2008 A1 Class 1

EN 13034:2005 61482-2:2009 +A1:2009

 98% Cotton / 2% Anti-static Lifetime • Flame-retardant and Anti-static

 Chemical proof Retardant • 240 GSM

Features

- > Suitable for Summer climate
- > Elastic braces with buckle closure
- > **Zipper fly** closure
- > Chest pocket with safety flap and double concealed metal snap button closure
- > Elastic waistband for improved fit
- > Slanted side pockets with safety flap and plastic flame-retardant snap button closure
- > Back pockets with safety flap and concealed metal snap button closure
- > Cargo pockets with safety flap and double concealed metal snap button closure
- > Diamond tool pocket with safety flap at right hand side leg
- > Kneepad pockets with triple hook-and-loop adjustment
- > Extendable hems (5cm)
- > Reflective piping details on back pockets and cargo pocket
- > Prolux® 50mm flame-retardant reflective striping


Available in colors: Sizes in stock



Available on request: EU 42-72















5 Thread YKK® One-Way Bartacks Safety Stitch



Dapro Roughneck Jacket

PRODUCT CODE: WROUJLW-NB*

C4 Certification and fabric information

















+A1:2009



11612:2015 A1 B1 C1 E1 F1

14116:2015 Index 3

11611:2015 A1 Class 1

1149-5:2008

61482-2:2009

Chemical proof



Retardant • 240 GSM


Features

- > Suitable for Summer climate
- > Standing collar for extra protection
- > Center front with concealed YKK® metal zipper and concealed metal snap button closure
- > Gas detector loops at chest
- > Chest pockets with safety flap and concealed metal snap button closure
- > Ergonomically shaped arms
- > Pen pocket with safety flap and concealed metal snap button closure at left hand side sleeve
- > Welted lower pockets with single concealed metal snap button closure
- > Adjustable cuffs with plastic flame-retardant snap button closure
- > Reflective piping details on front yoke, back yoke and lower sleeves
- > Prolux® 50mm flame-retardant reflective striping









Available in colors: Sizes in stock



















Adjustable Hems/Cuffs



Dapro Roughneck Jacket

PRODUCT CODE: WROUJLW-RE*

C4 Certification and fabric information















+A1:2009



EN ISO 13688:2013

11612:2015 A1 B1 C1 E1 F1

14116:2015 Index 3

11611:2015 A1 Class 1

1149-5:2008

61482-2:2009





Guardian • 98% Cotton / 2% Anti-static Lifetime • Flame-retardant and Anti-static

Chemical proof

Features

- > Suitable for Summer climate
- > Standing collar for extra protection
- > Center front with concealed YKK® metal zipper and concealed metal snap button closure
- > Gas detector loops at chest
- > Chest pockets with safety flap and concealed metal snap button closure
- > Ergonomically shaped arms
- > Pen pocket with safety flap and concealed metal snap button closure at left hand side sleeve
- > Welted lower pockets with single concealed metal snap button closure
- > Adjustable cuffs with plastic flame-retardant snap button closure
- > Reflective piping details on front yoke, back yoke and lower sleeves
- > Prolux® 50mm flame-retardant reflective striping



Available in colors: Sizes in stock



















Adjustable Hems/Cuffs



Dapro Roughneck Pant

PRODUCT CODE: WROUPLW-NB*

C4 Certification and fabric information















EN ISO 13688:2013 11612:2015 A1 B1 C1 E1 F1

14116:2015 Index 3

11611:2015 A1 Class 1

EN 13034:2005 +A1:2009

61482-2:2009





Retardant • 240 GSM



Features

- > Suitable for Summer climate
- > **Zipper fly** with concealed jeans button closure
- > Elastic waistband for improved fit
- > Slanted side pockets with safety flap and plastic flame-retardant snap button closure
- > Back pockets with double fabric reinforcement, safety flap and concealed metal snap button closure
- > Cargo pocket with safety flap and double concealed metal snap button closure at left hand side leg
- > Diamond tool pocket at right hand side leg
- > Kneepad pockets with triple hook-and-loop adjustment
- > Extendable hems (5cm)
- > Reflective piping details on back pockets and cargo pocket
- > Prolux® 50mm flame-retardant reflective striping



Available in colors: Sizes in stock



















Dapro Roughneck Pant

PRODUCT CODE: WROUPLW-RE*

C4 Certification and fabric information











11611:2015

A1 Class 1



1149-5:2008



+A1:2009



EN ISO 13688:2013

11612:2015 A1 B1 C1 E1 F1

14116:2015 Index 3

Guardian • 98% Cotton / 2% Anti-static Lifetime • Flame-retardant and Anti-static

 Chemical proof Retardant • 240 GSM



Features

- > Suitable for Summer climate
- > **Zipper fly** with concealed jeans button closure
- > Elastic waistband for improved fit
- > Slanted side pockets with safety flap and plastic flame-retardant snap button closure
- > Back pockets with double fabric reinforcement, safety flap and concealed metal snap button closure
- > Cargo pocket with safety flap and double concealed metal snap button closure at left hand side leg
- > Diamond tool pocket at right hand side leg
- > Kneepad pockets with triple hook-and-loop adjustment
- > Extendable hems (5cm)
- > Reflective piping details on back pockets and cargo pocket
- > Prolux® 50mm flame-retardant reflective striping



Available in colors: Sizes in stock



EU 46-64









Bartacks Safety Stitch



PRODUCT CODE: WDIACUHW-NB*

C4 Certification and fabric information













1149-5:2008





EN ISO 13688:2013 (EN 340:2003)

11612:2015 A1 B1 C1 F1 F1

14116:2015 Index 3

11611:2015 A1 Class 1

EN 13034:2005 +A1:2009

61482-2:2009 Class 1 10.4 cal/cm

Retardant • 350 GSM

 80% Cotton / 19% Polyester / 1% Anti-static Flame-retardant and Anti-static

Chemical proof



Features

- > Suitable for Continental climate
- > Standing collar for extra protection
- > Center front with concealed YKK® two-way zipper and metal snap button closure
- > **Gas detector loops** at chest
- > Chest pockets with safety flap and concealed nylon zipper closure
- > Ergonomically shaped arms
- > **Action armpits** for comfortable work above reach
- > Back pleats for improved ergonomics and ultimate comfort with 45° degrees tack
- > Pen pocket with safety flap and concealed metal snap button closure at left hand side sleeve
- > Adjustable elastic waistband for perfect
- > Slanted side pockets with hook-and-loop closure

- > **Side vents** with plastic flame-retardant snap button closure behind side pockets
- > Back pockets with safety flap and concealed metal snap button closure
- > Cargo pocket with safety flap and concealed metal snap button closure at left hand side leg
- > **Diamond tool pocket** with safety flap at right hand side leg
- > Shaped kneepad pockets
- > Adjustable cuffs and hems with plastic flame-retardant snap button closure
- > Reflective piping details on lower sleeves, back pockets and cargo pocket
- > Prolux® 50mm flame-retardant reflective striping



Available in colors: Sizes in stock















Flaming Red *RE





















EU 44-68

EU 44-70

EU 44-72

5 Thread Bartacks Safety Stitch Way Zipper

Double Gas Loop Lower Arm Striping

Adjustable Hems/Cuffs Action



PRODUCT CODE: WDIACUHW-RB*

C4 Certification and fabric information



(FN 340:2003)



11612:2015

A1 B1 C1 F1 F1





14116:2015

Index 3



11611:2015

A1 Class 1







EN 13034:2005 1149-5:2008 +A1:2009



 80% Cotton / 19% Polyester / 1% Anti-static Flame-retardant and Anti-static



Retardant • 350 GSM



Features

- > Suitable for Continental climate
- > Standing collar for extra protection
- > Center front with concealed YKK® two-way zipper and metal snap button closure
- > Gas detector loops at chest
- > Chest pockets with safety flap and concealed nylon zipper closure
- > Ergonomically shaped arms
- > **Action armpits** for comfortable work above reach
- > Back pleats for improved ergonomics and ultimate comfort with 45° degrees tack
- > Pen pocket with safety flap and concealed metal snap button closure at left hand side sleeve
- > Adjustable elastic waistband for perfect
- > Slanted side pockets with hook-and-loop closure

- > **Side vents** with plastic flame-retardant snap button closure behind side pockets
- > Back pockets with safety flap and concealed metal snap button closure
- > Cargo pocket with safety flap and concealed metal snap button closure at left hand side leg
- > **Diamond tool pocket** with safety flap at right hand side leg
- > Shaped kneepad pockets
- > Adjustable cuffs and hems with plastic flame-retardant snap button closure
- > Reflective piping details on lower sleeves, back pockets and cargo pocket
- > Prolux® 50mm flame-retardant reflective striping



Available in colors:

Sizes in stock







































EU 44-68

EU 44-70

EU 44-72

5 Thread Bartacks Safety Stitch Way Zipper

Double Gas Loop

Lower Arm Striping

Adjustable Hems/Cuffs Action



PRODUCT CODE: WDIACUHW-OR*

C4 Certification and fabric information













1149-5:2008



+A1:2009



61482-2:2009 Class 1 10.4 cal/cm



11612:2015 A1 B1 C1 F1 F1

14116:2015 Index 3

11611:2015 A1 Class 1

 80% Cotton / 19% Polyester / 1% Anti-static Flame-retardant and Anti-static

Chemical proof

Retardant • 350 GSM



Features

- > Suitable for Continental climate
- > Standing collar for extra protection
- > Center front with concealed YKK® two-way zipper and metal snap button closure
- > Gas detector loops at chest
- > Chest pockets with safety flap and concealed nylon zipper closure
- > Ergonomically shaped arms
- > **Action armpits** for comfortable work above reach
- > Back pleats for improved ergonomics and ultimate comfort with 45° degrees tack
- > Pen pocket with safety flap and concealed metal snap button closure at left hand side sleeve
- > Adjustable elastic waistband for perfect
- > Slanted side pockets with hook-and-loop closure

- > **Side vents** with plastic flame-retardant snap button closure behind side pockets
- > Back pockets with safety flap and concealed metal snap button closure
- > Cargo pocket with safety flap and concealed metal snap button closure at left hand side leg
- > **Diamond tool pocket** with safety flap at right hand side leg
- > Shaped kneepad pockets
- > Adjustable cuffs and hems with plastic flame-retardant snap button closure
- > Reflective piping details on lower sleeves, back pockets and cargo pocket
- > Prolux® 50mm flame-retardant reflective striping



Available in colors: Sizes in stock












EU 44-70





















EU 44-68

EU 44-72

5 Thread Bartacks Safety Stitch Way Zipper

Double Gas Loop

Lower Arm Striping

Adjustable Hems/Cuffs Action



PRODUCT CODE: WDIACUHW-RE*

C4 Certification and fabric information



(FN 340:2003)



11612:2015

A1 B1 C1 F1 F1





14116:2015

Index 3



11611:2015

A1 Class 1



1149-5:2008





EN 13034:2005 +A1:2009



Class 1 10.4 cal/cm





 80% Cotton / 19% Polyester / 1% Anti-static Flame-retardant and Anti-static

Chemical proof


Retardant • 350 GSM



Features

- > Suitable for Continental climate
- > Standing collar for extra protection
- > Center front with concealed YKK® two-way zipper and metal snap button closure
- > Gas detector loops at chest
- > Chest pockets with safety flap and concealed nylon zipper closure
- > Ergonomically shaped arms
- > **Action armpits** for comfortable work above reach
- > Back pleats for improved ergonomics and ultimate comfort with 45° degrees tack
- > Pen pocket with safety flap and concealed metal snap button closure at left hand side sleeve
- > Adjustable elastic waistband for perfect
- > Slanted side pockets with hook-and-loop closure

- > **Side vents** with plastic flame-retardant snap button closure behind side pockets
- > Back pockets with safety flap and concealed metal snap button closure
- > Cargo pocket with safety flap and concealed metal snap button closure at left hand side leg
- > **Diamond tool pocket** with safety flap at right hand side leg
- > Shaped kneepad pockets
- > Adjustable cuffs and hems with plastic flame-retardant snap button closure
- > Reflective piping details on lower sleeves, back pockets and cargo pocket
- > Prolux® 50mm flame-retardant reflective striping



Available in colors:


Sizes in stock

EU 44-68

Navy Blue *NB







Flaming Red *RE EU 44-72



















Available on request: EU 42-72

Double Adjustable Action Shaped Knee 5 Thread Lower Arm Bartacks Safety Stitch Way Zipper Gas Loop Striping Hems/Cuffs

Dapro Diamond Bib

PRODUCT CODE: WDIABUHW-RE*

C4 Certification and fabric information





A1 B1 C1 E1 F1





14116:2015

Index 3



A1 Class 1



1149-5:2008





EN 13034:2005 +A1:2009

61482-2:2009 Class 1 10.4 cal/cm





 80% Cotton / 19% Polyester / 1% Anti-static Lifetime • Flame-retardant and Anti-static

Chemical proof



Features

- > Suitable for Continental climate
- > Elastic braces with buckle closure
- > Chest pocket with safety flap and double concealed metal snap button closure
- > Zipper fly closure
- > Elastic waistband for improved fit
- > Slanted side pockets with safety flap and plastic flame-retardant snap button closure
- > Back pockets with safety flap and concealed metal snap button closure
- > Cargo pockets with safety flap and double concealed metal snap button closure
- > Diamond tool pocket with safety flap at right hand side leg
- > Kneepad pockets with triple hook-and-loop adjustment
- > Extendable hems (5cm)
- > Reflective piping details on back pockets and cargo pocket
- > Prolux® 50mm flame-retardant reflective striping

Available in colors: Sizes in stock




Available on request: EU 42-72

















5 Thread YKK® One-Way Bartacks Safety Stitch

45



Dapro Diamond Jacket

PRODUCT CODE: WDIAJUHW-RE*

C4 Certification and fabric information











11611:2015

A1 Class 1





11612:2015 A1 B1 C1 E1 F1 Index 3

14116:2015

1149-5:2008

61482-2:2009 +A1:2009 Class 1 10.4 cal/cm

 80% Cotton / 19% Polyester / 1% Anti-static Lifetime • Flame-retardant and Anti-static

Chemical proof

Retardant • 350 GSM

Features

- > Suitable for Continental climate
- > Standing collar for extra protection
- > Center front with concealed YKK® metal zipper and metal snap button closure
- > Gas detector loops at chest
- > Chest pockets with safety flap and concealed metal snap button closure
- > Ergonomically shaped arms
- > Pen pocket with safety flap and concealed metal snap button closure at left hand side sleeve
- > Welted lower pockets with safety flap and concealed metal snap button closure
- > Adjustable cuffs with plastic flame-retardant snap buttons
- > Reflective piping details on front yoke, back yoke and lower sleeves
- > Prolux® 50mm flame-retardant reflective striping



Available in colors: Sizes in stock



Available on request: EU 42-72













5 Thread YKK® One-Way Bartacks Safety Stitch

Double Gas Loop Adjustable Cuffs

Lower Arm Striping



Dapro Diamond Pant

PRODUCT CODE: WDIAPUHW-RE*

C4 Certification and fabric information















EN ISO 13688:2013

11612:2015 A1 B1 C1 E1 F1

14116:2015 Index 3

11611:2015 A1 Class 1

1149-5:2008

EN 13034:2005 +A1:2009

61482-2:2009 Class 1 10.4 cal/cm





Chemical proof

Retardant • 350 GSM



Features

- > Suitable for Continental climate
- > **Zipper fly** with concealed jeans button closure
- > Elastic waistband for improved fit
- > Slanted side pockets with safety flap and plastic flame-retardant snap button closure
- > Back pockets with double fabric reinforcement, safety flap and concealed metal snap button closure
- > Cargo pocket with safety flap and double concealed metal snap button closure at left hand side leg
- > Diamond tool pocket with safety flap at right hand side leg
- > Kneepad pockets with triple hook-and-loop adjustment
- > Extendable hems (5cm)
- > Reflective piping details on back pockets and cargo pocket
- > Prolux® 50mm flame-retardant reflective striping



Available in colors: Sizes in stock









Dapro Spark Coverall

PRODUCT CODE: WSPACUHW-NB*

C4 Certification and fabric information















EN ISO 13688:2013 (EN 340:2003)

11612:2015 A1 B1 C1 E1 F1

14116:2015 Index 3


11611:2015 A1 Class 1

EN 13034:2005 1149-5:2008 +A1:2009

61482-2:2009 Class 1 10.4 cal/cm

Lifetime





Chemical proof





Features

- > Suitable for Continental climate
- > Standing collar for extra protection
- > Center front with welding flap and concealed metal snap button closure
- > Gas detector loops at chest
- > Chest pockets with safety flap and concealed metal snap button closure
- > Ergonomically shaped arms
- > **Action armpits** for comfortable work above reach
- > Back pleats for improved ergonomics and ultimate comfort with 45° degrees tack
- > Pen pocket with safety flap and concealed metal snap button closure at left hand side sleeve
- > Adjustable elastic waistband for perfect fit
- > Slanted side pockets with hook-andloop closure

- > Side vents with safety flap and flameretardant plastic snap button closure behind side pockets
- > Back pockets with safety flap and concealed metal snap button closure
- > Cargo pocket with safety flap and double concealed metal snap button closure at left hand side leg
- > Diamond tool pocket with safety flap and double fabric reinforcement at right hand side leg
- > Shaped kneepad pockets
- > Adjustable cuffs and hems with plastic flame-retardant snap button closure
- > Reflective piping details on lower sleeves, back pockets and cargo pocket
- > Prolux® 50mm flame-retardant reflective striping





Navy Blue *NB

EU 46-70









Oil Black EU 46-70





Double

Gas Loop











Bartacks Safety Stitch

Lower Arm Adjustable Striping Hems/Cuffs

Action Armpit

Shaped Knee



Dapro Spark Coverall

PRODUCT CODE: WSPACUHW-RB*

C4 Certification and fabric information

















61482-2:2009 Class 1 10.4 cal/cm

EN ISO 13688:2013 (EN 340:2003)

11612:2015 A1 B1 C1 E1 F1

14116:2015 Index 3

11611:2015 A1 Class 1

+A1:2009

 80% Cotton / 19% Polyester / 1% Anti-static Flame-retardant and Anti-static



Retardant • 350 GSM



Features

- > Suitable for Continental climate
- > Standing collar for extra protection
- > Center front with **welding flap** and concealed metal snap button closure
- > Gas detector loops at chest
- > Chest pockets with safety flap and concealed metal snap button closure
- > Ergonomically shaped arms
- > **Action armpits** for comfortable work above reach
- > Back pleats for improved ergonomics and ultimate comfort with 45° degrees tack
- > Pen pocket with safety flap and concealed metal snap button closure at left hand side sleeve
- > Adjustable elastic waistband for perfect fit
- > Slanted side pockets with hook-andloop closure

- > Side vents with safety flap and flameretardant plastic snap button closure behind side pockets
- > Back pockets with safety flap and concealed metal snap button closure
- > Cargo pocket with safety flap and double concealed metal snap button closure at left hand side leg
- > Diamond tool pocket with safety flap and double fabric reinforcement at right hand side leg
- > Shaped kneepad pockets
- > Adjustable cuffs and hems with plastic flame-retardant snap button closure
- > Reflective piping details on lower sleeves, back pockets and cargo pocket
- > Prolux® 50mm flame-retardant reflective striping



Available in colors: Sizes in stock

Navy Blue *NB

EU 46-70





















EU 46-70

Bartacks Safety Stitch

Double Gas Loop

Lower Arm Adjustable Striping Hems/Cuffs

Action Armpit

Available on request: EU 42-72



Dapro Spark Coverall

PRODUCT CODE: WSPACUHW-BL*

C4 Certification and fabric information



(EN 340:2003)



11612:2015

A1 B1 C1 E1 F1



14116:2015

Index 3



11611:2015

A1 Class 1



1149-5:2008





EN 13034:2005 +A1:2009

61482-2:2009 Class 1 10.4 cal/cm

Lifetime





 80% Cotton / 19% Polyester / 1% Anti-static Flame-retardant and Anti-static

Chemical proof

Retardant • 350 GSM



Features

- > Suitable for Continental climate
- > Standing collar for extra protection
- > Center front with welding flap and concealed metal snap button closure
- > Gas detector loops at chest
- > Chest pockets with safety flap and concealed metal snap button closure
- > Ergonomically shaped arms
- > **Action armpits** for comfortable work above reach
- > Back pleats for improved ergonomics and ultimate comfort with 45° degrees tack
- > Pen pocket with safety flap and concealed metal snap button closure at left hand side sleeve
- > Adjustable elastic waistband for perfect fit
- > Slanted side pockets with hook-andloop closure

- > Side vents with safety flap and flameretardant plastic snap button closure behind side pockets
- > Back pockets with safety flap and concealed metal snap button closure
- > Cargo pocket with safety flap and double concealed metal snap button closure at left hand side leg
- > Diamond tool pocket with safety flap and double fabric reinforcement at right hand side leg
- > Shaped kneepad pockets
- > Adjustable cuffs and hems with plastic flame-retardant snap button closure
- > Reflective piping details on lower sleeves, back pockets and cargo pocket
- > Prolux® 50mm flame-retardant reflective striping



Available in colors: Sizes in stock

Navy Blue *NB

EU 46-70















Double

Gas Loop











Bartacks Safety Stitch

Lower Arm Adjustable Striping Hems/Cuffs

Action Armpit

Dapro Spark Bib

PRODUCT CODE: WSPABUHW-NB*

C4 Certification and fabric information



(EN 340:2003)



A1 B1 C1 E1 F1







11611:2015

A1 Class 1





+A1:2009



61482-2:2009 Class 1 10,4 cal/cm



Flame

· 80% Cotton / 19% Polyester / 1% Anti-static Lifetime • Flame-retardant and Anti-static

Index 3

Chemical proof

Retardant • 350 GSM



Features

- > Suitable for Continental climate
- > Elastic braces with buckle closure
- > Zipper fly closure
- > Chest pocket with safety flap and double concealed metal snap button closure
- > Elastic waistband for improved fit
- > Slanted side pockets with safety flap and plastic flame-retardant snap button closure
- closure behind side pockets
- > Back pockets with fabric reinforcement, safety flap and concealed metal snap button closure

- > Cargo pocket with safety flap and double concealed metal snap button closure at left hand side leg
- > **Diamond tool pocket** with safety flap at right hand side leg
- > Kneepad pockets with triple hook-and-loop adjustment
- > Extendable hems (5cm)
- > Reflective piping details on back pockets and cargo pocket
- > **Side vents** with metal snap button > Prolux® 50mm flame-retardant reflective striping











Available in colors: Sizes in stock









YKK® One-5 Thread Bartacks Safety Stitch Way Zipper



Dapro Spark Jacket

PRODUCT CODE: WSPAJUHW-NB*

C4 Certification and fabric information





11612:2015

A1 B1 C1 E1 F1



14116:2015

Index 3





11611:2015

A1 Class 1





EN 13034:2005 1149-5:2008 +A1:2009



Retardant • 350 GSM









Chemical proof


Features

- > Suitable for Continental climate
- > Standing collar for extra protection
- > Center front with **welding flap** and concealed metal snap button closure
- > Gas detector loops at chest
- > Chest pockets with safety flap and concealed metal snap button closure
- > Ergonomically shaped arms
- > Pen pocket with safety flap and concealed metal snap button closure at left hand side sleeve
- > Welted lower pockets with safety flap and concealed metal snap button closure
- > Adjustable cuffs with plastic flame-retardant snap button closure
- > Reflective piping details on front yoke, back yoke and lower sleeves
- > Prolux® 50mm flame-retardant reflective striping

























Bartacks Safety Stitch Gas Loop

Adjustable Lower Arm Cuffs Striping



Dapro Spark Pant

PRODUCT CODE: WSPAPUHW-NB*

C4 Certification and fabric information













1149-5:2008



EN ISO 13688:2013 (EN 340:2003)

11612:2015 A1 B1 C1 E1 F1

14116:2015 Index 3

11611:2015 A1 Class 1

EN 13034:2005 +A1:2009

61482-2:2009 Class 1 10,4 cal/cm

Flame

Guardian • 80% Cotton / 19% Polyester / 1% Anti-static Lifetime • Flame-retardant and Anti-static

Chemical proof

Retardant • 350 GSM

Features

- > Suitable for Continental climate
- > Zipper fly with concealed jeans button closure
- > Elastic waistband for improved fit
- > Slanted side pockets with safety flap and plastic flame-retardant snap button closure
- > Back pockets with double fabric reinforcement, safety flap and concealed metal snap button closure
- > Cargo pocket with safety flap and double concealed metal snap button closure
- > Diamond tool pocket with safety flap at right hand side leg
- > Kneepad pockets with triple hook-and-loop adjustment
- > Extendable hems (5cm)
- > Reflective piping details on back pockets and cargo pocket
- > Prolux® 50mm flame-retardant reflective striping



Available in colors: Sizes in stock











Dapro Rope Access Coverall

PRODUCT CODE: WROACUHW-NB*

C4 Certification and fabric information



(EN 340:2003)



11612:2015

A1 B1 C1 F1 F1





14116:2015

Index 3



11611:2015

A1 Class 1



1149-5:2008



+A1:2009

61482-2:2009 Class 1

10.4 cal/cm



Lifetime

 80% Cotton / 19% Polyester / 1% Anti-static · Flame-retardant and Anti-static

Chemical proof

Retardant • 350 GSM




Features

- > Suitable for Continental climate
- > Metal free
- > Standing collar for extra protection
- > Center front with concealed YKK® twoway vislon zipper and hook-and-loop closure
- > Gas detector loops at chest
- > Name patches with hook-and-loop attachment above chest pockets
- > Chest pockets with safety flap, vislon **zipper** and hook-and-loop closure
- > Key attachment loops inside both chest pockets
- > Ergonomically shaped arms
- > Action armpits for comfortable work above reach
- > Back pleats for improved ergonomics and ultimate comfort with 45° degrees
- > Adjustable elastic waistband for

perfect fit

- > Slanted side pockets with safety flap and concealed hook-and-loop closure
- > Side vents with plastic flameretardant snap button closure behind side pockets
- > 3D upper leg pockets with double compartment, safety flap, vislon zipper and hook-and-loop closure
- > Back pockets with safety flap and hook-and-loop closure
- > Shaped kneepad pockets made of abrasion resistant material
- > Adjustable cuffs with plastic flameretardant snap button closure
- > Extendable hems (5cm)
- > Reflective piping details on sleeves
- > Prolux® 50mm flame-retardant reflective striping





Available in colors: Sizes in stock



EU 48-64



























5 Thread Bartacks Safety Stitch Way Zipper

Double Gas Loop Lower Arm Striping

Adjustable Cuffs

Action Armpit





Dapro Rope Access Coverall

PRODUCT CODE: WROACUHW-OR*

C4 Certification and fabric information



(EN 340:2003)



11612:2015

A1 B1 C1 F1 F1







14116:2015

Index 3



11611:2015

A1 Class 1







EN 13034:2005 1149-5:2008 +A1:2009

61482-2:2009 Class 1 10.4 cal/cm

Lifetime

Retardant • 350 GSM

 80% Cotton / 19% Polyester / 1% Anti-static · Flame-retardant and Anti-static

Chemical proof




Features

- > Suitable for Continental climate
- > Metal free
- > Standing collar for extra protection
- > Center front with concealed YKK® twoway vislon zipper and hook-and-loop closure
- > Gas detector loops at chest
- > Name patches with hook-and-loop attachment above chest pockets
- > Chest pockets with safety flap, vislon **zipper** and hook-and-loop closure
- > Key attachment loops inside both chest pockets
- > Ergonomically shaped arms
- > Action armpits for comfortable work above reach
- > Back pleats for improved ergonomics and ultimate comfort with 45° degrees
- > Adjustable elastic waistband for

perfect fit

- > Slanted side pockets with safety flap and concealed hook-and-loop closure
- > Side vents with plastic flameretardant snap button closure behind side pockets
- > 3D upper leg pockets with double compartment, safety flap, vislon zipper and hook-and-loop closure
- > Back pockets with safety flap and hook-and-loop closure
- > Shaped kneepad pockets made of abrasion resistant material
- > Adjustable cuffs with plastic flameretardant snap button closure
- > Extendable hems (5cm)
- > Reflective piping details on sleeves
- > Prolux® 50mm flame-retardant reflective striping





Available in colors: Sizes in stock



EU 48-64



























5 Thread Bartacks Safety Stitch Way Zipper

Double Gas Loop Lower Arm Striping

Adjustable Cuffs

Action Armpit





Dapro Rope Access Coverall

PRODUCT CODE: WROACIFR-OR*

C4-A Certification and fabric information



13688:2013

(EN 340:2003)









14116:2015



A1 Class 1





+A1:2009

Type 6



IEC 61482-

2:2009

Class 1





53% Modacrylic / 38% Cotton / 5% P-Aramid / 3% Nylon / 1% Anti-static Flame-retardant and Anti-static

Retardant • Chemical proof




Features

- > Suitable for Temperate climate
- > Metal free
- > Standing collar for extra protection
- > Center front with concealed YKK® twoway vislon zipper and hook-and-loop closure
- > Gas detector loops at chest
- > Name patches with hook-and-loop attachment above chest pockets
- > Chest pockets with safety flap, vislon **zipper** and hook-and-loop closure
- > Key attachment loops inside both chest pockets
- > Ergonomically shaped arms
- > Action armpits for comfortable work above reach
- > Back pleats for improved ergonomics and ultimate comfort with 45° degrees
- > Adjustable elastic waistband for

perfect fit

- > Slanted side pockets with safety flap and concealed hook-and-loop closure
- > Side vents with plastic flameretardant snap button closure behind side pockets
- > 3D upper leg pockets with double compartment, safety flap, vislon zipper and hook-and-loop closure
- > Back pockets with safety flap and hook-and-loop closure
- > Shaped kneepad pockets made of abrasion resistant material
- > Adjustable cuffs with plastic flameretardant snap button closure
- > Extendable hems (5cm)
- > Reflective piping details on sleeves
- > Prolux® 50mm flame-retardant reflective striping









Available on request: EU 42-72



















5 Thread Bartacks Safety Stitch Way Zipper

Double Gas Loop Lower Arm Striping

Adjustable Cuffs

Action Armpit



Dapro Globe-Tech Coverall

PRODUCT CODE: WGTECHC-BL/HVYE*

C4-A Certification and fabric information



















61487-2:2009

EN ISO 13688:2013

A1 B1 C1 F1

Index 3

EN ISO 14116:2015

11611:2015

EN 13034:2005 1149-5:2008 +A1:2009

A1 Class 1

53% Modacrylic / 38% Cotton / 5% P-Aramid / 3% Nylon / 1% Anti-static

- Flame-retardant and Anti-static
- Retardant Chemical proof





Features

- > Suitable for Temperate climate
- > Extra high collar protects against heavy wind and rain
- > High-visibility Yellow at front and back yoke
- > Center front with welding flap and concealed plastic flame-retardant snap button closure
- > **Gas detector loops** on chest at both
- > Ergonomically shaped arms
- > Back pleats for improved ergonomics and ultimate comfort with 45° degrees tack
- > Chest pockets with safety flap and concealed nylon zipper closure
- > Adjustable elastic waistband for perfect fit
- > Slanted side pockets with safety flap

Available in colors: Sizes in stock

Oil Black


EU 50-62

Hi-Vis Yellow *BL/HVYE

and concealed hook-and-loop closure

- > **Side vents** behind side pockets
- > Back pockets with safety flap and concealed plastic flame-retardant snap button closure
- > Cargo pocket with safety flap and double concealed plastic flameretardant snap button closure at left hand side leg
- > **Diamond tool pocket** with safety flap at right hand side leg
- > Shaped kneepad pockets
- > Adjustable cuffs with plastic flame-retardant snap buttons
- > High-visibility piping details on chest pockets, back pockets, cargo pocket, tool pocket and lower legs
- > Prolux® 50mm flame-retardant reflective striping

















5 Thread Bartacks Safety Stitch Way Zipper

Double Gas Loop Adjustable Shaped Knee Cuffs



Dapro Globe-Tech Bib

PRODUCT CODE: WGTECHB-BL/HVYE*

C4-A Certification and fabric information



















61482-2:2009

EN ISO 13688:2013


11612:2015 A1 B1 C1 F1

14116:2015 Index 3

11611:2015 A1 Class 1

EN 13034:2005 1149-5:2008 +A1:2009

53% Modacrylic / 38% Cotton / 5% P-Aramid / 3% Nylon / 1% Anti-static









Features

- > Suitable for Temperate climate
- > Elastic braces with buckle closure
- > **Zipper fly** closure
- > Chest pocket with safety flap and concealed plastic flame-retardant snap button closure
- > Elastic waistband for improved fit
- > Slanted side pockets with safety flap and concealed hook-and-loop closure
- > Side vents with concealed plastic flame-retardant snap button closure behind side
- > Back pockets with safety flap and concealed plastic flame-retardant snap button closure
- > Cargo pocket with safety flap and double concealed plastic flame-retardant snap button closure at left hand side leg
- > Diamond tool pocket with safety flap at right hand side leg
- > Shaped kneepad pockets
- > High-visibility piping details on chest pocket, back pockets, cargo pocket, tool pocket and lower legs
- > Prolux® 50mm flame-retardant reflective striping

Available in colors:

Sizes in stock







Available on request: EU 42-72

















5 Thread Shaped Knee Bartacks Safety Stitch

58



Dapro Globe-Tech Jacket

PRODUCT CODE: WGTECHJ-BL/HVYE*

C4-A Certification and fabric information





A1 B1 C1 F1





14116:2015

Index 3



A1 Class 1



1149-5:2008





EN 13034:2005 61482-2:2009 +A1:2009









Retardant • Chemical proof



Features

- > Suitable for Temperate climate
- > Extra high collar to protect against heavy wind and rain
- > High-visibility Yellow at front and back yoke
- > Center front with concealed YKK® metal zipper with rubber puller and hook-and-loop closure
- > Gas detector loops at chest
- > Chest pockets with safety flap and concealed plastic flame-retardant snap button closure
- > Ergonomically shaped arms
- > Welted lower pockets with safety flap and hook-and-loop closure
- > Adjustable cuffs with plastic flame-retardant snap button closure
- > High-visibility piping details on chest pockets and lower pockets
- > Prolux® 50mm flame-retardant reflective striping



Available in colors: Sizes in stock

Oil Black



EU 48-64

Available on request: EU 42-72





5 Thread

Bartacks Safety Stitch Way Zipper





Double

Gas Loop







Adjustable Cuffs



Dapro Globe-Tech Pant

PRODUCT CODE: WGTECHP-BL/HVYE*

C4-A Certification and fabric information















+A1:2009



61482-2:2009

EN ISO 13688:2013

11612:2015 A1 B1 C1 F1

EN ISO 14116:2015 Index 3

11611:2015 A1 Class 1

1149-5:2008

Flame

53% Modacrylic / 38% Cotton / 5% P-Aramid / 3% Nylon / 1% Anti-static

· Flame-retardant and Anti-static

Retardant • Chemical proof



Features

- > Suitable for Temperate climate
- > Zipper fly with concealed jeans button closure
- > Elastic waistband for improved fit
- > Slanted side pockets with concealed hook-and-loop closure
- > Back pockets with safety flap and concealed plastic flame-retardant snap button closure
- > Cargo pocket with safety flap and double concealed plastic flameretardant snap button closure at left hand side leg
- > Diamond tool pocket with safety flap at right hand side leg
- > Shaped kneepad pockets
- > High-visibility piping details on back pockets, cargo pocket, tool pocket and lower legs
- > Prolux® 50mm flame-retardant reflective striping



Available in colors: Sizes in stock







EU 50-64







Dapro Globe-Tech Polo

PRODUCT CODE: WGTECHLP-BL/HVYE*

C22 Certification and fabric information













EN ISO 13688:2013 (EN 340:2003)

11612:2015 A1B1C1

IEC 61482-2:2018 EN 13758-EN 1149-5:2018 APC1 2:2003+A1:2006 EN1149-3:2004 ATPV=6.3cal/cm²

Inherent • 60% Modacrylic / 38% Cotton / 2% Dissipative Fiber Flame-retardant and Anti-static

Retardant • 220 GSM

Features

- > Suitable for Temperate climate
- > Collar closed with plastic flame-retardant sew-on buttons
- > High-visibility Yellow at front and back yoke
- > Chest pocket at left hand side
- > Elastic cuffs

Available in colors: Sizes in stock



Hi-Vis Yellow *BL/HVYE

Available on request: US 2XS-6XL

platinum range









Extensive 5 Thread Bartacks Safety Stitch

Dapro Globe-Tech Shirt

PRODUCT CODE: WGTECHS-BL/HVYE*

C4-A Certification and fabric information

















61482-2:2009

EN ISO 13688:2013

11612:2015 A1 B1 C1 F1

14116:2015 Index 3

11611:2015 A1 Class 1

1149-5:2008

EN 13034:2005 +A1:2009

 53% Modacrylic / 38% Cotton / 5% P-Aramid / 3% Nylon / 1% Anti-static · Flame-retardant and Anti-static

Retardant • Chemical proof



Features

- > Suitable for Temperate climate
- > Fusing, interlining material in collar
- > Center front with concealed plastic flame-retardant snap button closure
- > Gas detector loops at chest
- > Chest pockets with safety flap and concealed plastic flame-retardant snap button closure
- > Adjustable cuffs with concealed plastic flame-retardant snap button closure
- > High-visibility piping details on chest pockets and back yoke



Available in colors: Sizes in stock

Oil Black

Hi-Vis Yellow *BL/HVYE

EU 48-64









Dapro Globe-Tech Sweater

PRODUCT CODE: WGTECHSW-BL/HVYE*

C23 Certification and fabric information















EN ISO 13688:2013

(EN 340:2003)

EN ISO 11612:2015 A1B1C1F1

018 EN 13758- EN 1149-5:2018 2:2003+A1:2006 EN1149-3:2004 IEC 61482-2:2018 EN 13758-APC1 ATPV=20.4cal/

Inherent • 60% Modacrylic / 38% Cotton / 2% Dissipative Fiber Flame-retardant and Anti-static

Retardant • 220 GSM

Features

- > Suitable for Temperate climate
- > High-visibility Yellow at front and back yoke
- > Chest pocket at left hand side
- > Elastic cuffs and hem



Available in colors: Sizes in stock



Hi-Vis Yellow *BL/HVYE

US M-3XL

Available on request: US 2XS-6XL





Dapro Volt Hi-Vis Class 2 Coverall

PRODUCT CODE: WVOL2C-NB/HVYE*

C4-A-3 Certification and fabric information















Type 6



61482-2:2018

APC1



EN ISO 13688:2013

11612:2015 A1 A2 B1 C1 E1 F1

14116:2015 Index 3

11611:2015 A1+A2 Class 1

FN 13034:2005 1149-5:2018 +A1:2009

20471:2013

+A1:2016

Flame Retardant

53% Modacrylic / 38% Cotton / 5% P-Aramid / 3% Nylon / 1% Anti-static Flame-retardant and Anti-static





Features

- > Suitable for Temperate climate
- > Standing collar for extra protection
- > Center front with welding flap and concealed plastic flame-retardant snap > Back pockets with safety flap and button closure
- > Gas detector loops at chest
- > Ergonomically shaped arms
- > Action armpits for comfortable work above reach
- > Back pleats for improved ergonomics and ultimate comfort with 45° degrees tack
- flame-retardant snap button closure at left hand side sleeve
- > Adjustable elastic waistband for perfect fit
- > Chest pockets with safety flap and concealed plastic flame-retardant snap button closure
- > Side pockets with hook-and-loop

Available in colors: Sizes in stock

Navv Blue


EU 48-64



closure

- > **Side vents** with concealed plastic flame-retardant snap button closure
- concealed plastic flame-retardant snap button closure
- > Cargo pocket with safety flap and double concealed plastic flameretardant snap button closure at left hand side leg
- > **Diamond tool pocket** with safety flap at right hand side leg
- > Pen pocket with safety flap and plastic > Shaped kneepad pockets made of abrasion resistant material
 - > Adjustable cuffs and hems with plastic flame-retardant snap buttons
 - > Reflective piping details on back pockets and cargo pocket
 - > Prolux® 50mm flame-retardant reflective striping























5 Thread Bartacks Safety Stitch Way Zipper

Double Gas Loop Lower Arm Adjustable Striping Hems/Cuffs

Action Armpit



dapro

PRODUCT CODE: WSKNE-EB*

Features

- > Light weight and comfortable
- > Resillient and flexible
- > Ergonomic design



Available in colors:



Sizes in Stock: One Size

adapts brilliantly

Prolux reflective striping is specifically developed for industrial workwear and outerwear.

Visibility in dark and hazardous environments greatly reduces the risk of accidents. This can be on railways, roads, construction areas or industrial areas.

Aside from its **exceptional** reflective properties, our product offers great **durability** with **industrial** laundering

Retro-reflective

450 cd/lx m² @ Observation Angle 12''/entrance angle 5°

Composition:

Glass bead 30% / Resin 30% / Highly durable FR backing cloth 30% / Other materials 10%

EN 20471:2013

This standard specifies the international standard for the safety requirements and test methods of hi-vis workwear, and is applicable to high-risk situations. It specifies requirements for "high visibility clothing which is capable of visually signalling the user's presence" and assesses the suitability and durability of retro-reflective materials.

EN 469:2005

This standard specifies minimum levels of performance requirements for protective clothing to be worn during firefighting operations and associated activities such as e.g. rescue work, assistance during disasters.

EN ISO 14116:2008

This standard specifies the minimum requirements for protective clothing against heat and flame. The standard outlines the performance requirements for clothing materials and garments that are designed to protect against limited flame spread and radiant heat.

EN ISO 11612

This standard outlines the performance requirements for clothing materials and garments in terms of their ability to resist heat and flame, and to provide effective protection for the wearer. EN ISO 11612 specifies test methods for determining the clothing's ability to resist heat and flame, as well as requirements for the material's strength and dimensional stability.

NFPA 1971

TIME IN

NFPA 1971 protects fire fighting personnel by establishing minimum levels of protection from thermal, physical, environmental, and bloodborne pathogen hazards encountered during structural and proximity fire fighting operations.

OEKO-TEX® Standard 100

If a textile article carries the STANDARD 100 label, you can be certain that every component of this article, i.e. every thread, button and other accessories, has been tested for harmful substances and that the article therefore is harmless for human health.

www.prolux-reflective.com



SubZero insulation is an intermeshed cotton material which forms a mass of fiber to trap air in between the outerlayer of the shoe and your foot.

This breathable high resilient and loft material provides durable warmth retention with light weight properties for extra freedom of movement and comfort.

The perfect combination to use in protective workwear developed to work in hazardous environments.

Properties	Weight	Warmth
SUBZER®	100 GSM	
SUBZER®	150 GSM	
SUBZER®	250 GSM	
SUBZER®	300 GSM	







Size guide Coverall/Jacket

Size guide Pants

	SIZE		LENGHT (A)	CHEST (B)	WAIST (C)
42	32	3XS	158-167	76-96	70-90
44	34	2XS	158-170	78-98	71-91
46	36	XS	158-172	80-100	73-93
48	38	S	161-175	82-102	74-94
50	40	М	164-178	84-104	76-96
52	42		168-182	86-106	77-97
54	44	L	172-186	87-107	79-99
56	46		174-188	89-109	80-100
58	48	XL	177-191	91-111	82-102
60	50		179-193	93-113	83-103
62	52	2XL	182-196	94-114	85-105
64	54		183-202	96-116	88-108
66	56	3XL	184-202	97-117	91-111
68	58		185-202	99-119	94-114
70	60	4XL	187-202	100-120	96-116

	SIZE		WAIST (C)	HIP (D)	INSEAM (E)	
42	32	3XS	74-85	87-98	70-76	
44	34	2XS	77-88	89-100	71-77	
46	36	XS	80-91	91-102	72-78	
48	38	S	83-94	93-104	74-80	
50	40	М	86-97	95-106	75-81	
52	42		88-100	97-109	76-82	
54	44	L	91-103	100-112	79-85	
56	46		94-106	103-115	80-86	
58	48	XL	96-109	105-118	81-87	
60	50		99-112	108-121	82-88	
62	52	2XL	102-115	111-124	83-89	
64	54		105-118	114-127	84-90	
66	56	3XL	111-124	117-130	84-90	
68	58		117-130	120-133	84-90	
70	60	4XL	123-136	123-136	84-90	
Measurements shown in centimete						

Total Lenght (A)

No shoes- top of head to sole of foot Chest (B)
Horizontally, under shoulder blades - Waist (C) Horizontally, fullest part of waist Hip (D)
Horizontally, fullest part of hip Inseam (E)
No shoes- from crotch
to sole of foot

Measurements shown in centimeters

Iconography









Single Gas Loop



<u></u>

5 Thread

Safety Stitch

Double Gas Loop



Breathable



Fabric



Waterproof

Lower Arm Adjustable Striping Hems/Cuffs



YKK® One-Way Zipper





Action Armpit




YKK® Two-Way Zipper



Shaped Knee

Wearers side





Dapro Phase 1 Jacket

PRODUCT CODE: OPHA1J-NB*

C15-1 Certification and fabric information



(EN 340:2003)



A1 B1 C1 D3 E3 F1





14116:2015

Index 3



A1 Class 1









FN 13034:2005 +A1:2009 Type PB[6]

61482-2:2020 APC1

EN 17353:2020 Type B3

Flame

· 98% Polyester / 2% Anti-static Flame-retardant and Anti-static Lifetime • H2O water & windproof


Water, oil, grease and dirt repellent finish

Retardant • 260 GSM

Features

- > Fully taped seams
- > Extra high collar to protect against heavy wind and rain
- > Center front with concealed YKK® vislon zipper and hook-and-loop closure
- > Gas detector loops at chest
- > Chest pocket with safety flap and hook-and-loop closure at left hand side
- > Goggle pocket behind stormflap with concealed nylon zipper closure
- > **Inside pocket** with nylon zipper closure at left hand side
- > Lower pockets with safety flap and hook-and-loop closure
- > Lower side entry pockets with concealed nylon zipper closure
- > Adjustable cuffs with hook-and-loop closure
- > Adjustable hem with elastic cord
- > Compatible with hood, fleece jacket & bodywarmer
- > Compartment for storing hood in collar
- > Prolux® 50mm flame-retardant reflective press-on striping





Available in colors:















Bartacks Safety Stitch

Breathable

Waterproof Way Zipper

Double Gas Loop Lower Arm Striping



Dapro Phase 1 Jacket

PRODUCT CODE: OPHA1J-NB/HVYE*

C15-2 Certification and fabric information













+A1:2009







EN ISO 13688:2013 (EN 340:2003)

11612:2015 A1 B1 C1 D3 E3 F1

14116:2015 Index 3

A1 Class 1

FN 1149-5: Type PB[6]

20471:2013/ 61482-2:2020 APC1 A1:2016

Flame

· 98% Polyester / 2% Anti-static Flame-retardant and Anti-static Lifetime • H2O water & windproof


Water, oil, grease and dirt repellent finish

Retardant . 260 GSM

Features

- > Fully taped seams
- > Extra high collar to protect against heavy wind and rain
- > Center front with concealed YKK® vislon zipper and hook-and-loop closure
- > Gas detector loops at chest
- > Chest pocket with safety flap and hook-and-loop closure at left hand side
- > Goggle pocket behind stormflap with concealed nylon zipper closure
- > **Inside pocket** with nylon zipper closure at left hand side
- > Lower pockets with safety flap and hook-and-loop closure
- > Lower side entry pockets with concealed nylon zipper closure
- > Adjustable cuffs with hook-and-loop closure
- > Adjustable hem with elastic cord
- > Compatible with hood, fleece jacket & bodywarmer
- > Compartment for storing hood in collar
- > Prolux® 50mm flame-retardant reflective press-on striping





Available in colors:



Hi-Vis Yellow *NB/HVYE

Navy Blue

Hi-Vis Orange *NB/HVOR















Bartacks Safety Stitch

Breathable

Waterproof Way Zipper

Double Gas Loop Lower Arm

Striping



Dapro Phase 1 Jacket

PRODUCT CODE: OPHA1J-NB/HVOR*

C15-2 Certification and fabric information



(EN 340:2003)











+A1:2009

Type PB[6]



61482-2:2020

APC1



20471:2013/

A1:2016

11612:2015 14116:2015 A1 B1 C1 D3 E3 F1 Index 3 A1 Class 1

· 98% Polyester / 2% Anti-static Flame-retardant and Anti-static Lifetime • H2O water & windproof

Water, oil, grease and dirt repellent finish

Retardant . 260 GSM


Features

> Fully taped seams

Flame

- > Extra high collar to protect against heavy wind and rain
- > Center front with concealed YKK® vislon zipper and hook-and-loop closure
- > Gas detector loops at chest
- > Chest pocket with safety flap and hook-and-loop closure at left hand side
- > Goggle pocket behind stormflap with concealed nylon zipper closure
- > **Inside pocket** with nylon zipper closure at left hand side
- > Lower pockets with safety flap and hook-and-loop closure
- > Lower side entry pockets with concealed nylon zipper closure
- > Adjustable cuffs with hook-and-loop closure
- > Adjustable hem with elastic cord
- > Compatible with hood, fleece jacket & bodywarmer
- > Compartment for storing hood in collar
- > Prolux® 50mm flame-retardant reflective press-on striping





Available in colors:

Navy Blue

Hi-Vis Yellow *NB/HVYE

Navy Blue

Hi-Vis Orange *NB/HVOR















Bartacks Safety Stitch

Breathable Waterproof Way Zipper

Double Gas Loop Lower Arm Striping



PRODUCT CODE: OACCJ-NB*

C9-1 Jacket Certification and fabric information



EN ISO 13688:2013 (EN 340:2003)





14116:2015 Outer: Index 1

1149-5:2018

+A1:2009 type PB[6]

H20 Lifetime

- · 98% Polyester / 2% Anti-static · Flame-retardant and Anti-static
- · H20 water & windproof
- · Water, oil, grease and dirt repellent finish
- 260 GSM

Features

- > Fully taped seams
- > Extra high collar to protect against heavy wind and rain
- > Center front with concealed YKK® vislon zipper and hook-and-loop closure
- > Gas detector loop on chest at right hand side
- > Goggle pocket behind storm flap with concealed nylon zipper closure
- > Inside pocket with safety flap and concealed nylon zipper closure at left hand side
- > Lower pockets with safety flap and concealed hook-and-loop closure
- > Adjustable bottom hem
- > Compatible with zip-in hood, fleece jacket & bodywarmer
- > Compartment for storing hood in collar
- > Prolux® 50mm flame-retardant reflective striping

























Breathable Waterproof

Way Zipper

Gas Loop



PRODUCT CODE: OACCJ-BL*

C9-1 Jacket Certification and fabric information



EN ISO 13688:2013 (EN 340:2003)

EN ISO 14116:2015 Outer: Index 1 1149-5:2018





+A1:2009 type PB[6]

H20 Lifetime

· 98% Polyester / 2% Anti-static · Flame-retardant and Anti-static

· H20 water & windproof


· Water, oil, grease and dirt repellent finish

260 GSM

Features

- > Fully taped seams
- > Extra high collar to protect against heavy wind and rain
- > Center front with concealed YKK® vislon zipper and hook-and-loop closure
- > Gas detector loop on chest at right hand side
- > **Goggle pocket** behind storm flap with concealed nylon zipper closure
- > Inside pocket with safety flap and concealed nylon zipper closure at left hand side
- > Lower pockets with safety flap and concealed hook-and-loop closure
- > Adjustable bottom hem
- > Compatible with zip-in hood, fleece jacket & bodywarmer
- > Compartment for storing hood in collar
- > Prolux® 50mm flame-retardant reflective striping





Available in colors: Sizes in stock



US XS-4XL



















Breathable Waterproof

Way Zipper

Gas Loop



PRODUCT CODE: OACCI-NB/HVYE*

C9-2 Jacket Certification and fabric information



EN ISO 13688:2013 (EN 340:2003)









14116:2015 Outer: Index 1

1149-5:2018

+A1:2009 type PB[6]

20471:2013 +A1:2016

H20 Lifetime

- · 98% Polyester / 2% Anti-static · Flame-retardant and Anti-static
- · H20 water & windproof
- · Water, oil, grease and dirt repellent finish
- 260 GSM

Features

- > Fully taped seams
- > Extra high collar to protect against heavy wind and rain
- > Center front with concealed YKK® vislon zipper and hook-and-loop closure
- > Gas detector loop on chest at right hand side
- > Goggle pocket behind storm flap with concealed nylon zipper closure
- > Inside pocket with safety flap and concealed nylon zipper closure at left hand side
- > Lower pockets with safety flap and concealed hook-and-loop closure
- > Adjustable bottom hem
- > Compatible with zip-in hood, fleece jacket & bodywarmer
- > Compartment for storing hood in collar
- > Prolux® 50mm flame-retardant reflective striping

















Available in colors:

Sizes in stock Navy Blue

US S-4XL

Hi-Vis Yellow *NB/HVYE

Navy Blue

Hi-Vis Orange *NB/HVOR

US S-3XL

5 Thread Bartacks Safety Stitch

Breathable Waterproof

Way Zipper

Lower Arm Striping



PRODUCT CODE: OACCI-NB/HVOR*

C9-2 Jacket Certification and fabric information

+A1:2009

type PB[6]



EN ISO 13688:2013 (EN 340:2003)

EN ISO 14116:2015 Outer: Index 1 1149-5:2018

EN 13034:2005







20471:2013 +A1:2016

H20 Lifetime

· 98% Polyester / 2% Anti-static · Flame-retardant and Anti-static

· H20 water & windproof


· Water, oil, grease and dirt repellent finish

260 GSM

Features

- > Fully taped seams
- > Extra high collar to protect against heavy wind and rain
- > Center front with concealed YKK® vislon zipper and hook-and-loop closure
- > Gas detector loop on chest at right hand side
- > **Goggle pocket** behind storm flap with concealed nylon zipper closure
- > **Inside pocket** with safety flap and concealed nylon zipper closure at left hand side
- > Lower pockets with safety flap and concealed hook-and-loop closure
- > Adjustable bottom hem
- > Compatible with zip-in hood, fleece jacket & bodywarmer
- > Compartment for storing hood in collar
- > Prolux® 50mm flame-retardant reflective striping





Available in colors:

Sizes in stock

Navy Blue

Hi-Vis Yellow *NB/HVYE

Navy Blue US S-3XL

Hi-Vis Orange *NB/HVOR











US S-4XL

Available on request: US 2XS-5XL

5 Thread Bartacks Safety Stitch

Waterproof Breathable

Way Zipper

Lower Arm Striping



Dapro Access Bomber Jacket

PRODUCT CODE: OACCBJ-NB/HVOR*

C9-2 Jacket Certification and fabric information



EN ISO 13688:2013

FN ISO 14116:2015 Outer: Index 1 Inner: Index 3

1149-5:2018

+A1:2009 type PB[6]





20471:2013 +A1:2016

Retardant • Water, oil, grease and dirt repellent finish


98% Polyester / 2% Anti-static · Flame-retardant and Anti-static

H20 water & windproof

Features

- > Fully taped seams
- > Extra high collar to protect against heavy wind and rain
- > Center front with concealed YKK® vislon zipper and hook-and-loop closure
- > Gas detector loop on chest at left hand side
- > Chest pocket with safety flap and hook-and-loop closure at left hand side
- > Goggle pocket with concealed nylon zipper closure behind stormflap
- > Inside pocket with safety flap and concealed nylon zipper closure at left hand side
- > Elastic waistband for improved fit
- > Slanted lower pockets with safety flap and concealed **vision zipper** closure
- > Adjustable cuffs with hook-and-loop closure
- > Compatible with zip-in hood, fleece jacket & bodywarmer
- > Compartment for storing hood in collar
- > Prolux® 50mm flame-retardant reflective striping





Available in colors:

Sizes in stock

Hi-Vis Orange *NB/HVOR Navy Blue

US S-4XL

Available on request: US 2XS-5XL

















Bartacks Safety Stitch

Breathable

Waterproof

Way Zipper

Single

Lower Arm Striping

Adjustable Cuffs



Dapro Infinity Jacket

PRODUCT CODE: OINFI-NB*

C9-1 Jacket Certification and fabric information











14116:2015 Outer: Index 1

1149-5:2018

EN 13034:2005 +A1:2009 type PB[6]

Flame

· 98% Polyester / 2% Anti-static

 Flame-retardant and Anti-static Lifetime • H2O water & windproof

Water, oil, grease and dirt repellent finish

Retardant • 260 GSM

Features

- > Fully taped seams
- > Extra high collar to protect against heavy wind and rain
- > Center front with concealed YKK® vislon zipper and hook-and-loop closure
- > Gas detector loops at chest
- > Chest pockets with safety flap and hook-and-loop closure
- > ID-flap behind left hand side chest pocket flap
- > Goggle pocket behind storm flap with nylon zipper closure
- > **Inside pocket** with nylon zipper closure at left hand side
- > Lower pockets with safety flap and hook-and-loop closure
- > Lower side entry pockets with concealed nylon zipper closure
- > Adjustable cuffs with hook-and-loop closure
- > Adjustable hem with elastic cord
- > Compatible with hood, fleece jacket & bodywarmer
- > Compartment for storing hood in collar
- > Prolux® 50mm flame-retardant reflective striping

Available in colors: Sizes in stock



Available on request: US 2XS-5XL

















Bartacks Safety Stitch

5 Thread

Breathable

Waterproof

Way Zipper

Double Gas Loop Adjustable Cuffs



Dapro Infinity Jacket

PRODUCT CODE: OINFI-NB/HVYE*

C9-2 Jacket Certification and fabric information









+A1:2009

type PB[6]







20471:2013

+A1:2016

14116:2015

Outer: Index 1

1149-5:2018

· 98% Polyester / 2% Anti-static

Flame-retardant and Anti-static

Lifetime • H2O water & windproof

Water, oil, grease and dirt repellent finish

Retardant • 260 GSM

Features

> Fully taped seams

Flame

- > Extra high collar to protect against heavy wind and rain
- > Center front with concealed YKK® vislon zipper and hook-and-loop closure
- > Gas detector loops at chest
- > Chest pockets with safety flap and hook-and-loop closure
- > ID-flap behind left hand side chest pocket flap
- > Goggle pocket behind storm flap with nylon zipper closure
- > **Inside pocket** with nylon zipper closure at left hand side
- > Lower pockets with safety flap and hook-and-loop closure
- > Lower side entry pockets with concealed nylon zipper closure
- > Adjustable cuffs with hook-and-loop closure
- > Adjustable hem with elastic cord
- > Compatible with hood, fleece jacket & bodywarmer
- > Compartment for storing hood in collar
- > Prolux® 50mm flame-retardant reflective striping

Available in colors:

Sizes in stock

US XS-4XL

Navy Blue


































Bartacks Safety Stitch

Breathable

Waterproof

Way Zipper

Double Gas Loop

Adjustable Cuffs



Dapro Infinity Jacket

PRODUCT CODE: OINFI-NB/HVOR*

C9-2 Jacket Certification and fabric information













14116:2015 Outer: Index 1

1149-5:2018

EN 13034:2005 +A1:2009 type PB[6]

20471:2013 +A1:2016

Flame

Lifetime • H2O water & windproof

Retardant • 260 GSM

· 98% Polyester / 2% Anti-static Flame-retardant and Anti-static

Water, oil, grease and dirt repellent finish

Features

- > Fully taped seams
- > Extra high collar to protect against heavy wind and rain
- > Center front with concealed YKK® vislon zipper and hook-and-loop closure
- > Gas detector loops at chest
- > Chest pockets with safety flap and hook-and-loop closure
- > ID-flap behind left hand side chest pocket flap
- > Goggle pocket behind storm flap with nylon zipper closure
- > **Inside pocket** with nylon zipper closure at left hand side
- > Lower pockets with safety flap and hook-and-loop closure
- > Lower side entry pockets with concealed nylon zipper closure
- > Adjustable cuffs with hook-and-loop closure
- > Adjustable hem with elastic cord
- > Compatible with hood, fleece jacket & bodywarmer
- > Compartment for storing hood in collar
- > Prolux® 50mm flame-retardant reflective striping

Available in colors:

Sizes in stock













US XS-4XL

















Bartacks Safety Stitch

Breathable

Waterproof

Way Zipper

Double Gas Loop Adjustable Cuffs

Available on request: US 2XS-5XL

80

platinum range



Dapro Globe-Tech Jacket

PRODUCT CODE: OGTECHJ-BL/HVYE*

C15-1 Certification and fabric information

















EN ISO 13688:2013 (EN 340:2003)

11612:2015 A1 B1 C1 D3 E3 F1

14116:2015 Index 3

A1 Class 1

EN 13034:2005 +A1:2009

Type PB[6]

61482-2:2020

EN 17353:2020 Type B3



Retardant • Water, oil, grease and dirt repellent finish

Features

- > Fully taped seams
- > High-visibility Yellow at front and back yoke
- > Center front with concealed YKK® vislon zipper with rubber puller and hook-and-loop closure
- > Gas detector loops at chest
- > Spacious chest pocket with safety flap and hook-and-loop closure at right hand side
- > Goggle pocket behind storm flap with nylon zipper
- > Ergonomically shaped arms
- > Welted lower pockets with safety flap and hook-and-loop closure
- > Adjustable cuffs with hook-and-loop closure
- > Compatible with hood, fleece jacket & bodywarmer
- > Compartment for storing hood in collar
- > High-visibility piping details on center front and lower pockets
- > Prolux® 50mm flame-retardant reflective press-on striping

Available in colors:

Sizes in stock








Available on request: US XS-5XL























Breathable

Waterproof

Way Zipper

Double Gas Loop

Adjustable Cuffs





Dapro Spectre Softshell Jacket

PRODUCT CODE: OSPEJ-NB/HVYE*

C19-2 Certification and fabric information















EN ISO 20471:2013/ A1:2016

EN ISO 13688:2013 (EN 340:2003)

11612:2015 A1 A2 B1 C2 F1

EN ISO 11611: A1 A2 Class 2

+A1:2009 Type PB[6]

Guardian H2O Softshell Lifetime


· 48% Modacrylic / 33% Cotton / 18% Polyester / 2% Anti-static · Flame-retardant and Anti-static

- · H20 water repellent & windproof
- · Chemical proof
- 400 GSM

Features

- > Center front with vislon zipper and hook-and-loop closure
- > Gas detector loops at chest
- > Welted vertical chest pockets with concealed nylon zipper closure
- > **Inside pocket** with snap button closure at both sides
- > Welted lower pockets with concealed zipper closure
- > Adjustable cuffs with hook-and-loop closure
- > Adjustable hem with elastic cord
- > Compatible with Dapro outerwear jackets
- > Prolux® 50mm flame-retardant reflective striping





Available in colors: Sizes in stock

Navy Blue US S-3XL

Hi-Vis Yellow *NB/HVYE

Available on request: US 2XS-5XL







Breathable













Water repellent

YKK® One-Way

Double Gas Loop

Lower Arm Striping

82

Dapro PU Hydrolite Rainsuit

PRODUCT CODE: OPUHR-NB*

C20 Certification and fabric information



EN ISO 13688:2013

EN ISO 14116:2015 Index 1







- 50% Polyester / 50% PU
- · Flame-retardant and Anti-static

Features

IACKET

- > Fully taped seams
- > Adjustable hood with drawcord concealed in the collar
- > Extra high collar to protect against heavy wind and rain
- > Center front with plastic snap button closure
- > Lower pockets with safety flap
- > Ventilation in back
- > Windcatcher in sleeves
- > Reflective striping on sleeves

Also available separately:

Dapro PU Hydrolite Jacket

PRODUCT CODE: OPUHJ-NB*

Dapro PU Hydrolite Pant

PRODUCT CODE: OPUHP-NB*

PANTS

- > Fully taped seams
- > Elastic waist for improved ergonomics
- > Adjustable hems with plastic snap button closure
- > Reflective striping on legs







83

Available in colors: Sizes in stock







Breathable Waterproof Fabric

Available on request: US 2XS-5XL





Dapro Protector 2 Coverall Reflect

PRODUCT CODE: OPRO2CR-HVOR*

C9-3 Certification and fabric information















20471:2013

FN ISO 14116:2015 Outer: index 1 Inner: index 3

EN 13034:2005 +A1:2009 Type 6

+A1:2016

· 98% Polyester / 2% Anti-static



Retardant • Water, oil, grease and dirt repellent finish

Features

- > Fully taped seams
- > Including zip-in hood with elastic cord, nylon zipper and hook-and-loop attachment
- > Center front with storm flap, YKK® two-way vislon zipper and hook-and-loop closure
- > **Gas detector loops** at chest
- > 3D chest and upper leg pockets with safety flap and hook-and-loop closure
- > Goggle pocket behind storm flap with nylon zipper closure
- > Elastic waistband for improved fit
- > Side pockets
- > Side vents with safety flap and hook-and-loop closure behind side pockets
- > **Shaped kneepad pockets** made of abrasion resistant material
- > Adjustable cuffs with strap and plastic flame-retardant snap buttons
- > Concealed vision zipper with hook-and-loop closure at ankle to pull coverall over boots
- > Prolux® 50mm & 25mm flame-retardant reflective striping



Available in colors: Sizes in stock







5 Thread

Bartacks Safety Stitch



Waterproof



Way Zipper



Single

Gas Loop









Dapro Protector Bib

PRODUCT CODE: OPROB-NB/HVYE*

C9-2 Certification and fabric information











+A1:2009

type PB[6]







20471:2013

+A1:2016

14116:2015

Outer: index 1 Inner: index 3





H20 water & windproof

Retardant • Water, oil, grease and dirt repellent finish


Features

- > Fully taped seams
- > Elastic braces with buckle closure
- > Welted chest pocket with concealed hook-and-loop closure
- > Sides closed with concealed metal snap buttons
- > Elastic waistband for improved fit
- > Zipper fly closure
- > Side pockets with safety flap and hook-and-loop closure
- > **Side vents** behind side pockets
- > Prolux® 50mm flame-retardant reflective striping









Available in colors: Sizes in stock

Navy Blue US S-2XL

Hi-Vis Yellow *NB/HVYE

Navy Blue US S-3XL

Hi-Vis Orange *NB/HVOR











YKK® One-5 Thread Bartacks Safety Stitch Way Zipper

Breathable Waterproof

Available on request: US 2XS-5XL

85



Dapro Protector Bib

PRODUCT CODE: OPROB-NB/HVOR*

C9-2 Certification and fabric information













(EN 340:2003)

EN ISO 14116:2015 Outer: index 1 Inner: index 3

+A1:2009 type PB[6]

20471:2013 +A1:2016

· 98% Polyester / 2% Anti-static · Flame-retardant and Anti-static

H20 water & windproof

Retardant • Water, oil, grease and dirt repellent finish


Features

- > Fully taped seams
- > Elastic braces with buckle closure
- > Welted chest pocket with concealed hook-and-loop closure
- > Sides closed with concealed metal snap buttons
- > Elastic waistband for improved fit
- > Zipper fly closure
- > Side pockets with safety flap and hook-and-loop closure
- > **Side vents** behind side pockets
- > Prolux® 50mm flame-retardant reflective striping









Available in colors: Sizes in stock

Navy Blue

US S-2XL

Hi-Vis Yellow *NB/HVYE

Navy Blue US S-3XL

Hi-Vis Orange *NB/HVOR











YKK® One-5 Thread Bartacks Safety Stitch Way Zipper

Breathable Waterproof

Available on request: US 2XS-5XL

86



Dapro Protector Pant

PRODUCT CODE: OPROP-NB*

C9-1 Certification and fabric information













1149-5:2018

EN 13034:2005 +A1:2009 type PB[6]

EN ISO

14116:2015

Outer: index 1

Inner: index 3

Lifetime • H2O water & windproof

- Guardian 98% Polyester / 2% Anti-static Flame-retardant and Anti-static
- Retardant Water, oil, grease and dirt repellent finish 260 GSM


Features

- > Fully taped seams
- > Elastic waistband for improved fit
- > 7 Beltloops
- > Zipper fly with metal snap button and hook-and-eye closure
- > Side pockets with safety flap and hook-and-loop closure
- > Prolux® 50mm flame-retardant reflective striping





















Dapro Protector Pant

PRODUCT CODE: OPROP-NB/HVYE*

C9-2 Certification and fabric information









+A1:2009

type PB[6]







20471:2013 +A1:2016





Guardian • 98% Polyester / 2% Anti-static · Flame-retardant and Anti-static Lifetime • H2O water & windproof

Retardant • Water, oil, grease and dirt repellent finish

Features

- > Fully taped seams
- > Elastic waistband for improved fit
- > 7 Beltloops
- > Zipper fly with metal snap button and hook-and-eye closure
- > Side pockets with safety flap and hook-and-loop closure
- > Prolux® 50mm flame-retardant reflective striping



Available in colors: Sizes in stock

Navy Blue

Hi-Vis Yellow *NB/HVYE

Navy Blue

US S-3XL

Hi-Vis Orange *NB/HVOR













Dapro Protector Pant

PRODUCT CODE: OPROP-NB/HVOR*

C9-2 Certification and fabric information

















EN ISO

14116:2015 Outer: index 1 Inner: index 3

1149-5:2018

EN 13034:2005 +A1:2009 type PB[6]

20471:2013 +A1:2016



Guardian • 98% Polyester / 2% Anti-static · Flame-retardant and Anti-static Lifetime • H2O water & windproof

Retardant • Water, oil, grease and dirt repellent finish

Features

- > Fully taped seams
- > Elastic waistband for improved fit
- > 7 Beltloops
- > Zipper fly with metal snap button and hook-and-eye closure
- > Side pockets with safety flap and hook-and-loop closure
- > Prolux® 50mm flame-retardant reflective striping



Available in colors: Sizes in stock

Navy Blue

Hi-Vis Yellow *NB/HVYE

US S-3XL

Hi-Vis Orange *NB/HVOR Navy Blue













Dapro Protector Bodywarmer

PRODUCT CODE: OPROW-NB*

C9-1 Certification and fabric information












+A1:2009

1149-5:2018 Outer: index 1 Inner: index 3

type PB[6]



14116:2015

- · 98% Polyester / 2% Anti-static · Flame-retardant and Anti-static
- Retardant Water, oil, grease and dirt repellent finish


Features


- > Fully taped seams
- > Center front with concealed **vision zipper** and hook-and-loop closure
- > Gas detector loops on chest at right hand side
- > 3D chest pocket with safety flap and hook-and-loop closure at left hand side
- > ID-flap behind left hand side chest pocket flap
- > Inside pocket with nylon zipper at left hand side
- > Welted lower pockets with safety flap and concealed hook-and-loop closure
- > Prolux® 50mm flame-retardant reflective striping
- > Certification only valid when worn with C9 outerwear jacket























Way Zipper

Gas Loop



Dapro Protector Bodywarmer

PRODUCT CODE: OPROW-NB/HVYE*

C9-2 Certification and fabric information











+A1:2009

type PB[6]







+A1:2016

14116:2015 Outer: index 1

1149-5:2018

Inner: index 3



98% Polyester / 2% Anti-static · Flame-retardant and Anti-static

- H20 water & windproof
- Retardant Water, oil, grease and dirt repellent finish

Features

- > Fully taped seams
- > Center front with concealed **vision zipper** and hook-and-loop closure
- > Gas detector loops on chest at right hand side
- > 3D chest pocket with safety flap and hook-and-loop closure at left hand side
- > ID-flap behind left hand side chest pocket flap
- > Inside pocket with nylon zipper at left hand side
- > Welted lower pockets with safety flap and concealed hook-and-loop closure
- > Prolux® 50mm flame-retardant reflective striping
- > Certification only valid when worn with C9 outerwear jacket



Available in colors: Sizes in stock

Hi-Vis Yellow *NB/HVYE Navy Blue

Navy Blue

Hi-Vis Orange *NB/HVOR

US S-4XL













Single Gas Loop



Dapro Protector Bodywarmer

PRODUCT CODE: OPROW-NB/HVOR*

C9-2 Certification and fabric information













14116:2015 Outer: index 1 Inner: index 3

1149-5:2018

+A1:2009 type PB[6]

20471:2013 +A1:2016

98% Polyester / 2% Anti-static · Flame-retardant and Anti-static

H20 water & windproof

Retardant • Water, oil, grease and dirt repellent finish

Features

- > Fully taped seams
- > Center front with concealed **vision zipper** and hook-and-loop closure
- > Gas detector loops on chest at right hand side
- > 3D chest pocket with safety flap and hook-and-loop closure at left hand side
- > ID-flap behind left hand side chest pocket flap
- > Inside pocket with nylon zipper at left hand side
- > Welted lower pockets with safety flap and concealed hook-and-loop closure
- > Prolux® 50mm flame-retardant reflective striping
- > Certification only valid when worn with C9 outerwear jacket



Available in colors: Sizes in stock

US XS-5XL

Hi-Vis Yellow *NB/HVYE Navy Blue

Navy Blue

US S-4XL

Hi-Vis Orange *NB/HVOR











Bartacks Safety Stitch

Breathable Waterproof Way Zipper

Single Gas Loop



Dapro Basic Fleece

PRODUCT CODE: OBASF-BL*

Certification and fabric information

 ϵ

EN ISO 13688:2013 (EN 340:2003)



Features

- > Center front with vision zipper closure
- > Inside pocket with concealed nylon zipper closure at left hand side
- > Welted slanted lower pockets with concealed nylon zipper closure
- > System loops at sleeves and neck for compatibility with outerwear jackets
- > Elastic cuffs for improved ergonomics and ultimate comfort



Available in colors: Sizes in stock











Way Zipper

Dapro Defender Fleece

PRODUCT CODE: ODEFF-NB*

C11-A Certification and fabric information













EN ISO 13688:2013 (EN 340:2003)

A1 B1 C1

11612:2015

14116:2015 Index 3

1149-5:2008


Fleece

· 60% Modacrylic / 38% Cotton / 2% Anti-static Lifetime • Flame-retardant and Anti-static

Features

- > Center front with concealed YKK® vislon zipper and hook-and-loop closure
- > **Inside pocket** with concealed nylon zipper closure at left hand side
- > Welted slanted lower pockets with safety flap and concealed nylon zipper closure
- > System loops at sleeves and neck for compatibility with outerwear jackets
- > Elastic cuffs for improved ergonomics and ultimate comfort





Available in colors: Sizes in stock



US XS-4XL











5 Thread Bartacks Safety Stitch Way Zipper

Available on request: US 2XS-5XL

Dapro Defender Fleece

95

PRODUCT CODE: ODEFF-RB*

C11-A Certification and fabric information



(EN 340:2003)



A1 B1 C1





14116:2015

Index 3





1149-5:2008



Guardian Fleece


Flame

· 60% Modacrylic / 38% Cotton / 2% Anti-static Lifetime • Flame-retardant and Anti-static

Features

- > Center front with concealed YKK® vislon zipper and hook-and-loop closure
- > Inside pocket with concealed nylon zipper closure at left hand side
- > Welted slanted lower pockets with safety flap and concealed nylon zipper closure
- > Elastic cuffs for improved ergonomics and ultimate comfort
- > System loops at sleeves and neck for compatibility with outerwear jackets





Available in colors: Sizes in stock











5 Thread Bartacks Safety Stitch Way Zipper

Available on request: US 2XS-5XL



PRODUCT CODE: SOFFTBAG-BL*

Features

- > Robust and water-resistant offshore bag
- > Backpack function
- > Ergonomic adjustable shoulder straps
- > Hard flexible corner protection
- > Enforced water resistant zippers
- > A large protected namecard holder
- > Extra zipper pocket for covering shoulder straps
- > Handles on both ends
- > Padded shoulder strap for ultimate comfort
- > Size:

Length: 60cm Width: 30cm Height: 30cm



Available in colors:







Dapro C9 Hood

PRODUCT CODE: OC9HO-NB*

Fabric according to C9 Certification and fabric information

Norms with C9 outerwear jacket



EN ISO 13688:2013 EN ISO (EN 340:2003)



EN 13034:2005





14116:2015 Outer: index 1 Inner: index 3

1149-5:2018

+A1:2009 type PB[6]


Flame


- Guardian H2O Lifetime
- 98% Polyester / 2% Anti-static
- Flame-retardant and Anti-static
- H2O water & windproof
 Water, oil, grease and dirt repellent finish
- 260 GSM

Features

- > Attaches easily to jacket with snap buttons and zipper
- > Foldable and stowable in outerwear jacket collar
- > To be worn with C9 outerwear jacket















Breathable Waterproof Fabric

Available on request: US 2XS-5XL 97

adapts brilliantly

Prolux reflective striping is specifically developed for industrial workwear and outerwear.

Visibility in dark and hazardous environments greatly reduces the risk of accidents. This can be on railways, roads, construction areas or industrial areas.

Aside from its **exceptional** reflective properties, our product offers great **durability** with **industrial** laundering

Retro-reflective

450 cd/lx m² @ Observation Angle 12''/entrance angle 5°

Composition:

Glass bead 30% / Resin 30% / Highly durable FR backing cloth 30% / Other materials 10%

EN 20471:2013

This standard specifies the international standard for the safety requirements and test methods of hi-vis workwear, and is applicable to high-risk situations. It specifies requirements for "high visibility clothing which is capable of visually signalling the user's presence" and assesses the suitability and durability of retro-reflective materials.

EN 469:2005

This standard specifies minimum levels of performance requirements for protective clothing to be worn during firefighting operations and associated activities such as e.g. rescue work, assistance during disasters.

EN ISO 14116:2008

This standard specifies the minimum requirements for protective clothing against heat and flame. The standard outlines the performance requirements for clothing materials and garments that are designed to protect against limited flame spread and radiant heat.

EN ISO 11612

This standard outlines the performance requirements for clothing materials and garments in terms of their ability to resist heat and flame, and to provide effective protection for the wearer. EN ISO 11612 specifies test methods for determining the clothing's ability to resist heat and flame, as well as requirements for the material's strength and dimensional stability.

NFPA 1971

TIME IN

NFPA 1971 protects fire fighting personnel by establishing minimum levels of protection from thermal, physical, environmental, and bloodborne pathogen hazards encountered during structural and proximity fire fighting operations.

OEKO-TEX® Standard 100

If a textile article carries the STANDARD 100 label, you can be certain that every component of this article, i.e. every thread, button and other accessories, has been tested for harmful substances and that the article therefore is harmless for human health.

www.prolux-reflective.com




SubZero insulation is an intermeshed cotton material which forms a mass of fiber to trap air in between the outerlayer of the shoe and your foot.

This breathable high resilient and loft material provides durable warmth retention with light weight properties for extra freedom of movement and comfort.

The perfect combination to use in protective workwear developed to work in hazardous environments.

Properties	Weight	Warmth
SUBZER®	100 GSM	
SUBZER®	150 GSM	
SUBZER®	250 GSM	
SUBZER® INSULATION	300 GSM	







Size guide Coverall/Jacket

Size guide Pants

	SIZE		LENGHT (A)	CHEST (B)	WAIST (C)
42	32	3XS	158-167	76-96	70-90
44	34	2XS	158-170	78-98	71-91
46	36	XS	158-172	80-100	73-93
48	38	S	161-175	82-102	74-94
50	40	М	164-178	84-104	76-96
52	42		168-182	86-106	77-97
54	44	L	172-186	87-107	79-99
56	46		174-188	89-109	80-100
58	48	XL	177-191	91-111	82-102
60	50		179-193	93-113	83-103
62	52	2XL	182-196	94-114	85-105
64	54		183-202	96-116	88-108
66	56	3XL	184-202	97-117	91-111
68	58		185-202	99-119	94-114
70	60	4XL	187-202	100-120	96-116

	SIZE		WAIST (C)	HIP (D)	INSEAM (E)	
42	32	3XS	74-85	87-98	70-76	
44	34	2XS	77-88	89-100	71-77	
46	36	XS	80-91	91-102	72-78	
48	38	S	83-94	93-104	74-80	
50	40	М	86-97	95-106	75-81	
52	42		88-100	97-109	76-82	
54	44	L	91-103	100-112	79-85	
56	46		94-106	103-115	80-86	
58	48	XL	96-109	105-118	81-87	
60	50		99-112	108-121	82-88	
62	52	2XL	102-115	111-124	83-89	
64	54		105-118	114-127	84-90	
66	56	3XL	111-124	117-130	84-90	
68	58		117-130	120-133	84-90	
70	60	4XL	123-136	123-136	84-90	
Measurements shown in centimete						

Total Lenght (A)

No shoes- top of head to sole of foot Chest (B)
Horizontally, under shoulder blades - Waist (C) Horizontally, fullest part of waist Hip (D)
Horizontally, fullest part of hip Inseam (E)
No shoes- from crotch
to sole of foot

Measurements shown in centimeters

Iconography













Single Gas Loop



<u></u>

5 Thread

Safety Stitch

Double Gas Loop



Breathable

Fabric

Lower Arm Striping



Waterproof

9:0

Adjustable

Hems/Cuffs





Action Armpit




YKK® Two-Way Zipper



Shaped Knee

Wearers side





Dapro Balaclava

PRODUCT CODE: UBAL-BL*

C1 Certification and fabric information









EN ISO 13688:2013 (EN 340:2003)

EN ISO 11612:2015 A1 B1 C1

14116:2015 Index 3

EN 1149-5:2008









Features

- > Unisex, one size fits all
- > Comfortable fit
- > Breathable and strechable fabric









Dapro Polar Balaclava

PRODUCT CODE: UPOLBAL-BL*

C1 Certification and fabric information



EN ISO 13688:2013 (EN 340:2003)









EN 1149-5:2008









Features

- > Unisex, one size fits all
- > Comfortable fit
- > Breathable and strechable fabric
- > Double insulating fabric layer













Dapro Frost Multi-Use Neck Warmer

PRODUCT CODE: UFRON-BL*

C1 Certification and fabric information









EN ISO 13688:2013 (EN 340:2003)

11612:2015 A1 B1 C1

14116:2015 Index 3

1149-5:2008





Features

> Unisex, one size fits all





Dapro Frost Underwear Shirt

PRODUCT CODE: UFROS-BL*

C1 Certification and fabric information











EN ISO 13688:2013 (EN 340:2003)

11612:2015

14116:2015 Index 3

EN 1149-5:2008

A1 B1 C1











Features

- > Comfortable fit
- > Breathable and strechable fabric



Available in colors: Sizes in stock





Available on request: US 2XS-5XL 105

Dapro Frost Underwear Pant

PRODUCT CODE: UFROP-BL*

C1 Certification and fabric information





11612:2015

A1 B1 C1





EN ISO 14116:2015 Index 3

E 1149-

EN 1149-5:2008

RDIAN Guard Knit Inher Flam

Guardian Knit Inherent Flame Retardant





Features

- > Comfortable fit
- > Breathable and strechable fabric



Available in colors: Sizes in stock





Fabric

Available on request: US 2XS-5XL



Dapro Phoenix Socks

PRODUCT CODE: UPHOSO-NB*

Fabric information



75% Cotton / 17% Polyester / 8%
 Spandey

Features

- > Comfortable fit
- > Breathable sweat-absorbent and strechable fabric
- > Fully fashioned knit
- > Anti-bacterial



Available in colors: Sizes in stock



EU 41-46/L (men)









Dapro Phoenix Socks

PRODUCT CODE: UPHOSO-BL*

Fabric information



Features

- > Comfortable fit
- > Breathable sweat-absorbent and strechable fabric
- > Fully fashioned knit
- > Anti-bacterial



Available in colors: Sizes in stock



EU 41-46/L (men)









Dapro Offshore Glasses

PRODUCT CODE: EOFF-NB/CL*

Certification

CE DAP EN 166 F CE 5-3.1 DAP 1F

Features

- > Curved based polycarbonate lens for perfect 180 degrees vision
- > 4A coated lens, anti-scratch, anti UV, antistatic and anti-fog
- > Adjustable side arm lengths for maximum adaptability
- > Extremely tough rubber hinges
- > Impact resistance 6mm steel ball at 45 m/s
- > UV absorption 100% up to 390nm
- > Heat resistant up to 80 degrees Celsius
- > Abrasion resistant as per EN 166 standard
- > Also suitable for protection against fireworks and as sports glasses/ cycling glasses



Available in colors: Sizes in stock



One Size

Navy blue Clear Lens *NB/CL



Dapro Offshore Glasses

PRODUCT CODE: EOFF-NB/DA*

Certification

Frame Marking CE DAP EN 166 F CE 5-3,1 DAP 1F

Features

- > Curved based polycarbonate lens for perfect 180 degrees vision
- > 4A coated lens, anti-scratch, anti UV, antistatic and anti-fog
- > Adjustable side arm lengths for maximum adaptability
- > Extremely tough rubber hinges
- > Impact resistance 6mm steel ball at 45 m/s
- > UV absorption 100% up to 390nm
- > Heat resistant up to 80 degrees Celsius
- > Abrasion resistant as per EN 166 standard
- > Also suitable for protection against fireworks and as sports glasses/ cycling glasses



Available in colors: Sizes in stock

Navy blue Dark Lens *NB/DA

Navy blue Clear Lens *NB/CL


One Size





Size guide Footwear

	SHOE LENGTH (A)														
EU	35	36	37	38	39	40	41	42	43	44	45	46	47	48	
UK	2	3	4	41/2	51/2	6	61/2	71/2	81/2	9	10	11	12	13	
USA	31/2	4	5	51/2	61/2	7	71/2	81/2	91/2	10	11	12	13	14	
IN	1	2	3	4	5	6	7	8	9	10	11	12	13	14	
Mondopoint	217	225	232	240	247	255	262	270	277	285	292	300	307	315	
SHOE WIDTH (B)															
EU															
	35	36	37	38	39	40	41	42	43	44	45	46	47	48	
D	35 83	36 85	37 87	38 89	39 91	40 93	41 95	42 97	43 99	44 101	45 104	46 106	47 108	48 110	
D	83	85	87	89	91	93	95	97	99	101	104	106	108	110	
D E	83 86	85 88	87 90	89 92	91 94	93 96	95 98	97 100	99 102	101 104	104 106	106 109	108 111	110 113	



Length (A)

Foot width (B) is measured with the subject standing barefoot and the weight of the body equally distributed on both feet. The size of the left and right foot is often slightly different - in this case measure both feet and the shoe size is based on the larger foot.

Mondopoint is based on the mean foot length (A) for which the shoe is suitable, measured in millimeters. The width of a foot (B) is also measured in millimeters.

When establishing your size, base it on your largest measurement.

Iconography













Anti-Slip

Anti-Shock Heel

Breathable Leather

Protective Toe Cap



Water Resistant Leather



Water Proof



Hydrocarbon Resistant Sole



Anti Perforation Midsole



Anti-Static Sole

Dapro Offshore C S7 C

PRODUCT CODE: FOFFCS7C-BL/BL*

Certification and Information





















Features

- > Metal free
- > Full grain leather upper

F3445-21

- > Reflective piping for extra visibility in dark environments
- > Lace-up system for secure fit
- > Waterproof nylon zipper for easy step in/out with hook-and-loop closure on the inner side
- > TPU Abrasion resistant cuff nose / scuff cap
- > Waterproof membrane with mesh lining
- > Anti-perforation textile mid plate (APT)
- > Composite toe cap
- > Anti-bacterial polyester mesh lining and 3D EVA insole
- > Reinforced ankle and heel support structure for extra support and durability
- > Slip resistant sole
- > Oil resistant sole
- > Heat resistant sole up to 300 degrees Celsius
- > Anti-static ESD PU/Nitrile Rubber sole for comfort, durability and light
- > Energy absorption in the heel





Available colors and sizes:



Available on request:





Anti-

Perforation

Midsole



Sole



Anti-Slip

Sole



Anti-Shock

Heel



Water

Proof





Hydrocarbon

Resistant

Sole









Dapro Offshore C S7 C T400 Fur SubZero®

PRODUCT CODE: FOFFCS7CT4S-BL/BL*

Certification and Information

HR3T4CS7C EN ISO 20345:2022

Heat Abrasion S7S FO SR HRO CLSC EN 61340-5-1:2016

Traction Comfort Non-marking









Features

- > Metal free
- > Full grain leather upper
- > Reflective piping for extra visibility in dark environments
- > Lace-up system for secure fit
- > Waterproof nylon zipper for easy step in/out with hook-and-loop closure on the inner side
- > TPU Abrasion resistant cuff nose / scuff cap
- > Waterproof membrane
- > 400 GSM 3Mtm Thinsulate
- > Anti-perforation textile mid plate (APT)
- > Composite toe cap
- > Anti-bacterial polyester mesh lining and 3D EVA insole
- > Reinforced ankle and heel support structure for extra support and durability
- > Slip resistant sole
- > Oil resistant sole
- > Heat resistant sole up to 300 degrees Celsius
- > Anti-static ESD PU/Nitrile Rubber sole for comfort, durability and light weight
- > Energy absorption in the heel





*BL/BL

Available colors and sizes:









Anti-

Perforation

Midsole



Anti-Static

Sole



Anti-Slip



Anti-Shock

Heel





Proof



Sole







Hydrocarbon Breathable Resistant Leather



Dapro Flame Knit C S1P C

PRODUCT CODE: FFLACS1PC-BL/OR*

Certification and Information



Oil Heat Chemical Abrasion ****

Traction ★★★
Comfort ★★★
Non-marking



Features

- > Non-magnetic
- > Knitted polyester upper
- > Lace-up system for secure fit
- > TPU Abrasion resistant cuff nose / scuff cap
- > Anti-perforation textile mid plate (APT)
- > Composite toe cap
- > Anti-bacterial polyester mesh lining and 3D EVA insole
- > Slip resistant sole
- > Oil resistant sole
- > Heat resistant sole up to 160 degrees Celsius
- > Anti-static ESD PU/Rubber sole with Carbon plate for comfort, durability and light weight
- > Energy absorption in the heel





Available colors and sizes:



EU 37-47

*BL/OR

















Anti-Perforation Midsole Anti-Static Sole Anti-Slip Sole Anti-Shock Heel Hydrocarbon Resistant Sole Breathable Leather



PRODUCT CODE: FBLACS3C-BL/WH*

Certification and Information



Heat Chemical Abrasion



Traction Comfort Non-marking



Features

- > Non-magnetic
- > Nubuck finish microfiber upper
- > Lace-up system for secure fit
- > TPU Abrasion resistant cuff nose / scuff cap
- > Anti-perforation textile mid plate (APT)
- > Composite toe cap
- > Anti-bacterial polyester mesh lining and 3D EVA insole
- > Slip resistant sole
- > Oil resistant sole
- > Heat resistant sole up to 160 degrees Celsius
- > Anti-static ESD PU/Rubber sole with Carbon plate for comfort, durability and light weight
- > Energy absorption in the heel





Available colors and sizes:







Anti-

Perforation

Midsole



Anti-Static

Sole



Anti-Slip

Sole





Anti-Shock

Heel



Water

Resistant

Upper



Hydrocarbon

Resistant

Sole





Breathable Leather






PRODUCT CODE: FCOUCS3-BL/OR*

Certification and Information











Features

- > Non-magnetic
- > Grain/microfiber upper
- > Lace-up system for secure fit
- > Anti-perforation textile mid plate (APT)
- > Composite toe cap
- > Anti-bacterial polyester mesh lining and 3D EVA insole
- > Slip resistant sole
- > Oil resistant sole

Available colors and sizes:

EU 37-47

> Heat resistant sole up to 160 degrees Celsius

*BL/OR

- > Anti-static ESD PU/Rubber sole with Carbon plate for comfort, durability and light weight
- > Energy absorption in the heel

























Anti-Perforation Midsole

Anti-Static Sole

Anti-Slip Sole

Anti-Shock

Water Resistant Leather

Hydrocarbon Breathable Resistant Leather Sole

Protective Toe Cap 118

Dapro Elements 2 S3 C

PRODUCT CODE: FELE2S3C-BL/BL*


Certification and Information



Heat Chemical Abrasion









- > Water resistant full grain leather upper
- > Abrasion resistant material used in the collar
- > Lace-up system for secure fit
- > PU bump cap / scuff cap
- > Anti-perforation steel mid plate
- > Steel toe cap
- > Anti-bacterial polyester mesh lining and 3D EVA insole
- > PU/PU light weight sole for comfort
- > Slip resistant sole
- > Oil resistant sole
- > Heat resistant sole up to 160 degrees Celsius
- > Anti-static sole
- > Energy absorption in the heel





Available colors and sizes:



*BL/BL

EU 35-48

Available on request: EU 49-50



Anti-

Perforation

Midsole



Sole



Anti-Slip



Anti-Shock



Water

Resistant

Leather



Hydrocarbon

Resistant

Sole







119

Breathable Toe Cap Leather



PRODUCT CODE: FELE2CS3C-BL/BL*

Certification and Information

S3S FO SR HRO SC EN 61340-5-1:2016 SD10/PR F3445-21 Heat

Chemical Abrasion

Traction Comfort Non-marking



Features

- > Metal free
- > Full grain leather upper
- > Abrasion resistant material used in the collar
- > Lace-up system for secure fit
- > TPU Abrasion resistant cuff nose / scuff cap
- > Anti-perforation textile mid plate (APT)
- > Composite toe cap
- > Anti-bacterial polyester mesh lining and 3D EVA insole
- > Reinforced heel support structure for extra support and durability
- > Slip resistant sole
- > Oil resistant sole
- > Heat resistant sole up to 300 degrees Celsius
- > Anti-static ESD PU/Nitrile Rubber sole for comfort, durability and light weight









*BL/BL

EU 35-48

Available on request:





Anti-

Midsole











Resistant

Leather





Resistant

Sole



Leather





Dapro Elements 3 C S3 C

PRODUCT CODE: FELE3CS3C-BL/BL*

Certification and Information













Features

- > Metal free
- > Full grain leather upper

F3445-21

- > Lace-up system for secure fit
- > Waterproof nylon zipper for easy step in/out with hook-and-loop closure on the inner side
- > TPU Abrasion resistant cuff nose / scuff cap
- > Anti-perforation textile mid plate (APT)
- > Composite toe cap
- > Anti-bacterial polyester mesh lining and 3D EVA insole
- > Reinforced ankle and heel support structure for extra support and durability
- > Slip resistant sole
- > Oil resistant sole
- > Heat resistant sole up to 300 degrees Celsius
- > Anti-static ESD PU/Nitrile Rubber sole for comfort, durability and light weight
- > Energy absorption in the heel





Available colors and sizes:



*BL/BL

EU 37-48

Available on request:





Anti-

Perforation

Midsole



Anti-Static

Sole



Anti-Slip



Anti-Shock



Water

Resistant

Leather





Hydrocarbon

Resistant

Sole





Breathable Leather



Dapro Driller C S3 C

PRODUCT CODE: FDRICS3C-BL/BL*

Certification and Information

















Features

- > Metal free
- > Full grain leather upper
- > Reinforced leather pull up loops for easier instep
- > TPU Abrasion resistant cuff nose / scuff cap
- > Anti-perforation textile mid plate (APT)
- > Composite toe cap
- > Anti-bacterial 3D EVA insole
- > Reinforced heel support structure for extra support and durability
- > Slip resistant sole
- > Oil resistant sole
- > Heat resistant sole up to 300 degrees Celsius
- > Anti-static ESD PU/Nitrile Rubber sole for comfort, durability and light weight
- > Energy absorption in the heel





Available colors and sizes:



EU 39-47











Anti-Static

Sole







Anti-Shock





Water

Resistant

Leather



Hydrocarbon

Resistant

Sole





Breathable Leather

Protective Toe Cap 122



Dapro Driller C S3 C

PRODUCT CODE: FDRICS3C-BR/BR*

Certification and Information





Heat Chemical Abrasion



Traction Comfort Non-marking



Features

- > Metal free
- > Full grain leather upper
- > Reinforced leather pull up loops for easier instep
- > TPU Abrasion resistant cuff nose / scuff cap
- > Anti-perforation textile mid plate (APT)
- > Composite toe cap
- > Anti-bacterial 3D EVA insole
- > Reinforced heel support structure for extra support and durability
- > Slip resistant sole
- > Oil resistant sole
- > Heat resistant sole up to 300 degrees Celsius
- > Anti-static ESD PU/Nitrile Rubber sole for comfort, durability and light weight
- > Energy absorption in the heel





Available colors and sizes:



EU 39-47







Anti-

Perforation

Midsole



Sole















Protective

Toe Cap 123

Anti-Slip Water Anti-Static Anti-Shock Hydrocarbon Breathable Resistant Resistant Leather Leather Sole



Dapro Rigger C S3 C

PRODUCT CODE: FRIGCS3C-BL/BL*

Certification and Information













Features

- > Metal free
- > Full grain leather upper
- > Reinforced leather pull up loops for easier instep
- > TPU Abrasion resistant cuff nose / scuff cap
- > Anti-perforation textile mid plate (APT)
- > Composite toe cap
- > Anti-bacterial polyester mesh lining and 3D EVA insole
- > Reinforced ankle and heel support structure for extra support and durability
- > Slip resistant sole
- > Oil resistant sole
- > Heat resistant sole up to 300 degrees Celsius
- > Anti-static ESD PU/Nitrile Rubber sole for comfort, durability and light weight
- > Energy absorption in the heel





Available colors and sizes:



*BL/BL

Available on request:



Anti-Perforation Midsole



Sole





Anti-Slip





Anti-Shock



Water

Resistant

Leather



Hydrocarbon

Resistant

Sole







Breathable Leather

Protective Toe Cap 124

Dapro Baron S3 C

PRODUCT CODE: FBARS3C-BL/BL*

Certification and Information



Heat Chemical Abrasion







Features

- > Water resistant leather upper
- > Abrasion resistant material used in the collar
- > Lace-up system for secure fit
- > PU bump cap / scuff cap
- > Anti-perforation steel mid plate
- > Steel toe cap
- > EVA insole
- > PU/PU light weight sole for comfort
- > Slip resistant sole
- > Oil resistant sole
- > Heat resistant sole up to 160 degrees Celsius
- > Anti-static sole
- > Energy absorption in the heel













Available on request:







Midsole



Anti-Static

Sole





Anti-Slip

Sole



Anti-Shock

Heel



Water

Resistant

Leather



Hydrocarbon

Resistant

Sole









Dapro Noble 53 C

PRODUCT CODE: FNOBS3C-BL/BL*

Certification and Information



Oil Heat Chemical Abrasion







Features

- > Water resistant leather upper
- > Abrasion resistant material used in the collar
- > Lace-up system for secure fit
- > PU bump cap / scuff cap
- > Anti-perforation steel mid plate
- > Steel toe cap
- > EVA insole
- > PU/PU light weight sole for comfort
- > Slip resistant sole
- > Oil resistant sole
- > Heat resistant sole up to 160 degrees Celsius
- > Anti-static sole
- > Energy absorption in the heel













Anti-

Perforation

Midsole

















Protective

Toe Cap

126

Anti-Static Anti-Slip Anti-Shock Water Hydrocarbon Breathable Sole Sole Heel Resistant Resistant Leather Leather Sole

Dapro Noble 53 C

PRODUCT CODE: FNOBS3C-BR/BR*

Certification and Information



Oil Heat Chemical Abrasion



Traction Comfort Non-marking



Features

- > Water resistant leather upper
- > Abrasion resistant material used in the collar
- > Lace-up system for secure fit
- > PU bump cap / scuff cap
- > Anti-perforation steel mid plate
- > Steel toe cap
- > EVA insole
- > PU/PU light weight sole for comfort
- > Slip resistant sole
- > Oil resistant sole
- > Heat resistant sole up to 160 degrees Celsius
- > Anti-static sole
- > Energy absorption in the heel









EU 35-48





Anti-

Perforation

Midsole



Anti-Static

Sole



Anti-Slip

Sole



Anti-Shock

Heel





Water

Resistant

Leather



Hydrocarbon

Resistant

Sole





Dapro Noble Welding S3 C

PRODUCT CODE: FNOBWS3C-BL/BL*

Certification and Information

VR2WS3C **C**EN ISO 20345: 2011

S3 SRC

Oil Heat Chemical Abrasion **** **** **** ****

Traction Comfort Non-marking ****

Features

- > Water resistant leather upper
- > Abrasion resistant material used in the collar
- > Protective leather flap against welding sparks with hook-and-loop closure
- > Lace-up system for secure fit
- > PU bump cap / scuff cap
- > Anti-perforation steel mid plate
- > Steel toe cap
- > EVA insole
- > PU/PU light weight sole for comfort
- > Slip resistant sole
- > Oil resistant sole
- > Heat resistant sole up to 160 degrees Celsius
- > Anti-static sole
- > Energy absorption in the heel









Available on request:





Midsole



Anti-Static

Sole









Anti-Shock



Water

Resistant

Leather



Hydrocarbon

Resistant

Sole





Leather





Dapro Dauntless \$3 C

PRODUCT CODE: FDAUS3C-BL/BL*

Certification and Information

VR3S3C EN ISO 20345: 2011 S3 SRC

Heat Chemical Abrasion

Traction Comfort Non-marking





- > Water resistant leather upper
- > Abrasion resistant material used in the collar
- > Lace-up system for secure fit
- > PU bump cap / scuff cap
- > Anti-perforation steel mid plate
- > Steel toe cap
- > EVA insole
- > PU/PU light weight sole for comfort
- > Slip resistant sole
- > Oil resistant sole
- > Heat resistant sole up to 160 degrees Celsius
- > Anti-static sole
- > Energy absorption in the heel



Available colors and sizes:

EU 37-46

*BL/BL

Available on request:



EU 37-46





















Anti-Static Sole

Anti-Slip Sole

Anti-Shock

Water Hydrocarbon Resistant Resistant Leather Sole

Breathable Leather



PRODUCT CODE: FDAUS3CS-BL/BL*

Certification and Information

EN ISO 20345: 2011 S3 SRC

Heat Chemical Abrasion

Traction Comfort Non-marking





Features

- > Water resistant leather upper
- > Abrasion resistant material used in the collar
- > Lace-up system for secure fit
- > PU bump cap / scuff cap
- > SubZero® Insulation
- > Anti-perforation steel mid plate
- > Steel toe cap
- > EVA insole
- > PU/PU light weight sole for comfort
- > Slip resistant sole
- > Oil resistant sole
- > Heat resistant sole up to 160 degrees Celsius
- > Anti-static sole
- > Energy absorption in the heel



Available colors and sizes:

*BL/BL EU 37-46

*BR/BR Brown EU 37-46

Available on request:



Anti-

Perforation

Midsole





Anti-Slip

Sole





Anti-Shock



Water

Resistant

Leather



Sole







Hydrocarbon Breathable Resistant Leather



PRODUCT CODE: FINTS3C-BL/BL*

Certification and Information

VR4S3C EN ISO 20345: 2011 S3 SRC

Heat Chemical Abrasion

Traction Comfort Non-marking





- > Water resistant leather upper
- > Reinforced leather pull up loops for easier instep
- > PU bump cap / scuff cap
- > Anti-perforation steel mid plate
- > Steel toe cap
- > EVA insole
- > PU/PU light weight sole for comfort
- > Slip resistant sole
- > Oil resistant sole
- > Heat resistant sole up to 160 degrees Celsius
- > Anti-static sole
- > Energy absorption in the heel







Available on request:







Anti-

Midsole

















Available on request: EU 35-37, 48-50

Anti-Static Anti-Slip Perforation Sole

Anti-Shock

Water Resistant Leather

Hydrocarbon Resistant Sole

Breathable Leather

dapro

Dapro Intrepid S3 C SubZero® Fur

PRODUCT CODE: FINTS3CS-BL/BL*

Certification and Information

VR3FS3C

(EN ISO 20345: 2011
53 SRC

Oil Heat Chemical Abrasion

**** **** ****

Traction
Comfort
Non-marking





Features

- > Water resistant leather upper
- > Reinforced leather pull up loops for easier instep
- > PU bumpcap / scuff cap
- > SubZero® Insulation
- > Anti-perforation steel mid plate
- > Steel toe cap
- > EVA insole
- > PU/PU light weight sole for comfort
- > Slip resistant sole
- > Oil resistant sole
- > Heat resistant sole up to 160 degrees Celsius
- > Anti-static sole
- > Energy absorption in the heel





Available colors and sizes:

Black *BL/BL

Available on request:

Brown *BR/BR





Anti-Static

Sole



Anti-Slip



Anti-Shock



Water

Resistant

Leather





Sole





Hydrocarbon Breathable Resistant Leather

dapro

Dapro 3D Premium Comfort Insole

PRODUCT CODE: FHINS-NB*

Features

> This Dapro ergonomic insole is comfortable and suitable for all Dapro safety shoes / work shoes.



Available colors and sizes:





Dapro Various Laces









Dapro Round Brown Laces

PRODUCT CODE: 01-05-002

Features

- > Sold in pairs
- > Perfect for use in:
 - Dapro Baron S3 C
 - Dapro Noble S3 C
- > Length: 130cm
- > Type: Round

Available in colors:

*BR/BR

Black *BL/BL

Dapro Round Black Laces

PRODUCT CODE: 01-05-003

Features

- > Sold in pairs
- > Perfect for use in:
 - Dapro Baron S3 C
 - Dapro Noble S3 C
- > Length: 130cm
- > Type: Round

Dapro Flat Brown Laces

PRODUCT CODE: 01-05-018

Features

- > Sold in pairs
- > Perfect for use in:
 - Dapro Dauntless S3 C
 - Dapro Dauntless S3 C Subzero® Fur
- > Length: 130cm
- > Type: Flat

Dapro Flat Black Laces

PRODUCT CODE: 01-05-016

Features

- > Sold in pairs
- > Perfect for use in:
 - Dapro Dauntless S3 C
 - Dapro Dauntless S3 C Subzero® Fur
- > Length: 130cm
- > Type: Flat



Dapro Petromaster C S7 C

PRODUCT CODE: FPMACS7C-BL/BL*

Certification and Information





F3445-21













Features

- > Metal free
- > Full grain leather upper
- > Reflective piping for extra visibility in dark environments
- > Fitgo lacing system for comfort and quick release
- > TPU Abrasion resistant cuff nose / scuff cap
- > Waterproof membrane with mesh lining
- > Anti-perforation textile mid plate (APT)
- > Composite toe cap
- > Anti-bacterial polyester mesh lining and 3D EVA insole
- > Reinforced ankle and heel support structure for extra support and durability
- > Slip resistant sole
- > Oil resistant sole
- > Heat resistant sole up to 300 degrees Celsius
- > Anti-static ESD PU/Nitrile Rubber sole for comfort, durability and light weight
- > Energy absorption in the heel
- > Minimum order quantity of 400 pieces

Available on request:

























Water

Proof





Resistant

Sole









Anti-Static Sole

Anti-Slip

Anti-Shock Heel



Dapro Petromaster C S7 C

PRODUCT CODE: FPMACS7C-BR/BR*

Certification and Information

















Features

- > Metal free
- > Full grain leather upper
- > Reflective piping for extra visibility in dark environments
- > Fitgo lacing system for comfort and quick release
- > TPU Abrasion resistant cuff nose / scuff cap
- > Waterproof membrane with mesh lining
- > Anti-perforation textile mid plate (APT)
- > Composite toe cap
- > Anti-bacterial polyester mesh lining and 3D EVA insole
- > Reinforced ankle and heel support structure for extra support and durability
- > Slip resistant sole
- > Oil resistant sole
- > Heat resistant sole up to 300 degrees Celsius
- > Anti-static ESD PU/Nitrile Rubber sole for comfort, durability and light weight
- > Energy absorption in the heel
- > Minimum order quantity of 400 pieces

Available on request:

















Anti-

Perforation

Midsole



Anti-Static

Sole





Anti-Slip

Sole



Anti-Shock

Heel





Proof



Hydrocarbon

Resistant

Sole





Breathable Leather



Dapro Petromaster C S7 C T400 Fur SubZero®

PRODUCT CODE: FPMACS7CT4S-BL/BL*

Certification and Information



S7S FO SR HRO CLSC M/I/C EN 61340-5-1:2016 SD10/PR F3445-21 Oil Heat Chemical Abrasion ****

Traction Comfort Non-marking







Features

- > Metal free
- > Full grain leather upper
- > Reflective piping for extra visibility in dark environments
- > Fitgo lacing system for comfort and quick release
- > TPU Abrasion resistant cuff nose / scuff cap
- > Waterproof membrane
- > 400 GSM 3Mtm Thinsulate
- > Anti-perforation textile mid plate (APT)
- > Composite toe cap
- > Anti-bacterial polyester mesh lining and 3D EVA insole
- > Reinforced ankle and heel support structure for extra support and durability
- > Slip resistant sole
- > Oil resistant sole
- > Heat resistant sole up to 300 degrees Celsius
- > Anti-static ESD PU/Nitrile Rubber sole for comfort, durability and light weight
- > Energy absorption in the heel
- > Minimum order quantity of 400 pieces

Available on request:







*BR/BR







Anti-

Perforation

Midsole



Anti-Static

Sole



Anti-Slip



Anti-Shock

Heel



Proof



Hydrocarbon

Resistant

Sole







Breathable Leather

Dapro Petromaster C S7 C T400 Fur SubZero®

platinum range



PRODUCT CODE: FPMACS7CT4S-BR/BR*

Certification and Information



S7S FO SR HRO CLSC M/I/C EN 61340-5-1:2016 SD10/PR F3445-21 Oil Heat Chemical

Abrasion

Traction Comfort Non-marking







Features

- > Metal free
- > Full grain leather upper
- > Reflective piping for extra visibility in dark environments
- > Fitgo lacing system for comfort and quick release
- > TPU Abrasion resistant cuff nose / scuff cap
- > Waterproof membrane
- > 400 GSM 3Mtm Thinsulate
- > Anti-perforation textile mid plate (APT)
- > Composite toe cap
- > Anti-bacterial polyester mesh lining and 3D EVA insole
- > Reinforced ankle and heel support structure for extra support and durability
- > Slip resistant sole
- > Oil resistant sole
- > Heat resistant sole up to 300 degrees Celsius
- > Anti-static ESD PU/Nitrile Rubber sole for comfort, durability and light weight
- > Energy absorption in the heel
- > Minimum order quantity of 400 pieces

Available on request:















Anti-

Perforation

Midsole



Anti-Static

Sole



Anti-Slip



Anti-Shock

Heel



Water

Proof



Hydrocarbon

Resistant

Sole







Breathable Leather

Dapro Rigmaster C S7 C

PRODUCT CODE: FRMACS7C-BL/BL*

Certification and Information

















Features

- > Metal free
- > Full grain leather upper
- > Reinforced leather pull up loops for easier instep
- > TPU Abrasion resistant cuff nose / scuff cap
- > Waterproof membrane with mesh lining
- > Anti-perforation textile mid plate (APT)
- > Composite toe cap
- > Anti-bacterial polyester mesh lining and 3D EVA insole
- > Reinforced ankle and heel support structure for extra support and durability
- > Slip resistant sole
- > Oil resistant sole
- > Heat resistant sole up to 300 degrees Celsius
- > Anti-static ESD PU/Nitrile Rubber sole for comfort, durability and light weight
- > Energy absorption in the heel
- > Minimum order quantity of 400 pieces

Available on request:

















Water

Proof











Sole



Hydrocarbon Breathable Resistant Leather Sole







Anti-

Perforation

Midsole

Anti-Static

Anti-Shock Heel

Dapro Rigmaster C S7 C

PRODUCT CODE: FRMACS7C-BR/BR*

Certification and Information
















Features

- > Metal free
- > Full grain leather upper
- > Reinforced leather pull up loops for easier instep
- > TPU Abrasion resistant cuff nose / scuff cap
- > Waterproof membrane with mesh lining
- > Anti-perforation textile mid plate (APT)
- > Composite toe cap
- > Anti-bacterial polyester mesh lining and 3D EVA insole
- > Reinforced ankle and heel support structure for extra support and durability
- > Slip resistant sole
- > Oil resistant sole
- > Heat resistant sole up to 300 degrees Celsius
- > Anti-static ESD PU/Nitrile Rubber sole for comfort, durability and light weight
- > Energy absorption in the heel
- > Minimum order quantity of 400 pieces

Available on request:

















Water

Proof









Hydrocarbon Resistant Sole

Breathable Leather





Anti-Static Sole

Anti-Slip Sole

Anti-Shock Heel

Dapro Rigmaster C S7 C T400 Fur SubZero®

PRODUCT CODE: FRMACS7CT4S-BL/BL*

Certification and Information



S7S FO SR HRO CLSC M/I/C EN 61340-5-1:2016 SD10/PR F3445-21 Oil Heat Chemical Abrasion

Traction Comfort Non-marking







Features

- > Metal free
- > Full grain leather upper
- > Reinforced leather pull up loops for easier instep
- > TPU Abrasion resistant cuff nose / scuff cap
- > Waterproof membrane
- > 400 GSM 3Mtm Thinsulate
- > Anti-perforation textile mid plate (APT)
- > Composite toe cap
- > Anti-bacterial polyester mesh lining and 3D EVA insole
- > Reinforced ankle and heel support structure for extra support and durability
- > Slip resistant sole
- > Oil resistant sole
- > Heat resistant sole up to 300 degrees Celsius
- > Anti-static ESD PU/Nitrile Rubber sole for comfort, durability and light weight
- > Energy absorption in the heel
- > Minimum order quantity of 400 pieces

Available on request:













Anti-

Perforation

Midsole



Anti-Static

Sole



Anti-Slip



Anti-Shock

Heel



Water

Proof





Sole





Hydrocarbon Breathable Resistant Leather

dapro

Dapro Rigmaster C S7 C T400 Fur SubZero®

PRODUCT CODE: FRMACS7CT4S-BR/BR*

Certification and Information



EN ISO 20345:2022 F2413-18 575 F0 SR HRO CLSC M/I/C EN 61340-5-1:2016 SD10/PR ESD F3445-21 Oil Heat Chemical Abrasion ****









Features

- > Metal free
- > Full grain leather upper
- > Reinforced leather pull up loops for easier instep
- > TPU Abrasion resistant cuff nose / scuff cap
- > Waterproof membrane
- > 400 GSM 3Mtm Thinsulate
- > Anti-perforation textile mid plate (APT)
- > Composite toe cap
- > Anti-bacterial polyester mesh lining and 3D EVA insole
- > Reinforced ankle and heel support structure for extra support and durability
- > Slip resistant sole
- > Oil resistant sole
- > Heat resistant sole up to 300 degrees Celsius
- > Anti-static ESD PU/Nitrile Rubber sole for comfort, durability and light weight
- > Energy absorption in the heel
- > Minimum order quantity of 400 pieces

Available on request:



Brown



*BR/BR







Anti-

Perforation

Midsole



Anti-Static

Sole



Anti-Slip



Anti-Shock

Heel



Water

Proof









Hydrocarbon Breathable Resistant Leather Sole

Dapro Female Offshore C S7 C

PRODUCT CODE: FOFFFCS7C-BE/BE*

Certification and Information

HR3CS7C EN ISO 20345:2022 S7S FO SR HRO SC

EN 61340-5-1:2016

Abrasion

Traction Comfort Non-marking





Features

- > Metal free
- > Full grain leather upper
- > Reflective piping for extra visibility in dark environments
- > Lace-up system for secure fit
- > Waterproof nylon zipper for easy step in/out with hook-and-loop closure on the inner side
- > TPU Abrasion resistant cuff nose / scuff cap
- > Waterproof membrane with mesh lining
- > Anti-perforation textile mid plate (APT)
- > Composite toe cap
- > Anti-bacterial polyester mesh lining and 3D EVA insole
- > Reinforced ankle and heel support structure for extra support and durability
- > Slip resistant sole
- > Oil resistant sole
- > Heat resistant sole up to 300 degrees Celsius
- > Anti-static ESD PU/Nitrile Rubber sole for comfort, durability and light
- > Energy absorption in the heel
- > Minimum order quantity of 400 pieces

Available on request:

















Sole









Anti-Perforation Midsole

Anti-Static Sole

Anti-Slip

Anti-Shock Heel

Water Proof

Hydrocarbon Resistant

Breathable Leather





Dapro Canyon C S3 C Laceless

PRODUCT CODE: FCANCS3CL-BL/BL*

Certification and Information






F3445-21











Features

- > Metal free
- > Full grain leather upper
- > Fitgo lacing system for comfort and quick release
- > TPU Abrasion resistant cuff nose / scuff cap
- > Anti-perforation textile mid plate (APT)
- > Composite toe cap
- > Anti-bacterial polyester mesh lining and 3D EVA insole
- > Reinforced heel support structure for extra support and durability
- > Slip resistant sole
- > Oil resistant sole
- > Heat resistant sole up to 300 degrees Celsius
- > Anti-static ESD PU/Nitrile Rubber sole for comfort, durability and light weight
- > Energy absorption in the heel
- > Minimum order quantity of 400 pieces





























Anti-Perforation Midsole

Anti-Static Sole

Anti-Slip Anti-Shock

Water Resistant Leather

Hydrocarbon Resistant Sole

Breathable Leather

Protective Toe Cap 145



PRODUCT CODE: FCANCS3CL-BR/BR*

Certification and Information













Features

- > Metal free
- > Full grain leather upper
- > Fitgo lacing system for comfort and quick release
- > TPU Abrasion resistant cuff nose / scuff cap
- > Anti-perforation textile mid plate (APT)
- > Composite toe cap
- > Anti-bacterial polyester mesh lining and 3D EVA insole
- > Reinforced heel support structure for extra support and durability
- > Slip resistant sole
- > Oil resistant sole
- > Heat resistant sole up to 300 degrees Celsius
- > Anti-static ESD PU/Nitrile Rubber sole for comfort, durability and light weight
- > Energy absorption in the heel
- > Minimum order quantity of 400 pieces





























Anti-Static Sole

Anti-Slip

Anti-Shock

Water Resistant Leather

Hydrocarbon Breathable Resistant Leather Sole



Dapro Elements 1 C S3 C


PRODUCT CODE: FELE1CS3C-BL/BL*

Certification and Information











Features

- > Metal free
- > Full grain leather upper
- > Abrasion resistant material used in the collar
- > Lace-up system for secure fit
- > TPU Abrasion resistant cuff nose / scuff cap
- > Anti-perforation textile mid plate (APT)
- > Composite toe cap
- > Anti-bacterial polyester mesh lining and 3D EVA insole
- > Reinforced heel support structure for extra support and durability
- > Slip resistant sole
- > Oil resistant sole
- > Heat resistant sole up to 300 degrees Celsius
- > Anti-static ESD PU/Nitrile Rubber sole for comfort, durability and light weight
- > Minimum order quantity of 400 pieces



























Breathable

Leather



Anti-Static Sole

Anti-Slip

Anti-Shock

Water Resistant Leather

Hydrocarbon Resistant Sole



Dapro Elements 1 C S3 C

PRODUCT CODE: FELE1CS3C-BR/BR*

Certification and Information

S3S FO SR HRO SC EN 61340-5-1:2016

SD10/PR

F3445-21

Heat Chemical Abrasion

Traction Comfort Non-marking



Features

- > Metal free
- > Full grain leather upper
- > Abrasion resistant material used in the collar
- > Lace-up system for secure fit
- > TPU Abrasion resistant cuff nose / scuff cap
- > Anti-perforation textile mid plate (APT)
- > Composite toe cap
- > Anti-bacterial polyester mesh lining and 3D EVA insole
- > Reinforced heel support structure for extra support and durability
- > Slip resistant sole
- > Oil resistant sole
- > Heat resistant sole up to 300 degrees Celsius
- > Anti-static ESD PU/Nitrile Rubber sole for comfort, durability and light weight
- > Minimum order quantity of 400 pieces













Anti-

Perforation

Midsole



Anti-Static

Sole















Protective

Toe Cap 148

Anti-Slip Water Anti-Shock Hydrocarbon Breathable Resistant Resistant Leather Sole Leather



Dapro Chelsea Boot C 53

PRODUCT CODE: FCHECS3-BL/BL*

Certification and Information













Features

- > Metal free
- > Full grain leather upper
- > Reinforced pull up loop for easier instep
- > Anti-perforation textile mid plate (APT)
- > Composite toe cap
- > Anti-bacterial polyester mesh lining and 3D EVA insole
- > Slip resistant sole
- > Oil resistant sole
- > Heat resistant sole up to 300 degrees Celsius
- > Anti-static ESD PU/Nitrile Rubber sole for comfort, durability and light weight
- > Energy absorption in the heel
- > Minimum order quantity of 400 pieces





Available on request:







Anti-

Perforation

Midsole



Anti-Static

Sole



Anti-Slip

Sole



Anti-Shock

Heel



Water

Resistant

Leather



Hydrocarbon

Resistant

Sole



Leather



Breathable





Dapro Chelsea Boot C 53

PRODUCT CODE: FCHECS3-BR/BR*


Certification and Information













Features

- > Metal free
- > Full grain leather upper
- > Reinforced pull up loop for easier instep
- > Anti-perforation textile mid plate (APT)
- > Composite toe cap
- > Anti-bacterial polyester mesh lining and 3D EVA insole
- > Slip resistant sole
- > Oil resistant sole
- > Heat resistant sole up to 300 degrees Celsius
- > Anti-static ESD PU/Nitrile Rubber sole for comfort, durability and light weight
- > Energy absorption in the heel
- > Minimum order quantity of 400 pieces



























Anti-Perforation Midsole

Anti-Static Sole

Anti-Slip Anti-Shock Sole Heel

Water Resistant Leather

Hydrocarbon Breathable Resistant Leather Sole

Protective Toe Cap 150






PRODUCT CODE: FCOSCS3-BL/BL*

Certification and Information











Features

- > Metal free
- > Full grain leather upper
- > Reinforced pull up loop for easier instep
- > TPU Abrasion resistant cuff nose / scuff cap
- > Anti-perforation textile mid plate (APT)
- > Composite toe cap
- > Anti-bacterial polyester mesh lining and 3D EVA insole
- > Slip resistant sole
- > Oil resistant sole
- > Heat resistant sole up to 160 degrees Celsius
- > Anti-static ESD PU/Rubber sole with Carbon plate for comfort, durability and light weight
- > Energy absorption in the heel
- > Minimum order quantity of 400 pieces





















Water

Resistant

Leather







Anti-Perforation Midsole Anti-Static Sole Anti-Slip

Anti-Shock Heel Hydrocarbon Resistant Sole

Breathable Leather



dap

PRODUCT CODE: FCOSCS3-BR/BR*

Certification and Information











Features

- > Metal free
- > Full grain leather upper
- > Reinforced pull up loop for easier instep
- > TPU Abrasion resistant cuff nose / scuff cap
- > Anti-perforation textile mid plate (APT)
- > Composite toe cap
- > Anti-bacterial polyester mesh lining and 3D EVA insole
- > Slip resistant sole
- > Oil resistant sole
- > Heat resistant sole up to 160 degrees Celsius
- > Anti-static ESD PU/Rubber sole with Carbon plate for comfort, durability and light weight
- > Energy absorption in the heel
- > Minimum order quantity of 400 pieces















Anti-

Perforation

Midsole



Anti-Static

Sole



Anti-Slip



Anti-Shock

Heel



Water

Resistant

Leather





Hydrocarbon

Resistant

Sole





Breathable Leather



PRODUCT CODE: FCOMCS3-BL/BL*

Certification and Information



Oil Heat Chemical Abrasion



Traction Comfort Non-marking





Features

- > Non-magnetic
- > Full grain leather upper
- > Lace-up system for secure fit
- > TPU Abrasion resistant cuff nose / scuff cap
- > Anti-perforation textile mid plate (APT)
- > Composite toe cap
- > Anti-bacterial polyester mesh lining and 3D EVA insole
- > Slip resistant sole
- > Oil resistant sole
- > Heat resistant sole up to 160 degrees Celsius
- > Anti-static ESD PU/Rubber sole with Carbon plate for comfort, durability and light weight
- > Energy absorption in the heel
- > Minimum order quantity of 400 pieces





















Water

Resistant

Leather









Anti-Perforation Midsole Anti-Static Sole

Anti-Slip Sole

Anti-Shock Heel

Hydrocarbon Resistant Sole

Breathable Leather



PRODUCT CODE: FCOMCS3-BR/BR*

Certification and Information



Heat Chemical Abrasion

Traction Comfort Non-marking



Features

- > Non-magnetic
- > Full grain leather upper
- > Lace-up system for secure fit
- > TPU Abrasion resistant cuff nose / scuff cap
- > Anti-perforation textile mid plate (APT)
- > Composite toe cap
- > Anti-bacterial polyester mesh lining and 3D EVA insole
- > Slip resistant sole
- > Oil resistant sole
- > Heat resistant sole up to 160 degrees Celsius
- > Anti-static ESD PU/Rubber sole with Carbon plate for comfort, durability and light weight
- > Energy absorption in the heel
- > Minimum order quantity of 400 pieces



























Sole



Breathable

Leather



Protective Toe Cap 154

Anti-Perforation Midsole

Anti-Static Sole

Anti-Slip Sole

Anti-Shock Heel

Water Hydrocarbon Resistant Resistant Leather



SubZero insulation is an intermeshed cotton material which forms a mass of fiber to trap air in between the outerlayer of the shoe and your foot.

This breathable high resilient and loft material provides durable warmth retention with light weight properties for extra freedom of movement and comfort.

The perfect combination to use in protective workwear developed to work in hazardous environments.

Properties	Weight	Warmth
SUBZER®	100 GSM	
SUBZER®	150 GSM	
SUBZER®	250 GSM	
SUBZER® INSULATION	300 GSM	

